
# DVP-7642AE

## 4-ch H.264 PCI Video Capture Card with SDK



#### **Features**

- 4-channel composite video inputs with H.264 hardware compression
- 120/100 fps (NTSC/PAL) at full D1 resolution for recording and display
- PCI v3.0 ~v2.2 compatible host interface
- Stackable up to 4 cards, 16 channels in total per PC
- Supports Watchdog function
- Windows/Linux OS supported



#### Introduction

The DVP-7642AE is a PCI-bus, hardware compression video capture card with 4 analog video and 4 audio inputs. The DVP-7642AE supports H.264 base line compression format up to full D1 resolution at real-time frame rate (30/25fps) for each channel. With an easy-to-use software development kit (SDK) and flexibility to stack multiple cards, DVP-7642AE is an ideal solution for various video capture applications or video surveillance.

### **Specifications**

Video	Video Standard	Composite for NTSC/PAL
	Video Input	4 x BNC connectors
	Compression	H/W H.264
	Display Rate	30/25 fps (NTSC/PAL) @ CIF/ch
	Max. Recording Rate	30/25 fps (NTSC/PAL) @ D1/ch
	Connector	BNC / Male / 1.0Vp-p / 75Ω
Audio	Audio Input	4 x RCA
	Format	MONO/16 bits/8000 HZ
System Requirements	CPU (Display)	Intel Pentium 4 2.0 GHz
	CPU (Recording)	Intel Pentium 4 2.0 GHz
	Memory	512 MB
	VGA	1024 x 768, DirectX 9.0c
	Operating System	Windows XP/XPe/Vista/7; Linux 2.6.14 or higher; 32/64 bits
Physical Characteristics	Host Interface	PCI v3.0~2.2 compatible
	Operating Temperature	0 ~ 70° C (32 ~ 158° F)
	Storing Temperature	-40 ~ 85° C (-40 ~ 185° F)
	Dimensions	121 x 85 mm
	Safety	CE/FCC

#### **Versatile SDK Support**

Advantech provides software development kit (SDK), a set of development tools that allows a software engineer to integrate video capture modules into different types of system. Functions include video recording, playback and instant preview.

- Software Library
- SDK Manual
- Sample Program

#### **Ordering Information**

Part Number	Description
DVP-7642AE	4-ch H.264 PCI Video Capture Card with SDK