


# SMK920 LCD Keyboard drawer



## Features

- 1U, built-in Keyboard, touch pad, 17" or 19" TFT LCD
- USB interface for connecting to PC ports
- No software required- Easy PC selection via Front push buttons, Hot keys, On Screen Display
- Support two layers password security protection and search PC server name
- Support one local console plus one optional remote console (CAT5 or IP)
- Local CAT5 console up to 1000 feet away from KVM switch with superior auto-adjust RGB signals capability

## SMK920



## Specification

<b>Chassis</b>	External Chassis	Industrial Metal Frame
<b>Display</b>	LCD	17", 19" Diagonal
	Resolution	1280 x 1024
	Color	16.2 M colors
	Brightness	300 Nits
	Contrast	500:1
	Viewing Angle	160 H, 160 V
	Protection	Tempered Glass
<b>KVM Switch</b>	Ports	1 port
	Video Signal	VGA D-Sub 15
	Keyboard Signal	USB
	Mouse Signal	USB
<b>Control Button</b>	Power	1x Front Standby, 1x Rear Main
<b>Operating system</b>	OS	DOS/Windows/Netware SCO/Linux/HP Unix/Solaris
	Input Peripheral	Keyboard
	Keyboard	105 Key Keyboard *Optional 117-Key for Sun System
	Pointing Device	Integrated Touchpad
	Pointing Device Button	2x Button *Optional 3x Button for Sun System
<b>Power</b>	Power supply	60W, 100VAC ~ 240VAC
<b>Dimensions</b>	Wx Hx D	442.4x 44x 600mm
<b>Weight Compliance</b>	Net weight	12 kg
		CE, FCC, UL, RoHS

## Ordering Information:

### ● SMK920-17

1U, 17" LCD-keyboard drawer with USB KVM cables

### ● SMK920-19

1U, 19" LCD-keyboard drawer with USB KVM cables

## Option:

- 3m, 5m or 10m KVM cable
- CAT5 module or KVM over IP module
- 117 keys keyboard for Sun system



# SMK980 — LCD Keyboard drawer with 8-ports KVM switch



## Features

- 1U, built-in Keyboard, touch pad, 17" or 19" TFT LCD and 8 ports KVM switch
- Support combo interface for connecting to PC ports
- No software required- Easy PC selection via Front push buttons, Hot keys, On Screen Display
- Support two layers password security protection and search PC server name
- Support one local console plus one optional remote console (CAT5 or IP)
- Local CAT5 console up to 1000 feet away from KVM switch with superior auto-adjust RGB signals capability

## SMK980



## Specification

<b>Chassis</b>	External Chassis	Industrial Metal Frame
<b>Display</b>	LCD	17", 19" Diagonal
	Resolution	1280 x 1024
	Color	16.2 M colors
	Brightness	300 Nits
	Contrast	500:1
	Viewing Angle	160 H, 160 V
	Protection	Tempered Glass
<b>KVM Switch</b>	Ports	8 ports
	Video Signal	VGA D-Sub 15
	Keyboard Signal	PS/2 or USB (combo port)
	Mouse Signal	PS/2 or USB (combo port)
<b>Control Button</b>	Port Switch	8x front push button
	Power	1x Front Standby, 1x Rear Main
<b>Operating system</b>	OS	DOS/Windows/Netware SCO/Linux/HP Unix/Solaris
	<b>Input Peripheral</b>	Keyboard
Pointing Device		Integrated Touchpad
Pointing Device Button		2x Button *Optional 3x Button for Sun System
<b>Power</b>	Power supply	60W, 100VAC ~ 240VAC
<b>Dimensions</b>	Wx Hx D	442.4x 44x 600mm
<b>Weight Compliance</b>	Net weight	13 kg
		CE, FCC, UL, RoHS

## Ordering Information:

### ● SMK980-17

1U, 17" LCD-keyboard drawer, 8 ports KVM switch with 8 x 1.8m USB KVM cables

### ● SMK980-19

1U, 19" LCD-keyboard drawer, 8 ports KVM switch with 8 x 1.8m USB KVM cables

## Option:

- 8x 1.8m PS2 KVM cables
- 3m, 5m or 10m KVM cable
- CAT5 module or KVM over IP module
- 117 keys keyboard for Sun system




# SMK990 – LCD Keyboard drawer with 16-ports KVM switch



## Features

- 1U, built-in Keyboard, touch pad, 17" or 19" TFT LCD and 16 ports KVM switch
- Support combo interface for connecting to PC ports
- No software required- Easy PC selection via Front push buttons, Hot keys, On Screen Display
- Support two layers password security protection and search PC server name
- Support one local console plus one optional remote console (CAT5 or IP)
- Local CAT5 console up to 1000 feet away from KVM switch with superior auto-adjust RGB signals capability

## SMK990



## Specification

<b>Chassis</b>	External Chassis	Industrial Metal Frame
<b>Display</b>	LCD	17", 19" Diagonal
	Resolution	1280 x 1024
	Color	16.2 M colors
	Brightness	300 Nits
	Contrast	500:1
	Viewing Angle	160 H, 160 V
	Protection	Tempered Glass
<b>KVM Switch</b>	Ports	16 ports
	Video Signal	VGA D-Sub 15
	Keyboard Signal	PS/2 or USB (combo port)
	Mouse Signal	PS/2 or USB (combo port)
<b>Control Button</b>	Port Switch	16x front push button
	Power	1x Front Standby, 1x Rear Main
<b>Operating system</b>	OS	DOS/Windows/Netware SCO/Linux/HP Unix/Solaris
	<b>Input Peripheral</b>	Keyboard
Pointing Device		Integrated Touchpad
Pointing Device Button		2x Button *Optional 3x Button for Sun System
<b>Power</b>		Power supply
<b>Dimensions</b>	Wx Hx D	442.4x 44x 600mm
<b>Weight Compliance</b>	Net weight	13 kg
		CE, FCC, UL, RoHS

## Ordering Information:

### ● SMK990-17

1U, 17" LCD-keyboard drawer, 16 ports KVM switch with 16 x 1.8m USB KVM cables

### ● SMK990-19

1U, 19" LCD-keyboard drawer, 16 ports KVM switch with 16 x 1.8m USB KVM cables

## Option:

- 16x 1.8m PS2 KVM cables
- 3m, 5m or 10m KVM cable
- CAT5 module or KVM over IP module
- 117 keys keyboard for Sun system

Patent No: 176077, 178629, 246675

# SMK520 — 15" 17" or 19" LCD Keyboard Drawer


## LCD Keyboard Drawer



### Features

- Meets EIA310c & IEC-3 specifications
- One set built-in Keyboard, touch pad & monitor
- With high brightness TFT LCD Panel
- Membrane keyboard in 105 keys, with touch pad
- Built-in rail self-locking device
- Standard VGA, keyboard, mouse Cable

### SMK520



### Specification

Model No	SMK 520-15	SMK 520-17	SMK 520-19
Ports switch	VGA D-Sub 15 pin, PS/2 keyboard Mouse		
Weight	15kgs	16kgs	14kgs
Dimension	442.4x44.5x550 mm (W x H x D)		442.4x44.5x650 mm
Power Supply	AC 110/220V Auto Switch		
Construction	Heavy-duty steel		
Keyboard	Notebook type 105 keys with touchpad		
Protection	Tempered glass protect LCD screen		
Operation Temperature	0-50° C (32-122°F)		
Approvals	CE, FCC, UL, CCC, RoHS		
<b>Display</b>			
Size	15"	17"	19"
Resolution	1024 x 768	1280 x 1024	1280 x 1024
Brightness	250 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>
Contrast Ratio	500:1	500:1	500:1
Viewing angle	130(H)/120(V)	150(H)/130(V)	150(H)/130(V)
Display Colors	16.2M		

### Ordering Information:

#### ● SMK520-15

1U, 15" LCD-keyboard drawer, single port with 1.8m KVM cable

#### ● SMK520-17

1U, 17" LCD-keyboard drawer, single port with 1.8m KVM cable

#### ● SMK520-19

1U, 19" LCD-keyboard drawer, single port with 1.8m KVM cable

### Option:

- DC 48V power supply
- Touch screen
- 3m, 5m or 10m KVM cable



Patent No: 176077, 246675



# SMK580 — LCD Keyboard drawer with 8-ports KVM switch




Front Push Buttons to select your need PCs

## Features

- Meets EIA310c & IEC-3 specifications
- One set built-in Keyboard, touch pad, monitor and 8 ports KVM switch
- Easy PC selection via Front push buttons, Hot keys, On Screen Display
- Support eight characters password protection and search PC server name.
- Auto scan mode for monitoring PCs
- D-sub 15 pin to VGA, keyboard, mouse cable

## SMK580



## Specification

Model No	SMK 580-15	SMK 580-17	SMK 580-19
<b>KVM switch</b>	8 ports KVM switch. Daisy chain level up to 8 Levels. PC connection up to 120 sets		
<b>Weight</b>	16kgs	17kgs	14kgs
<b>Dimension</b>	442.4x44.5x625 mm (W x H x D)		442.4x44.5x650 mm
<b>Power Supply</b>	AC 110/220V Auto Switch		DC 12V adapter
<b>Construction</b>	Heavy-duty steel		
<b>Keyboard</b>	Notebook type 105 keys with touchpad		
<b>Protection</b>	Tempered glass protect LCD screen		
<b>Operation Temperature</b>	0-50° C (32-122°F)		
<b>Approval</b>	CE, FCC, UL, CCC, RoHS		
<b>Display</b>			
<b>Size</b>	15"	17"	19"
<b>Resolution</b>	1024 x 768	1280 x 1024	1280 x 1024
<b>Brightness</b>	250 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>
<b>Contrast Ratio</b>	500:1	500:1	500:1
<b>Viewing angle</b>	130(H)/120(V)	150(H)/130(V)	150(H)/130(V)
<b>Display Colors</b>	16.2M		

## Ordering Information:

### ● SMK580-15

1U, 15" LCD-keyboard drawer, 8 ports KVM switch with 8 x 1.8m KVM cables

### ● SMK580-17

1U, 17" LCD-keyboard drawer, 8 ports KVM switch with 8 x 1.8m KVM cables

### ● SMK580-19

1U, 19" LCD-keyboard drawer, 8 ports KVM switch with 8 x 1.8m KVM cables

## Option:

- 3m, 5m or 10m KVM cable



Patent No: 176077, 178629, 246675


# SMK590 — LCD Keyboard drawer with 16-ports KVM switch



## Features

- Meets EIA310c & IEC-3 specifications
- One set built-in Keyboard, touch pad, monitor and 16 ports KVM switch
- Easy PC selection via Front push buttons, Hot keys, On Screen Display
- Support eight characters password protection and search PC server name.
- Auto scan mode for monitoring PCs
- D-Sub 15 pin to VGA, keyboard, mouse cable

## SMK590



## Specification

Model No	SMK 590-15	SMK 590-17	SMK 590-19
<b>KVM switch</b>	16 ports KVM switch. Daisy chain level up to 8 Levels. PC connection up to 128 sets		
<b>Weight</b>	16.5kgs	17kgs	14kgs
<b>Dimension</b>	442.4x44.5x625 mm (W x H x D)		442.4x44.5x650 mm
<b>Power Supply</b>	AC 110/220V Auto Switch		DC 12V adapter
<b>Construction</b>	Heavy-duty steel		
<b>Keyboard</b>	Notebook type 105 keys with touchpad		
<b>Protection</b>	Tempered glass protect LCD screen		
<b>Operation Temperature</b>	0-50° C (32-122°F)		
<b>Approval</b>	CE, FCC, UL, CCC, RoHS		
<b>Display</b>			
<b>Size</b>	15"	17"	19"
<b>Resolution</b>	1024 x 768	1280 x 1024	1280 x 1024
<b>Brightness</b>	250 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>
<b>Contrast Ratio</b>	500:1	500:1	500:1
<b>Viewing angle</b>	130(H)/120(V)	150(H)/130(V)	150(H)/130(V)
<b>Display Colors</b>	16.2M		

## Ordering Information:

### ● SMK590-15

1U, 15" LCD-keyboard drawer, 16 ports KVM switch with 16 x 1.8m KVM cables

### ● SMK590-17

1U, 17" LCD-keyboard drawer, 16 ports KVM switch with 16 x 1.8m KVM cables

### ● SMK590-19

1U, 19" LCD-keyboard drawer, 16 ports KVM switch with 16 x 1.8m KVM cables

## Option:

- 3m, 5m or 10m KVM cable





# SMK525 LCD Keyboard Drawer



## Specification

Model No	SMK 525-15	SMK 525-17
Ports switch	VGA D-Sub 15 pin, PS/2 keyboard Mouse	
Weight	9.5kgs	11.5kgs
Dimension	442.4x44x480 mm (W x H x D)	442.4x45x515 mm (W x H x D)
Power Supply	AC 110/220V Auto Switch or DC+48V	
Construction	Heavy-duty steel	
Keyboard	Mechanical 105 keys with touchpad	
Color	Black	
Operation Temperature	0-50° C (32-122°F)	
Approval	CE, FCC, RoHS	
<b>Display</b>		
Size	15"	17"
Resolution	1024 x 768	1280 x 1024
Brightness	250 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>
Contrast Ratio	500:1	500:1
Viewing angle	130(H)/120(V)	150(H)/130(V)
Display Colors	16.2M	

## Features

- Meets EIA310c & IEC-3 specifications
- One set built-in Keyboard, touch pad & monitor
- With high brightness TFT LCD Panel
- Mechanical keyboard in 105 keys, with touch pad
- Built-in rail self-locking device
- Standard VGA, keyboard, mouse cable

## Ordering Information:

### ● SMK525-15

1U, 15" LCD-keyboard drawer, mechanical keyboard, single port with 1.8m KVM cable


### ● SMK525-17

1U, 17" LCD-keyboard drawer, mechanical keyboard, single port with 1.8m KVM cable

## Option:

- DC 48V power supply
- Touch screen
- 3m, 5m or 10m KVM cable

## SMK525



Patent No: 176077, 246675


# SMK585 – LCD Keyboard drawer with 8-ports KVM switch



## Features

- Meets EIA310c & IEC-3 specifications
- One set built-in Keyboard, touch pad, monitor and 8 ports KVM switch
- Easy PC selection via Front push buttons, Hot keys, On Screen Display
- Support eight characters password protection and search PC server name.
- Auto scan mode for monitoring PCs
- D-sub 15 pin to VGA, Keyboard, mouse cable

## SMK585



## Specification

Model No	SMK 585-15	SMK 585-17
<b>Ports switch</b>	8 ports KVM switch. Daisy chain level up to 8 Levels. PC connection up to 120 sets	
<b>Weight</b>	11kgs	13kgs
<b>Dimension</b>	442.4x44x550 mm (W x H x D)	442.4x45x655 mm (W x H x D)
<b>Power Supply</b>	AC 110/220V Auto Switch	
<b>Construction</b>	Heavy-duty steel	
<b>Keyboard</b>	Mechanical 105 keys with touchpad	
<b>Color</b>	Black	
<b>Operation Temperature</b>	0-50° C (32-122°F)	
<b>Approval</b>	CE, FCC, RoHS	
<b>Display</b>		
<b>Size</b>	15"	17"
<b>Resolution</b>	1024 x 768	1280 x 1024
<b>Brightness</b>	250 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>
<b>Contrast Ratio</b>	500:1	500:1
<b>Viewing angle</b>	130(H)/120(V)	150(H)/130(V)
<b>Display Colors</b>	16.2M	

## Ordering Information:

### ● SMK585-15

1U, 15" LCD-keyboard drawer, mechanical keyboard, 8 ports KVM switch with 8 x 1.8m KVM cables

### ● SMK585-17

1U, 17" LCD-keyboard drawer, mechanical keyboard, 8 ports KVM switch with 8 x 1.8m KVM cables

## Option:

- 3m, 5m or 10m KVM cable






# SMK595 – LCD Keyboard drawer with 16-ports KVM switch



## Features

- Meets EIA310c & IEC-3 specifications
- One set built-in Keyboard, touch pad, monitor and 16 ports KVM switch
- Easy PC selection via Front push buttons, Hot keys, On Screen Display
- Support eight characters password protection and search PC server name.
- Auto scan mode for monitoring PCs
- D-Sub 15 pin to VGA, keyboard, mouse cable

## SMK595



## Specification

Model No	SMK 595-15	SMK 595-17
Ports switch	16 ports KVM switch. Daisy chain level up to 8 Levels. PC connection up to 128 sets	
Weight	11kgs	13kgs
Dimension	442.4x44x550 mm (W x H x D)	442.4x45x655 mm (W x H x D)
Power Supply	AC 110/220V Auto Switch	
Construction	Heavy-duty steel	
Keyboard	Mechanical 105 keys with touchpad	
Color	Black	
Operation Temperature	0-50° C (32-122°F)	
Approval	CE, FCC, RoHS	
<b>Display</b>		
Size	15"	17"
Resolution	1024 x 768	1280 x 1024
Brightness	250 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>
Contrast Ratio	500:1	500:1
Viewing angle	130(H)/120(V)	150(H)/130(V)
Display Colors	16.2M	

## Ordering Information:

### ● SMK595-15

1U, 15" LCD-keyboard drawer, mechanical keyboard, 16 ports KVM switch with 16 x 1.8m KVM cables

### ● SMK595-17

1U, 17" LCD-keyboard drawer, mechanical keyboard, 16 ports KVM switch with 16 x 1.8m KVM cables

## Option:

- 3m, 5m or 10m KVM cable



# DMK520 LCD Keyboard Drawer

## Dual-rails



## Features

- Meets EIA310c & IEC-3 specifications
- Dual-rails for keyboard and LCD monitor
- Anti-glare tempered glass for added protection to the LCD screen
- Built-in rail self-locking device
- Standard keyboard, mouse, VGA cable

## Specification

Model No	DMK 520-15	DMK 520-17
Ports switch	VGA D-Sub 15 pin, PS/2 keyboard Mouse	
Drawer Design	Dual-rails for panel and keyboard enable independent extraction of either panel or keyboard alone	
Weight	11kgs	12kgs
Dimension	442.4(W) x 44(H) x 480(D)mm	
Power Supply	AC 110/220V Auto Switch	
Construction	Heavy-duty steel	
Keyboard	Notebook type 105 keys with touchpad	
Protection	Tempered glass protect LCD screen	
Operation Temperature	0-50° C (32-122°F)	
Approvals	CE, FCC, RoHS	
<b>Display</b>		
Size	15"	17"
Resolution	1024 x 768	1280 x 1024
Brightness	250 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>
Contrast Ratio	500:1	500:1
Viewing angle	130(H)/120(V)	150(H)/130(V)
Display Colors	16.2M	

## Ordering Information:

### ● DMK520-15

1U, Dual-rails, 15" LCD-keyboard drawer, single port with 1.8m KVM cable


### ● DMK520-17

1U, Dual-rails, 17" LCD-keyboard drawer, single port with 1.8m KVM cable

## Option:

- Touch screen
- 3m, 5m or 10m KVM cable

## DMK520





# DMK580 – LCD Keyboard drawer with 8-ports KVM switch

## Dual-rails



## Specification

Model No.	DMK 580-15	DMK 580-17
<b>KVM Switch</b>	8 ports KVM switch. Daisy chain level up to 8 Levels. PC connection up to 120 sets	
<b>Drawer Design</b>	Dual-rails for panel and keyboard enables independent extraction of either panel or keyboard alone	
<b>Weight</b>	12.5kgs	13.5kgs
<b>Dimension</b>	442.4(W) x 44(H) x 590(D)mm	
<b>Power Supply</b>	AC 110/220V Auto Switch	
<b>Construction</b>	Heavy-duty steel	
<b>Keyboard</b>	Notebook type 105 keys with touchpad	
<b>Protection</b>	Tempered glass protect LCD screen	
<b>Operation Temperature</b>	0-50° C (32-122°F)	
<b>Approvals</b>	CE, FCC, RoHS	
<b>Display</b>		
<b>Size</b>	15"	17"
<b>Resolution</b>	1024 x 768	1280 x 1024
<b>Brightness</b>	250 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>
<b>Contrast Ratio</b>	500:1	500:1
<b>Viewing Angle</b>	130(H)/120(V)	150(H)/130(V)
<b>Display Colors</b>	16.2M	

## Features

- Dual-rails for keyboard and LCD monitor.
- Easy PC selection via Front push buttons, Hot Keys, or On Screen Display.
- Support eight characters password protection and search PC server name.
- Auto scan mode for monitoring PCs
- Anti-glare tempered glass for added protection to the LCD screen

## Ordering Information:

### • DMK580-15

1U, Dual-rails, 15" LCD-keyboard drawer, 8 ports KVM switch with 8 x 1.8m KVM cables


### • DMK580-17

1U, Dual-rails, 17" LCD-keyboard drawer, 8 ports KVM switch with 8 x 1.8m KVM cables

## Option:

- 3m, 5m or 10m KVM cable

## DMK580



# DMK590 – LCD Keyboard drawer with 16-ports KVM switch

## Dual-rails



## Specification

Model No.	DMK 590-15	DMK 590-17
<b>KVM Switch</b>	16 ports KVM switch. Daisy chain level up to 8 Levels. PC connection up to 128 sets	
<b>Drawer Design</b>	Dual-rails for panel and keyboard enables independent extraction of either panel or keyboard alone	
<b>Weight</b>	12.5kgs	13.5kgs
<b>Dimension</b>	442.4(W) x 44(H) x 590(D)mm	
<b>Power Supply</b>	AC 110/220V Auto Switch	
<b>Construction</b>	Heavy-duty steel	
<b>Keyboard</b>	Notebook type 105 keys with touchpad	
<b>Protection</b>	Tempered glass protect LCD screen	
<b>Operation Temperature</b>	0-50° C (32-122°F)	
<b>Approvals</b>	CE, FCC, RoHS	
<b>Display</b>		
<b>Size</b>	15"	17"
<b>Resolution</b>	1024 x 768	1280 x 1024
<b>Brightness</b>	250 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>
<b>Contrast Ratio</b>	500:1	500:1
<b>Viewing Angle</b>	130(H)/120(V)	150(H)/130(V)
<b>Display Colors</b>	16.2M	

## Features

- Dual-rails for keyboard and LCD panel
- Easy PC selection via Front push buttons, Hot Keys, or On
- Screen Display.
- Support eight characters password protection and search PC server name.
- Auto scan mode for monitoring PCs
- Anti-glare tempered glass for added protection to the LCD screen

## Ordering Information:

### ● DMK590-15

1U, Dual-rails, 15" LCD-keyboard drawer, 16 ports KVM switch with 16 x 1.8m KVM cables


### ● DMK590-17

1U, Dual-rails, 17" LCD-keyboard drawer, 16 ports KVM switch with 16 x 1.8m KVM cables

## Option:

- 3m, 5m or 10m KVM cable

## DMK590





# SMK420 LCD Keyboard Drawer

Wide 17" (16:9) LCD Monitor  
with Speaker



## Specification

<b>Model No</b>	<b>SMK 420-17</b>
<b>Ports switch</b>	VGA D-Sub 15 pin, PS/2 keyboard Mouse
<b>Weight</b>	12 kgs
<b>Dimension</b>	442.4x44x508 mm (W x H x D)
<b>Power Supply</b>	AC 110/220V Auto Switch
<b>Construction</b>	Heavy-duty steel
<b>Keyboard</b>	Notebook type 105 keys with touchpad
<b>Protection</b>	Tempered glass protect LCD screen
<b>Operation Temperature</b>	0-50° C (32-122°F)
<b>Approval</b>	CE, FCC, RoHS
<b>Display</b>	
<b>Size</b>	17" (16:9)
<b>Resolution</b>	(1280x 3) x 768
<b>Brightness</b>	450 cd/m <sup>2</sup>
<b>Contrast Ratio</b>	600:1
<b>Viewing angle</b>	178(H)/ 178(V)
<b>Display Colors</b>	16.2M

## Features

- Meets EIA310c & IEC-3 specifications
- One set built-in Keyboard, touch pad & wide 16:9 LCD monitor
- With high brightness TFT LCD Panel
- Notebook type keyboard in 105 keys, with touch pad
- Built-in rail self-locking device
- Standard VGA, Keyboard and Mouse cable
- Standard Audio in jack & Speakers

## Ordering Information:



### ● SMK420-17

1U, 17" (16:9) wide LCD-keyboard drawer, single port, speaker with 1.8m KVM cable

## Option:

- 3m, 5m or 10m KVM cable

## SMK420



# SMK480-LCD Keyboard drawer with 8-ports KVM switch

## Wide 17" (16:9) LCD Monitor



### Specification

<b>Model No</b>	<b>SMK 480-17</b>
<b>Ports switch</b>	8 ports KVM switch. Daisy chain level up to 8 Levels. PC connection up to 120 sets
<b>Weight</b>	11.5 kgs
<b>Dimension</b>	442.4x44x508 mm (W x H x D)
<b>Power Supply</b>	DC +12V adapter
<b>Construction</b>	Heavy-duty steel
<b>Keyboard</b>	Notebook type 105 keys with touchpad
<b>Protection</b>	Tempered glass protect LCD screen
<b>Operation Temperature</b>	0-50° C (32-122°F)
<b>Approval</b>	CE, FCC, RoHS
<b>Display</b>	
<b>Size</b>	17" (16:9)
<b>Resolution</b>	(1280x 3) x 768
<b>Brightness</b>	450 cd/m <sup>2</sup>
<b>Contrast Ratio</b>	600:1
<b>Viewing angle</b>	178(H)/ 178(V)
<b>Display Colors</b>	16.2M

### Features

- Meets EIA310c & IEC-3 specifications
- One set built-in Keyboard, touch pad & Wide 16:9 LCD monitor and 8 ports KVM switch
- Easy PC selection via Front push buttons, Hot keys, On Screen Display
- Support eight characters password protection and search PC server name.
- Auto scan mode for monitoring PCs
- D-Sub 15 pin to VGA, Keyboard, Mouse cable

### Ordering Information:

#### ● SMK480-17


1U, 17" (16:9) Wide LCD-keyboard drawer, 8 ports KVM switch with 8 x 1.8m KVM cables

### Option:

- 3m, 5m or 10m KVM cable



### SMK480





# SMK490 – LCD Keyboard drawer with 8-ports KVM switch

## Wide 17" (16:9) LCD Monitor



### Specification

<b>Model No</b>	<b>SMK 490-17</b>
<b>KVM switch</b>	16 ports KVM switch. Daisy chain level up to 8 Levels. PC connection up to 128 sets
<b>Weight</b>	11.5 kgs
<b>Dimension</b>	442.4x44x508 mm (W x H x D)
<b>Power Supply</b>	DC +12V adapter
<b>Construction</b>	Heavy-duty steel
<b>Keyboard</b>	Notebook type 105 keys with touchpad
<b>Protection</b>	Tempered glass protect LCD screen
<b>Operation Temperature</b>	0-50° C (32-122°F)
<b>Approval</b>	CE, FCC, RoHS
<b>Display</b>	
<b>Size</b>	17" (16:9)
<b>Resolution</b>	(1280x 3) x 768
<b>Brightness</b>	450 cd/m <sup>2</sup>
<b>Contrast Ratio</b>	600:1
<b>Viewing angle</b>	178(H)/ 178(V)
<b>Display Colors</b>	16.2M

## Features

- Meets EIA310c & IEC-3 specifications
- One set built-in Keyboard, touch pad, Wide 16:9 LCD monitor and 16 ports KVM switch
- Easy PC selection via Front push buttons, Hot keys, On Screen Display
- Support eight characters password protection and search PC server name.
- Auto scan mode for monitoring PCs
- D-Sub 15 pin to VGA, Keyboard Mouse cable

## Ordering Information:

### ● SMK490-17



1U, 17" (16:9) Wide LCD-keyboard drawer, 16 ports KVM switch with 16 x 1.8m KVM cables

## Option:

- 3m, 5m or 10m KVM cable



## SMK490



# SMK520L ———— LCD Keyboard Drawer

## Aluminum frame



## Specification

Model No	SMK 520L-15	SMK 520L-17
Ports switch	VGA D-Sub 15 pin, PS/2 keyboard Mouse	
Weight	8.5kgs	9kgs
Dimension	442.4x44x550 mm (W x H x D)	
Power Supply	AC 110/220V Auto Switch or DC+48V	
Construction	Aluminum	
Keyboard	Notebook type 105 keys with touchpad	
Protection	Tempered glass protect LCD screen	
Operation Temperature	0-50° C (32-122°F)	
Approval	CE, FCC, RoHS	
<b>Display</b>		
Size	15"	17"
Resolution	1024 x 768	1280 x 1024
Brightness	250 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>
Contrast Ratio	500:1	500:1
Viewing angle	130(H)/120(V)	150(H)/130(V)
Display Colors	16.2M	

## Features

- Meets EIA310c & IEC-3 specifications
- Built-in Keyboard, touch pad & monitor
- Light aluminum frame
- With high brightness TFT LCD Panel
- Anti-glare tempered glass for added protection
- Notebook type keyboard in 105 keys, with touchpad
- Built-in rail self-locking device
- Standard VGA, keyboard, mouse Cable

## Ordering Information:

### ● SMK520L-15

1U, Aluminum, 15" LCD-keyboard drawer, single port with 1.8m KVM cable

### ● SMK520L-17



1U, Aluminum, 17" LCD-keyboard drawer, single port with 1.8m KVM cable

## Option:

- DC 48V power supply
- Touch screen
- 3m, 5m or 10m KVM cable



## SMK520L





# SMK580L - LCD Keyboard drawer with 8-ports KVM switch


## Aluminum frame



## Features

- Meets EIA310c & IEC-3 specifications
- One set built-in Keyboard, touch pad, monitor and 8 ports KVM switch
- Light aluminum frame
- With high brightness TFT LCD Panel
- Anti-glare tempered glass for added protection
- Notebook type keyboard in 105 keys, with touchpad
- Built-in rail self-locking device
- Easy PC selection via ON Screen Display Manual
- Auto scan mode for monitoring PCs

## SMK580L



## Specification

Model No	SMK 580L-15	SMK 580L-17
Ports switch	8 ports KVM switch. Daisy chain level up to 8 Levels. PC connection up to 120 sets	
Weight	10kgs	10.5kgs
Dimension	442.4x44x625 mm (W x H x D)	
Power Supply	AC 110/220V Auto Switch	
Construction	Aluminum	
Keyboard	Notebook type 105 keys with touchpad	
Protection	Tempered glass protect LCD screen	
Operation Temperature	0-50° C (32-122°F)	
Approval	CE, FCC, RoHS	
<b>Display</b>		
Size	15"	17"
Resolution	1024 x 768	1280 x 1024
Brightness	250 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>
Contrast Ratio	500:1	500:1
Viewing angle	130(H)/120(V)	150(H)/130(V)
Display Colors	16.2M	

## Ordering Information:

### ● SMK580L-15

1U, Aluminum, 15" LCD-keyboard drawer, 8 ports KVM switch with 8 x 1.8m KVM cables

### ● SMK580L-17

1U, Aluminum, 17" LCD-keyboard drawer, 8 ports KVM switch with 8 x 1.8m KVM cables

## Option:

- 3m, 5m or 10m KVM cable



# SMK590L – LCD Keyboard drawer with 16-ports KVM switch

## Aluminum frame



## Features

- Meets EIA310c & IEC-3 specifications
- One set built-in Keyboard, touch pad, monitor and 16 ports KVM switch
- Light aluminum frame
- With high brightness TFT LCD Panel
- Anti-glare tempered glass for added protection
- Notebook type keyboard in 105 keys, with touchpad
- Built-in rail self-locking device
- Easy PC selection via ON Screen Display Manual
- Auto scan mode for monitoring PCs

## Specification

Model No	SMK 590L-15	SMK 590L-17
<b>Ports switch</b>	16 ports KVM switch. Daisy chain level up to 8 Levels. PC connection up to 128 sets	
<b>Weight</b>	10kgs	10.5kgs
<b>Dimension</b>	442.4x44x625 mm (W x H x D)	
<b>Power Supply</b>	AC 110/220V Auto Switch	
<b>Construction</b>	Aluminum	
<b>Keyboard</b>	Notebook type 105 keys with touchpad	
<b>Protection</b>	Tempered glass protect LCD screen	
<b>Operation Temperature</b>	0-50° C (32-122°F)	
<b>Approval</b>	CE, FCC, RoHS	
<b>Display</b>		
<b>Size</b>	15"	17"
<b>Resolution</b>	1024 x 768	1280 x 1024
<b>Brightness</b>	250 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>
<b>Contrast Ratio</b>	500:1	500:1
<b>Viewing angle</b>	130(H)/120(V)	150(H)/130(V)
<b>Display Colors</b>	16.2M	

## Ordering Information:

### ● SMK590L-15

1U, Aluminum, 15" LCD-keyboard drawer, 16 ports KVM switch with 16 x 1.8m KVM cables

### ● SMK590L-17

1U, Aluminum, 17" LCD-keyboard drawer, 16 ports KVM switch with 16 x 1.8m KVM cables

## Option:

- 3m, 5m or 10m KVM cable

## SMK590L

