Product Overview

3G/LTE Routers

- Cellular Antenna Connector
- 802.15.4e Antenna Connector
- LEDs
- Cellular Antenna Connector
- Reset Switch
- Power
- Ethernet/WAN Port
- SIM card 1
- Aux Ports
- USB Port
- SIM card 2
- I/O Port

RT Routers

- 802.15.4e Antenna Connector
- Power LED
- LEDs
- Reset Switch
- Power
- Ethernet/WAN Port
- Aux Ports
- USB Port
- I/O Port

1 Attach Antennas

Your router will not work unless the antennas are attached and power is supplied. Some models also require installed, activated SIM cards.

Powering the router with no antenna attached can damage the router.

Spectre 3G Routers have 2 SIM Card Readers
Spectre LTE Routers have 1 SIM Card Reader

Cellular antenna to "DIV".

802.15.4e antenna to "AUX".

Cellular antenna to "ANT".

RT Routers

802.15.4e antenna to "AUX".

2 Insert SIM card

Some service providers require installed, activated SIM cards in order to establish communications. For the corresponding router models, open the SIM card holder by pressing the small button to the right of the SIM card holder.

3 Attach Power

The router has built-in protection against reverse polarity. Apply +10 to +30 V DC, or connect the included AC power adapter.

4 Connect Ethernet

You will use an Ethernet connection to configure the router and to communicate with it.

5 Configure the Router

You may configure the router via a web browser or Telnet.

Default Router IP Address = **192.168.1.1**
Default Username = **root**
Default Password = **root**

Detailed configuration data is included on your installation CD and also on our web site.

6 Set Up Mobile Connection
(Cellular Routers Only)

3G – Click "Mobile WAN" under "Configuration". Select your carrier under the primary SIM card drop down menu. Enter APN and credentials given from your provider. Apply changes.

Note: Sprint requires extra steps. Please see Configuration Manual section "Sprint CDMA network connection" for instructions.

Common APN Examples
Verizon: No APN required
AT&T: isp.cingular or wap.cingular
Sprint: No APN required
T-Mobile: epc.tmobile.com
Rogers: internet.com
TELUS: sp.telus.com

LTE – Click "Mobile WAN' under 'Configuration". Enter APN and Credentials given from your provider. Apply Changes.

Common APN Examples
Verizon: vzwinternet
AT&T: broadband

6 Set Up Mobile Connection (Cont.)
(Cellular Routers Only)

Note: If your SIM card or device is setup to have a Public Static IP address or you are going through a MVNO (Mobile Virtual Network Operator) a different APN and credentials may be needed. This information will need to be obtained from your provider.

7 Check Mobile Network Connection
(Cellular Routers Only)

Click "Mobile WAN" under "Status". At the bottom you should see "Mobile Network Connection Log". If the Router is connected it will have a message underneath saying "Connection successfully established." To see the most current status you will need to refresh the page. If a Connection does not establish switch to the system log to see where the error occurs.

8 Test Internet Connectivity

Make sure the connection to the Router is the only enabled network connection and that the Gateway and DNS Server are set to the address of the Router (default IP address: 192.168.1.1). Note: You will not have to change Gateway or DNS Server information if the network connection to the Router is setup as DHCP.

To verify internet connectivity open a Web browser and go to a known good website or ping a known good Internet address or Web address. You should receive valid responses. If you cannot access the internet or do not receive valid responses, contact B&B Technical Support.

9 Set Up Wzzard SmartMesh IP Network

The Network Gateway needs to be programmed to communicate to the Wzzard Edge nodes over the SmartmeshIP wireless network, and to the application layer via the MQTT broker. Refer to the IoT Gateway Settings page, found under customization/user module, to program both the SmartMesh IP and MQTT settings by selecting the "IoT Gateway" hyperlink.

Spectre 3G and LTE routers are certified for many North American carriers. Check with B&B Technical Support for the latest carrier certifications.

Doc. Number – 710-10264-00_R2_Spectre_Network_Gateway_2515qsg

---

Recommended Accessories

Cellular Antennas

http://www.bb-elec.com/Global/Site-Search.aspx?searchtext=antenna&searchmode=anyword

Ethernet Cables

http://www.bb-elec.com/Products/Power-Supplies-Accessories/Ethernet-Cables.aspx

Fast, Easy Answers

- **You can use your smart phone to access complete documentation on our website. Simply scan code to the right.**

B+B SMARTWORX

1-800-346-3119 | Europe: **+353 91 792444**

bb-smartsensing.com

QUICK START GUIDE

B+B SMARTWORX

Spectre LTE/3G/RT
Spectre Network Gateways

✔ First Things First...

Before you begin, be sure you have the following:

- ○ SPECTRE LTE/3G/RT router
- ○ Power Supply
- ○ Crossover UTP cable
- ○ External Antennas
- ○ DIN rail adapter

B+B SMARTWORX

Fast and easy on the web: bb-smartsensing.com