



**QQHM2.E227340**  
**Power Supplies, Medical and Dental - Component**

[Page Bottom](#)

**Power Supplies, Medical and Dental - Component**

[See General Information for Power Supplies, Medical and Dental - Component](#)

**MEAN WELL ENTERPRISES CO LTD**  
 28 WUQUAN 3RD RD WUGU DIST  
 NEW TAIPEI, 248 TAIWAN

E227340

Model No.	Rated Input			Max Output				SP	EP	FC	GC
	Volts	Hz	SC	V	A	VA	OC				
<b>GEM18x05-zzz (^)</b>											
	100-240Vac	50/60	0	5-6dc	3.00-2.50	15	16	ES60601-1	20B	0	2
<b>GEM18x07-zzz (^)</b>											
	100-240Vac	50/60	0	6-8dc	2.50-1.87	15	16	ES60601-1	20B	0	2
<b>GEM18x09-zzz (^)[*r]</b>											
	100-240Vac	50/60	0	8-11dc	2.25-1.64	18.04	16	ES60601-1	20B	0	2
<b>GEM18x12-zzz (^)[*r]</b>											
	100-240Vac	50/60	0	11-13dc	1.64-1.38	18.04	16	ES60601-1	20B	0	2
<b>GEM18x15-zzz (^)[*r]</b>											
	100-240Vac	50/60	0	13-16dc	1.38-1.13	18.08	16	ES60601-1	20B	0	2
<b>GEM18x18-zzz (^)[*r]</b>											
	100-240Vac	50/60	0	16-21dc	1.13-0.86	18.08	16	ES60601-1	20B	0	2
<b>GEM18x24-zzz (^)[*r]</b>											
	100-240Vac	50/60	0	21-27dc	0.86-0.67	18.09	16	ES60601-1	20B	0	2
<b>GEM18x28-zzz (^)[*r]</b>											
	100-240Vac	50/60	0	27-33dc	0.67-0.55	18.15	16	ES60601-1	20B	0	2
<b>GEM18x48-zzz (^)[*r]</b>											
	100-240Vac	50/60	0	33-58dc	0.55-0.32	18.56	16	ES60601-1	20B	0	2
<b>GMS36U15 @ (A1\$)[*r]</b>											
	100-240Vac	50/60	0	15dc	2.4	-	16	ES60601 & A1:2012	20B	0	2
<b>GMS36U48 @ (A1\$)[*r]</b>											
	100-240Vac	50/60	0	48dc	0.75	-	16	ES60601 & A1:2012	20B	0	2
<b>GSM06Ux-zzz (x can be 05, 06, 07, 09, 12, 15, 18, 24; -zzz can be 0-9, A-Z or Blank for marketing purpose)</b>											
	100-240ac	50/60	0	27dc	1.2	6.24	16, 22	ES60601-1	20B	8	2
<b>GSM120B12 (A1\$)[*r]</b>											
	100-240ac	50/60	0	12	8.5	102	16	ES60601-1 A1	20B	0	2
<b>GSM120B15 (A1\$)[*r]</b>											
		50/60	0	15	7.0	10.5	16	ES60601-1 A1	20B	0	2

	100-240ac												
<b>GSM120B20 (A1\$)[*r]</b>													
	100-240ac	50/60	0	20	6.0	120	16	ES60601-1 A1	20B	0	2		
<b>GSM120B24 (A1\$)[*r]</b>													
	100-240ac	50/60	0	24	5.0	120	16	ES60601-1 A1	20B	0	2		
<b>GSM120B48 (A1\$)[*r]</b>													
	100-240ac	50/60	0	48	2.5	120	16	ES60601-1 A1	20B	0	2		
<b>GSM160B12(A1\$)[*r]</b>													
	100-240ac	50/60	0	12dc	11.5	138 Max	16	ANSI/AAMIES60601-1 (2005 + C1:09 + A2:10 + A1:12)	20B	0	2		
<b>GSM160B15(A1\$)[*r]</b>													
	100-240ac	50/60	0	15dc	9.6	144 Max	16	ANSI/AAMIES60601-1 (2005 + C1:09 + A2:10 + A1:12)	20B	0	2		
<b>GSM160B20(A1\$)[*r]</b>													
	100-240ac	50/60	0	20dc	8	160 Max	16	ANSI/AAMIES60601-1 (2005 + C1:09 + A2:10 + A1:12)	20B	0	2		
<b>GSM160B24(A1\$)[*r]</b>													
	100-240ac	50/60	0	24dc	6.67	160 Max	16	ANSI/AAMIES60601-1 (2005 + C1:09 + A2:10 + A1:12)	20B	0	2		
<b>GSM160B48(A1\$)[*r]</b>													
	100-240ac	50/60	0	48dc	3.34	160 Max	16	ANSI/AAMIES60601-1 (2005 + C1:09 + A2:10 + A1:12)	20B	0	2		
<b>GSM18B05 @ (A1\$)[*r]</b>													
	100-240Vac	50/60	0	5dc	3	-	16	ES60601 & A1:2012	20B	0	2		
<b>GSM18B07 @ (A1\$)[*r]</b>													
	100-240Vac	50/60	0	7.5dc	2	-	16	ES60601 & A1:2012	20B	0	2		
<b>GSM18B09 @ (A1\$)[*r]</b>													
	100-240Vac	50/60	0	9dc	2	-	16	ES60601 & A1:2012	20B	0	2		
<b>GSM18B12 @ (A1\$)[*r]</b>													
	100-240Vac	50/60	0	12dc	1.5	-	16	ES60601 & A1:2012	20B	0	2		
<b>GSM18B15 @ (A1\$)[*r]</b>													
	100-240Vac	50/60	0	15dc	1.2	-	16	ES60601 & A1:2012	20B	0	2		
<b>GSM18B18 @ (A1\$)[*r]</b>													
	100-240Vac	50/60	0	18dc	1	-	16	ES60601 & A1:2012	20B	0	2		
<b>GSM18B24 @ (A1\$)[*r]</b>													
	100-240Vac	50/60	0	24dc	0.75	-	16	ES60601 & A1:2012	20B	0	2		
<b>GSM18B48 @ (A1\$)[*r]</b>													
	100-240Vac	50/60	0	48dc	0.375	-	16	ES60601 & A1:2012	20B	0	2		
<b>GSM18U05 @ (A1\$)[*r]</b>													
	100-240Vac	50/60	0	5dc	3	-	16	ES60601 & A1:2012	20B	0	2		
<b>GSM18U07 @ (A1\$)[*r]</b>													
	100-240Vac	50/60	0	7.5dc	2	-	16	ES60601 & A1:2012	20B	0	2		
<b>GSM18U09 @ (A1\$)[*r]</b>													
		50/60	0	9dc	2	-	16	ES60601 & A1:2012	20B	0	2		

	100-240Vac											
<b>GSM18U12 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	12dc	1.5	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM18U15 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	15dc	1.2	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM18U18 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	18dc	1	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM18U24 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	24dc	0.75	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM18U48 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	48dc	0.375	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM220B12 (A1\$)</b>												
	100-240ac	50/60	0	-	-	-	-	ES60601-1 A1	20B	0	2	
<b>GSM220B15 (A1\$)</b>												
	100-240ac	50/60	0	-	-	-	-	ES60601-1 A1	20B	0	2	
<b>GSM220B20 (A1\$)</b>												
	100-240ac	50/60	0	-	-	-	-	ES60601-1 A1	20B	0	2	
<b>GSM220B24 (A1\$)</b>												
	100-240ac	50/60	0	-	-	-	-	ES60601-1 A1	20B	0	2	
<b>GSM220B48 (A1\$)</b>												
	100-240ac	50/60	0	-	-	-	-	ES60601-1 A1	20B	0	2	
<b>GSM25B05 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	5dc	4	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM25B07 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	7.5dc	2.93	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM25B09 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	9dc	2.77	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM25B12 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	12dc	2.08	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM25B15 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	15dc	1.66	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM25B18 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	18dc	1.38	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM25B24 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	24dc	1.04	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM25B48 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	48dc	0.52	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM25U05 @ (A1\$)[*r]</b>												
		50/60	0	5dc	4	-	16	ES60601 & A1:2012	20B	0	2	

	100-240Vac											
<b>GSM25U07 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	7.5dc	2.93	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM25U09 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	9dc	2.77	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM25U12 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	12dc	2.08	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM25U15 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	15dc	1.66	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM25U18 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	18dc	1.38	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM25U24 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	24dc	1.04	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM25U48 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	48dc	0.52	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM36B05 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	5dc	4.5	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM36B07 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	7dc	4.32	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM36B09 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	9dc	4	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM36B12 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	12dc	3	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM36B15 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	15dc	2.4	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM36B18 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	18dc	2	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM36B24 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	24dc	1.5	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM36B48 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	48dc	0.75	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM36U05 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	5dc	4.5	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM36U07 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	7dc	4.32	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM36U09 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	9dc	4	-	16	ES60601 & A1:2012	20B	0	2	
<b>GSM36U12 @ (A1\$)[*r]</b>												
		50/60	0	12dc	3	-	16	ES60601 & A1:2012	20B	0	2	

	100-240Vac												
<b>GSM36U18 @ (A1\$)*r]</b>													
	100-240Vac	50/60	0	18dc	2	-	16	ES60601 & A1:2012	20B	0	2		
<b>GSM36U24 @ (A1\$)*r]</b>													
	100-240Vac	50/60	0	24dc	1.5	-	16	ES60601 & A1:2012	20B	0	2		
<b>GSM40A05</b>													
	100-240ac	50/60	0	5dc	5	24	16	ES60601-1	20B	0	1		
<b>GSM40A05(A1\$)*r]</b>													
	100-240ac	50/60	0	5dc	5	25	16	ES60601 A1:2012	20B	0	1		
<b>GSM40A07</b>													
	100-240ac	50/60	0	7.5dc	5.34	40.05	16	ES60601-1	20B	0	1		
<b>GSM40A07(A1\$)*r]</b>													
	100-240ac	50/60	0	7.5dc	5.34	40.05	16	ES60601 A1:2012	20B	0	1		
<b>GSM40A09</b>													
	100-240ac	50/60	0	9dc	4.45	40.05	16	ES60601-1	20B	0	1		
<b>GSM40A09(A1\$)*r]</b>													
	100-240ac	50/60	0	9dc	4.45	40.05	16	ES60601 A1:2012	20B	0	1		
<b>GSM40A12</b>													
	100-240ac	50/60	0	12dc	3.34	40.08	16	ES60601-1	20B	0	1		
<b>GSM40A12(A1\$)*r]</b>													
	100-240ac	50/60	0	12dc	3.34	40.08	16	ES60601 A1:2012	20B	0	1		
<b>GSM40A15</b>													
	100-240ac	50/60	0	15dc	2.67	40.05	16	ES60601-1	20B	0	1		
<b>GSM40A15(A1\$)*r]</b>													
	100-240ac	50/60	0	15dc	2.67	40.05	16	ES60601 A1:2012	20B	0	1		
<b>GSM40A18</b>													
	100-240ac	50/60	0	18dc	2.22	39.96	16	ES60601-1	20B	0	1		
<b>GSM40A18(A1\$)*r]</b>													
	100-240ac	50/60	0	18dc	2.22	39.96	16	ES60601 A1:2012	20B	0	1		
<b>GSM40A24</b>													
	100-240ac	50/60	0	24dc	1.67	40.08	16	ES60601-1	20B	0	1		
<b>GSM40A24(A1\$)*r]</b>													
	100-240ac	50/60	0	24dc	1.67	40.08	16	ES60601 A1:2012	20B	0	1		
<b>GSM40A48</b>													
	100-240ac	50/60	0	48dc	0.84	40.32	16	ES60601-1	20B	0	1		
<b>GSM40A48(A1\$)*r]</b>													
	100-240ac	50/60	0	48dc	0.84	40.32	16	ES60601 A1:2012	20B	0	1		
<b>GSM40B05</b>													
		50/60	0	5dc	5	25	16	ES60601-1 A1	20B	0	2		

	100-240Vac											
<b>GSM40B07</b>												
	100-240Vac	50/60	0	7.5dc	5.34	40	16	ES60601-1 A1	20B	0	2	
<b>GSM40B09</b>												
	100-240Vac	50/60	0	9dc	4.45	40	16	ES60601-1 A1	20B	0	2	
<b>GSM40B12</b>												
	100-240Vac	50/60	0	12dc	3.34	40	16	ES60601-1 A1	20B	0	2	
<b>GSM40B15</b>												
	100-240Vac	50/60	0	15dc	2.67	40	16	ES60601-1 A1	20B	0	2	
<b>GSM40B18</b>												
	100-240Vac	50/60	0	18dc	2.22	40	16	ES60601-1 A1	20B	0	2	
<b>GSM40B24</b>												
	100-240Vac	50/60	0	24dc	1.67	40	16	ES60601-1 A1	20B	0	2	
<b>GSM40B48</b>												
	100-240Vac	50/60	0	48dc	0.84	40	16	ES60601-1 A1	20B	0	2	
<b>GSM60A05</b>												
	100-240ac	50/60	0	5dc	6	30	16	ES60601-1	20B	0	1	
<b>GSM60A05(A1\$)*r]</b>												
	100-240ac	50/60	0	5dc	6	30	16	ES60601 A1:2012	20B	0	1	
<b>GSM60A07</b>												
	100-240ac	50/60	0	7.5dc	6	45	16	ES60601-1	20B	0	1	
<b>GSM60A07(A1\$)*r]</b>												
	100-240ac	50/60	0	7.5dc	6	45	16	ES60601 A1:2012	20B	0	1	
<b>GSM60A09</b>												
	100-240ac	50/60	0	9dc	6	54	16	ES60601-1	20B	0	1	
<b>GSM60A09(A1\$)*r]</b>												
	100-240ac	50/60	0	9dc	6	54	16	ES60601 A1:2012	20B	0	1	
<b>GSM60A12</b>												
	100-240ac	50/60	0	12dc	5	60	16	ES60601-1	20B	0	1	
<b>GSM60A12(A1\$)*r]</b>												
	100-240ac	50/60	0	12dc	5	60	16	ES60601 A1:2012	20B	0	1	
<b>GSM60A15</b>												
	100-240ac	50/60	0	15dc	4	60	16	ES60601-1	20B	0	1	
<b>GSM60A18</b>												
	100-240ac	50/60	0	18dc	3.33	59.94	16	ES60601-1	20B	0	1	
<b>GSM60A18(A1\$)*r]</b>												
	100-240ac	50/60	0	18dc	3.33	59.94	16	ES60601 A1:2012	20B	0	1	
<b>GSM60A24</b>												
		50/60	0	24dc	2.5	60	16	ES60601-1	20B	0	1	

	100-240ac											
<b>GSM60A24(A1\$)*r]</b>												
	100-240ac	50/60	0	24dc	2.5	60	16	ES60601 A1:2012	20B	0	1	
<b>GSM60A48</b>												
	100-240ac	50/60	0	48dc	1.25	60	16	ES60601-1	20B	0	1	
<b>GSM60A48(A1\$)*r]</b>												
	100-240ac	50/60	0	48dc	1.25	60	16	ES60601 A1:2012	20B	0	1	
<b>GSM60B05</b>												
	100-240Vac	50/60	0	5dc	6	30	16	ES60601-1 A1	20B	0	2	
<b>GSM60B07</b>												
	100-240Vac	50/60	0	7.5dc	6	45	16	ES60601-1 A1	20B	0	2	
<b>GSM60B09</b>												
	100-240Vac	50/60	0	9dc	6	54	16	ES60601-1 A1	20B	0	2	
<b>GSM60B12</b>												
	100-240Vac	50/60	0	12dc	5	60	16	ES60601-1 A1	20B	0	2	
<b>GSM60B15</b>												
	100-240Vac	50/60	0	15dc	4	60	16	ES60601-1 A1	20B	0	2	
<b>GSM60B18</b>												
	100-240Vac	50/60	0	18dc	3.33	60	16	ES60601-1 A1	20B	0	2	
<b>GSM60B24</b>												
	100-240Vac	50/60	0	24dc	2.5	60	16	ES60601-1 A1	20B	0	2	
<b>GSM60B48</b>												
	100-240Vac	50/60	0	48dc	1.25	60	16	ES60601-1 A1	20B	0	2	
<b>GSM90B12 (A1\$)*r]</b>												
	100-240Vac	50/60	0	12dc	6.67	80	16	ES60601-1 A1	20B	0	2	
<b>GSM90B15 (A1\$)*r]</b>												
	100-240Vac	50/60	0	15dc	6..0	90	16	ES60601-1 A1	20B	0	2	
<b>GSM90B19 (A1\$)*r]</b>												
	100-240Vac	50/60	0	19dc	4.74	90	16	ES60601-1 A1	20B	0	2	
<b>GSM90B24 (A1\$)*r]</b>												
	100-240Vac	50/60	0	24dc	3.75	90	16	ES60601-1 A1	20B	0	2	
<b>GSM90B48 (A1\$)*r]</b>												
	100-240Vac	50/60	0	48dc	1.87	90	16	ES60601-1 A1	20B	0	2	
<b>MES30A-0, MES30B-0, MES30C-0, MES30D-0-U</b>												
	100-240ac	50-60	0	3-5	5.0	25	9	60601-1	2T	0	1	
<b>MES30A-1, MES30B-1, MES30C-1, MES30D-1-U</b>												
	100-240ac	50-60	0	5-6	5.0-4.17	25	9	60601-1	2T	0	1	
<b>MES30A-1-1, MES30B-1-1, MES30C-1-1, MES30D-1-1-U</b>												
		50-60	0	6-8	4.17-3.13	25	9	60601-1	2T	0	1	

	100-240ac											
<b>MES30A-1-2, MES30B-1-2, MES30C-1-2, MES30D-2-U</b>												
	100-240ac	50-60	0	8-11	3.75-2.73	30	9	60601-1	2T	0	1	
<b>MES30A-2, MES30C-2[*r]</b>												
	100-240ac	50-60	0	8-11	3.75-2.73	30	9	ES60601-1	20B	0	1	
<b>MES30A-3, MES30B-3, MES30C-3, MES30D-3-U</b>												
	100-240ac	50-60	0	11-13	2.73-2.30	30	9	60601-1	2T	0	1	
<b>MES30A-4, MES30B-4, MES30C-4, MES30D-4-U</b>												
	100-240ac	50-60	0	13-16	2.30-1.88	30	9	60601-1	2T	0	1	
<b>MES30A-5, MES30B-5, MES30C-5, MES30D-5-U</b>												
	100-240ac	50-60	0	16-21	1.88-1.43	30	9	60601-1	2T	0	1	
<b>MES30A-6, MES30B-6, MES30C-6, MES30D-6-U</b>												
	100-240ac	50-60	0	21-27	1.43-1.11	30	9	60601-1	2T	0	1	
<b>MES30A-7, MES30B-7, MES30C-7, MES30D-7-U</b>												
	100-240ac	50-60	0	27-33	1.11-0.90	30	9	60601-1	2T	0	1	
<b>MES30A-8, MES30B-8, MES30C-8, MES30D-8-U</b>												
	100-240ac	50-60	0	33-48	0.9-0.63	30	9	60601-1	2T	0	1	
<b>MES50X-0 (a)[*r]</b>												
	100-240ac	50/60	0	3-5	7.5	37.5	9	60601-1	20B	8	1	
<b>MES50X-1 (a)[*r]</b>												
	100-240ac	50/60	0	5-6	7.50-6.25	37.5	9	60601-1	20B	8	1	
<b>MES50X-1-1 (a)[*r]</b>												
	100-240ac	50/60	0	6-8	6.66-5.00	40	9	60601-1	20B	8	1	
<b>MES50X-2 (a)[*r]</b>												
	100-240ac	50/60	0	8-11	5.62-4.09	45	9	60601-1	20B	8	1	
<b>MES50X-3 (a)[*r]</b>												
	100-240ac	50/60	0	11-13	4.54-3.84	50	9	60601-1	20B	8	1	
<b>MES50X-4 (a)[*r]</b>												
	100-240ac	50/60	0	13-16	3.84-3.12	50	9	60601-1	20B	8	1	
<b>MES50X-5 (a)[*r]</b>												
	100-240ac	50/60	0	16-21	3.12-2.38	50	9	60601-1	20B	8	1	
<b>MES50X-6 (a)[*r]</b>												
	100-240ac	50/60	0	21-27	2.38-1.85	50	9	60601-1	20B	8	1	
<b>MES50X-7 (a)[*r]</b>												
	100-240ac	50/60	0	27-33	1.85-1.51	50	9	60601-1	20B	8	1	
<b>MES50X-8 (a)[*r]</b>												
	100-240ac	50/60	0	33-48	1.51-1.04	50	9	60601-1	20B	8	1	
<b>MPD-120A[*r]</b>												
		50/60	0	5	10	-	9	60601-1	20B	0	1	

	100-240ac											
				12	5	-	9					
<b>MPD-120B[*r]</b>												
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1	
				24	2.9	-	9					
<b>MPD-200A@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	20	-	16	ES60601 & A1:2012	20B	0	1	
				12dc	8	-	16					
<b>MPD-200B@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	20	-	16	ES60601 & A1:2012	20B	0	1	
				24dc	4	-	16					
<b>MPD-45A[*r]</b>	100-240ac	50/60	0	5	3.2	16.0	9	2601	-	0	0	
				12	2	24	9					
<b>MPD-45A@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	3.2	-	16	ES60601 & A1:2012	20B	0	1	
				12dc	2	-	16					
<b>MPD-45B[*r]</b>	100-240ac	50/60	0	5	3.2	16.0	9	2601	-	0	0	
				24	1.2	28.8	9					
<b>MPD-45B@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	3.2	-	16	ES60601 & A1:2012	20B	0	1	
				24dc	1.2	-	16					
<b>MPD-65A[*r]</b>	100-240ac	50/60	0	5	5.5	27.5	9	2601	-	0	0	
				12	2.8	33.6	9					
<b>MPD-65A@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	5.5	-	16	ES60601 & A1:2012	20B	0	1	
				12dc	2.8	-	16					
<b>MPD-65B[*r]</b>	100-240ac	50/60	0	5	3.5	17.5	9	2601	-	0	0	
				24	2	48	9					
<b>MPD-65B@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	3.5	-	16	ES60601 & A1:2012	20B	0	1	
				24dc	2	-	16					
<b>MPQ-120B[*r]</b>												
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1	
				12	4.2	-	9					
				-5	0.6	-	9					
				-12	0.6	-	9					
<b>MPQ-120C[*r]</b>												
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1	
				15	3.2	-	9					
				-5	0.6	-	9					
				-15	0.6	-	9					

<b>MPQ-120D[*r]</b>											
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				12	1	-	9				
				24	2.1	-	9				
				-12	0.6	-	9				
<b>MPQ-120E[*r]</b>											
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				12	3	-	9				
				15	0.6	-	9				
				24	0.6	-	9				
<b>MPQ-200B@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	15	-	16	ES60601 & A1:2012	20B	0	1
				12dc	7	-	16				
				-5dc	2	-	16				
				-12dc	2	-	16				
<b>MPQ-200C@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	15	-	16	ES60601 & A1:2012	20B	0	1
				15dc	5	-	16				
				-5dc	2	-	16				
				-15dc	2	-	16				
<b>MPQ-200D@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	15	-	16	ES60601 & A1:2012	20B	0	1
				12dc	2	-	16				
				24dc	3	-	16				
				-12dc	2	-	16				
<b>MPQ-200F@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	15	-	16	ES60601 & A1:2012	20B	0	1
				15dc	2	-	16				
				-15dc	2	-	16				
				24dc	2.7	-	16				
<b>MPS-120-12[*r]</b>											
	100-240ac	50/60	0	12	10	-	9	60601-1	20B	0	1
<b>MPS-120-15[*r]</b>											
	100-240ac	50/60	0	15	8	-	9	60601-1	20B	0	1
<b>MPS-120-24[*r]</b>											
	100-240ac	50/60	0	24	5	-	9	60601-1	20B	0	1
<b>MPS-120-3.3[*r]</b>											
	100-240ac	50/60	0	3.3	24	-	9	60601-1	20B	0	1
<b>MPS-120-48[*r]</b>											
	100-240ac	50/60	0	48	2.5	-	9	60601-1	20B	0	1
<b>MPS-120-5[*r]</b>											
	100-240ac	50/60	0	5	22	-	9	60601-1	20B	0	1
<b>MPS-200-12@(A1\$)[*r]</b>											

	100-240ac	50/60	0	12dc	16.7	-	16	ES60601 & A1:2012	20B	0	1
<b>MPS-200-15@(A1\$)*r]</b>											
	100-240ac	50/60	0	15dc	13.4	-	16	ES60601 & A1:2012	20B	0	1
<b>MPS-200-24@(A1\$)*r]</b>											
	100-240ac	50/60	0	24dc	8.4	-	16	ES60601 & A1:2012	20B	0	1
<b>MPS-200-3.3@(A1\$)*r]</b>											
	100-240ac	50/60	0	3.3dc	40	-	16	ES60601 & A1:2012	20B	0	1
<b>MPS-200-32PE@(A1\$)*r]</b>											
	100-240ac	50/60	0	32dc	6.3	-	16	ES60601 & A1:2012	20B	0	1
<b>MPS-200-48@(A1\$)*r]</b>											
	100-240ac	50/60	0	48dc	4.2	-	16	ES60601 & A1:2012	20B	0	1
<b>MPS-200-5@(A1\$)*r]</b>											
	100-240ac	50/60	0	5dc	40	-	16	ES60601 & A1:2012	20B	0	1
<b>MPS-200-7.5@(A1\$)*r]</b>											
	100-240ac	50/60	0	7.5dc	26.6	-	16	ES60601 & A1:2012	20B	0	1
<b>MPS-30-12[*r]</b>											
	100-240ac	50/60	0	-	2.5	30	9	NSI/AAMIES 60601-1:2005	20B	0	0
<b>MPS-30-15[*r]</b>											
	100-240ac	50/60	0	-	2	30	9	NSI/AAMIES 60601-1:2005	20B	0	0
<b>MPS-30-24[*r]</b>											
	100-240ac	50/60	0	-	1.2	28.8	9	NSI/AAMIES 60601-1:2005	20B	0	0
<b>MPS-30-27[*r]</b>											
	100-240ac	50/60	0	-	1.1	29.7	9	NSI/AAMIES 60601-1:2005	20B	0	0
<b>MPS-30-48[*r]</b>											
	100-240ac	50/60	0	-	0.6	28.8	9	NSI/AAMIES 60601-1:2005	20B	0	0
<b>MPS-30-5[*r]</b>											
	100-240ac	50/60	0	-	6	30	9	NSI/AAMIES 60601-1:2005	20B	0	0
<b>MPS-30-5SI[*r]</b>											
	100-240ac	50/60	0	-	6	30	9	NSI/AAMIES 60601-1:2005	20B	0	0
<b>MPS-45-12[*r]</b>											
	100-240ac	50/60	0	12	3.7	44.4	9	2601	-	0	0
<b>MPS-45-12@(A1\$)*r]</b>											
	100-240ac	50/60	0	12dc	3.7	-	16	ES60601 & A1:2012	20B	0	1
<b>MPS-45-13.5[*r]</b>											
	100-240ac	50/60	0	13.5	3.3	44.6	9	2601	-	0	0
<b>MPS-45-13.5@(A1\$)*r]</b>											
	100-240ac	50/60	0	13.5dc	3.3	-	16	ES60601 & A1:2012	20B	0	1
<b>MPS-45-15[*r]</b>											
		50/60	0	15	3	45	9	2601	-	0	0

	100-240ac											
<b>MPS-45-15@(A1\$)*r]</b>												
	100-240ac	50/60	0	15dc	3	-	16	ES60601 & A1:2012	20B	0	1	
<b>MPS-45-24[*r]</b>												
	100-240ac	50/60	0	24	1.9	45.6	9	2601	-	0	0	
<b>MPS-45-24@(A1\$)*r]</b>												
	100-240ac	50/60	0	24dc	1.9	-	16	ES60601 & A1:2012	20B	0	1	
<b>MPS-45-27[*r]</b>												
	100-240ac	50/60	0	27	1.7	45.9	9	2601	-	0	0	
<b>MPS-45-27@(A1\$)*r]</b>												
	100-240ac	50/60	0	27dc	1.7	-	16	ES60601 & A1:2012	20B	0	1	
<b>MPS-45-3.3[*r]</b>												
	100-240ac	50/60	0	3.3	8	26.4	9	2601	-	0	0	
<b>MPS-45-3.3@(A1\$)*r]</b>												
	100-240ac	50/60	0	3.3dc	8	-	16	ES60601 & A1:2012	20B	0	1	
<b>MPS-45-48[*r]</b>												
	100-240ac	50/60	0	48	1	48	9	2601	-	0	0	
<b>MPS-45-48@(A1\$)*r]</b>												
	100-240ac	50/60	0	48dc	1	-	16	ES60601 & A1:2012	20B	0	1	
<b>MPS-45-5[*r]</b>												
	100-240ac	50/60	0	5	8	40	9	2601	-	0	0	
<b>MPS-45-5@(A1\$)*r]</b>												
	100-240ac	50/60	0	5dc	8	-	16	ES60601 & A1:2012	20B	0	1	
<b>MPS-45-7.5[*r]</b>												
	100-240ac	50/60	0	7.5	5.5	41.3	9	2601	-	0	0	
<b>MPS-45-7.5@(A1\$)*r]</b>												
	100-240ac	50/60	0	7.5dc	5.4	-	16	ES60601 & A1:2012	20B	0	1	
<b>MPS-65-12[*r]</b>												
	100-240ac	50/60	0	12	5.2	62.4	9	2601	-	0	0	
<b>MPS-65-12@(A1\$)*r]</b>												
	100-240ac	50/60	0	12dc	5.2	-	16	ES60601 & A1:2012	20B	0	1	
<b>MPS-65-13.5[*r]</b>												
	100-240ac	50/60	0	13.5	4.7	63.5	9	2601	-	0	0	
<b>MPS-65-13.5@(A1\$)*r]</b>												
	100-240ac	50/60	0	13.5dc	4.7	-	16	ES60601 & A1:2012	20B	0	1	
<b>MPS-65-15[*r]</b>												
	100-240ac	50/60	0	15	4.2	63.0	9	2601	-	0	0	
<b>MPS-65-15@(A1\$)*r]</b>												
		50/60	0	15dc	4.2	-	16	ES60601 & A1:2012	20B	0	1	

	100-240ac											
<b>MPS-65-24[*r]</b>												
	100-240ac	50/60	0	24	2.7	64.8	9	2601	-	0	0	
<b>MPS-65-24@(A1\$)[*r]</b>												
	100-240ac	50/60	0	24dc	2.7	-	16	ES60601 & A1:2012	20B	0	1	
<b>MPS-65-27[*r]</b>												
	100-240ac	50/60	0	27	2.4	64.8	9	2601	-	0	0	
<b>MPS-65-27@(A1\$)[*r]</b>												
	100-240ac	50/60	0	27dc	2.4	-	16	ES60601 & A1:2012	20B	0	1	
<b>MPS-65-3.3[*r]</b>												
	100-240ac	50/60	0	3.3	12	39.6	9	2601	-	0	0	
<b>MPS-65-3.3@(A1\$)[*r]</b>												
	100-240ac	50/60	0	3.3dc	12	-	16	ES60601 & A1:2012	20B	0	1	
<b>MPS-65-48[*r]</b>												
	100-240ac	50/60	0	48	1.35	64.8	9	2601	-	0	0	
<b>MPS-65-48@(A1\$)[*r]</b>												
	100-240ac	50/60	0	48dc	1.35	-	16	ES60601 & A1:2012	20B	0	1	
<b>MPS-65-5[*r]</b>												
	100-240ac	50/60	0	5	12	60.0	9	2601	-	0	0	
<b>MPS-65-5@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	12	-	16	ES60601 & A1:2012	20B	0	1	
<b>MPS-65-7.5[*r]</b>												
	100-240ac	50/60	0	7.5	8	60.0	9	2601	-	0	0	
<b>MPS-65-7.5@(A1\$)[*r]</b>												
	100-240ac	50/60	0	7.5dc	8	60.0	16	ES60601 & A1:2012	20B	0	0	
<b>MPT-120A[*r]</b>												
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1	
				12	4.8	-	9					
				-5	0.6	-	9					
<b>MPT-120B[*r]</b>												
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1	
				12	4.4	-	9					
				-12	0.6	-	9					
<b>MPT-120BC88[*r]</b>												
	100-240ac	50/60	0	5	7	-	9	60601-1	20B	0	1	
				12	4	-	9					
				24	1	-	9					
<b>MPT-120C[*r]</b>												
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1	
				15	4	-	9					

				-15	0.6	-	9					
<b>MPT-120D[*r]</b>												
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1	
				24	2.2	-	9					
				12	0.6	-	9					
<b>MPT-200A@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	20	-	16	ES60601 & A1:2012	20B	0	1	
				12dc	7.5	-	16					
				-5dc	2	-	16					
<b>MPT-200B@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	20	-	16	ES60601 & A1:2012	20B	0	1	
				12dc	6	-	16					
				-12dc	2	-	16					
<b>MPT-200C@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	20	-	16	ES60601 & A1:2012	20B	0	1	
				15dc	4.7	-	16					
				-15dc	2	-	16					
<b>MPT-200D@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	20	-	16	ES60601 & A1:2012	20B	0	1	
				24dc	3	-	16					
				12dc	2	-	16					
<b>MPT-45A</b>	100-240ac	50/60	0	5	3.5	15	9	2601	-	0	0	
<b>[*r]</b>				12	2	24	9					
				12	2	24	9					
<b>MPT-45A@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	3	-	16	ES60601 & A1:2012	20B	0	1	
				12dc	2	-	16					
				-5dc	0.3	-	16					
<b>MPT-45B</b>	100-240ac	50/60	0	5	3.5	15	9	2601	-	0	0	
<b>[*r]</b>				12	2	24	9					
				-12	0.3	3.6	9					
<b>MPT-45B@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	3	-	16	ES60601 & A1:2012	20B	0	1	
				12dc	2	-	16					
				-12dc	0.3	-	16					
<b>MPT-45C</b>	100-240ac	50/60	0	5	3.5	15	9	2601	-	0	0	
<b>[*r]</b>				15	1.6	24	9					
				-15	0.3	4.5	9					
<b>MPT-45C@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	3	-	16	ES60601 & A1:2012	20B	0	1	
				15dc	1.6	-	16					
				-15dc	0.3	-	16					
<b>MPT-65A</b>	100-240ac	50/60	0	5	5.5	27.5	9	2601	-	0	0	
<b>[*r]</b>												

				12	2.5	30	9				
				-5	0.5	2.5	9				
<b>MPT-65A@(A1\$)*r]</b>											
	100-240ac	50/60	0	5dc	5.5	-	16	ES60601 & A1:2012	20B	0	1
				12dc	2.5	-	16				
				-5dc	0.5	-	16				
<b>MPT-65B [*r]</b>	100-240ac	50/60	0	5	5.5	27.5	9	2601	-	0	0
				12	2.5	30	9				
				-12	0.5	6	9				
<b>MPT-65B@(A1\$)*r]</b>											
	100-240ac	50/60	0	5dc	5.5	-	16	ES60601 & A1:2012	20B	0	1
				12dc	2.5	-	16				
				-12dc	0.5	-	16				
<b>MPT-65C [*r]</b>	100-240ac	50/60	0	5	5.5	27.5	9	2601	-	0	0
				15	2	30	9				
				-15	0.5	7.5	9				
<b>MPT-65C@(A1\$)*r]</b>											
	100-240ac	50/60	0	5dc	5.5	-	16	ES60601 & A1:2012	20B	0	1
				15dc	2	-	16				
				-15dc	0.5	-	16				
<b>MSP-100-12(A1\$)*r]</b>											
	100-240ac	50/60	0	12dc	8.5	102	14	ES60601 A1:2012	20B	0	1
<b>MSP-100-12@[*r]</b>											
	100-240ac	50/60	0	12dc	8.5	102	14	ES60601-1	20B	0	1
<b>MSP-100-15(A1\$)*r]</b>											
	100-240ac	50/60	0	15dc	7	105	14	ES60601 A1:2012	20B	0	1
<b>MSP-100-15@[*r]</b>											
	100-240ac	50/60	0	15dc	7	105	14	ES60601-1	20B	0	1
<b>MSP-100-24(A1\$)*r]</b>											
	100-240ac	50/60	0	24dc	4.5	108	14	ES60601 A1:2012	20B	0	1
<b>MSP-100-24@[*r]</b>											
	100-240ac	50/60	0	24dc	4.5	108	14	ES60601-1	20B	0	1
<b>MSP-100-3.3(A1\$)*r]</b>											
	100-240ac	50/60	0	3.3dc	20	66	14	ES60601 A1:2012	20B	0	1
<b>MSP-100-3.3@[*r]</b>											
	100-240ac	50/60	0	3.3dc	20	66	14	ES60601-1	20B	0	1
<b>MSP-100-36(A1\$)*r]</b>											
	100-240ac	50/60	0	36dc	2.9	104.4	14	ES60601 A1:2012	20B	0	1
<b>MSP-100-36@[*r]</b>											
	100-240ac	50/60	0	36dc	2.9	104.4	14	ES60601-1	20B	0	1
<b>MSP-100-48(A1\$)*r]</b>											

	100-240ac	50/60	0	48dc	2.2	105.6	14	ES60601 A1:2012	20B	0	1
<b>MSP-100-48@[*r]</b>											
	100-240ac	50/60	0	48dc	2.2	105.6	14	ES60601-1	20B	0	1
<b>MSP-100-5(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	17	85	14	ES60601 A1:2012	20B	0	1
<b>MSP-100-5@[*r]</b>											
	100-240ac	50/60	0	5dc	17	85	14	ES60601-1	20B	0	1
<b>MSP-100-7.5(A1\$)[*r]</b>											
	100-240ac	50/60	0	7.5dc	13.5	101.3	14	ES60601 A1:2012	20B	0	1
<b>MSP-100-7.5@[*r]</b>											
	100-240ac	50/60	0	7.5dc	13.5	101.3	14	ES60601-1	20B	0	1
<b>MSP-200-12(A1\$)[*r]</b>											
	100-240ac	50/60	0	12dc	16.7	-	14	ES60601 A1:2012	20B	0	1
<b>MSP-200-12@</b>											
	100-240ac	50/60	0	12dc	16.7	-	14	ES60601-1	20B	0	1
<b>MSP-200-15(A1\$)[*r]</b>											
	100-240ac	50/60	0	15dc	13.4	-	14	ES60601 A1:2012	20B	0	1
<b>MSP-200-15@</b>											
	100-240ac	50/60	0	15dc	13.4	-	14	ES60601-1	20B	0	1
<b>MSP-200-24(A1\$)[*r]</b>											
	100-240ac	50/60	0	24dc	8.4	-	14	ES60601 A1:2012	20B	0	1
<b>MSP-200-24@</b>											
	100-240ac	50/60	0	24dc	8.4	-	14	ES60601-1	20B	0	1
<b>MSP-200-3.3(A1\$)[*r]</b>											
	100-240ac	50/60	0	3.3dc	40	-	14	ES60601 A1:2012	20B	0	1
<b>MSP-200-3.3@</b>											
	100-240ac	50/60	0	3.3dc	40	-	14	ES60601-1	20B	0	1
<b>MSP-200-36(A1\$)[*r]</b>											
	100-240ac	50/60	0	36dc	5.7	-	14	ES60601 A1:2012	20B	0	1
<b>MSP-200-36@</b>											
	100-240ac	50/60	0	36dc	5.7	-	14	ES60601-1	20B	0	1
<b>MSP-200-48(A1\$)[*r]</b>											
	100-240ac	50/60	0	48dc	4.3	-	14	ES60601 A1:2012	20B	0	1
<b>MSP-200-48@</b>											
	100-240ac	50/60	0	48dc	4.3	-	14	ES60601-1	20B	0	1
<b>MSP-200-5(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	35	-	14	ES60601 A1:2012	20B	0	1
<b>MSP-200-5@</b>											
		50/60	0	5dc	35	-	14	ES60601-1	20B	0	1

	100-240ac											
<b>MSP-200-7.5(A1\$)*r]</b>												
	100-240ac	50/60	0	7.5dc	26.7	-	14	ES60601 A1:2012	20B	0	1	
<b>MSP-200-7.5@</b>												
	100-240ac	50/60	0	7.5dc	26.7	-	14	ES60601-1	20B	0	1	
<b>MSP-30-12 @(A1\$)*r]</b>												
	100-240ac	50/60	0	12dc	2.5	30	16	ES60601 & A1:2012	20B	0	1	
<b>MSP-30-15 @(A1\$)*r]</b>												
	100-240ac	50/60	0	15dc	2	30	16	ES60601 & A1:2012	20B	0	1	
<b>MSP-30-24 @(A1\$)*r]</b>												
	100-240ac	50/60	0	24dc	1.2	28.8	16	ES60601 & A1:2012	20B	0	1	
<b>MSP-30-27 @(A1\$)*r]</b>												
	100-240ac	50/60	0	27dc	1.1	29.7	16	ES60601 & A1:2012	20B	0	1	
<b>MSP-30-48 @(A1\$)*r]</b>												
	100-240ac	50/60	0	48dc	0.6	28.8	16	ES60601 & A1:2012	20B	0	1	
<b>MSP-30-5@(A1\$)*r]</b>												
	100-240ac	50/60	0	5dc	5	25	16	ES60601 & A1:2012	20B	0	1	
<b>MSP-30-5SI @(A1\$)*r]</b>												
	100-240ac	50/60	0	5dc	5	25	16	ES60601 & A1:2012	20B	0	1	
<b>MSP-300-12@(A1\$)*r]</b>												
	100-240ac	50/60	0	12	27	324 (b)	14, 19	ES60601 & A1:2012	20B	0	1	
<b>MSP-300-15@(A1\$)*r]</b>												
	100-240ac	50/60	0	15	22	330 (b)	14, 19	ES60601 & A1:2012	20B	0	1	
<b>MSP-300-24@(A1\$)*r]</b>												
	100-240ac	50/60	0	24	14	336 (b)	14, 19	ES60601 & A1:2012	20B	0	1	
<b>MSP-300-3.3@(A1\$)*r]</b>												
	100-240ac	50/60	0	3.3	60	198 (b)	14, 19	ES60601 & A1:2012	20B	0	1	
<b>MSP-300-36@(A1\$)*r]</b>												
	100-240ac	50/60	0	36	9	324 (b)	14, 19	ES60601 & A1:2012	20B	0	1	
<b>MSP-300-48@(A1\$)*r]</b>												
	100-240ac	50/60	0	48	7	336 (b)	14, 19	ES60601 & A1:2012	20B	0	1	
<b>MSP-300-5@(A1\$)*r]</b>												
	100-240ac	50/60	0	5	60	300 (b)	14, 19	ES60601 & A1:2012	20B	0	1	
<b>MSP-300-7.5@(A1\$)*r]</b>												
	100-240ac	50/60	0	7.5	40	300 (b)	14, 19	ES60601 & A1:2012	20B	0	1	
<b>MSP-450-12@[*r]</b>												
	100-240Vac	50/60	0	12dc	37.5	450	14	ES60601-1	20B	0	1	
<b>MSP-450-15@[*r]</b>												
		50/60	0	15dc	30	450	14	ES60601-1	20B	0	1	

	100-240Vac											
<b>MSP-450-24@[*r]</b>												
	100-240Vac	50/60	0	24dc	18.8	451.2	14	ES60601-1	20B	0	1	
<b>MSP-450-3.3@[*r]</b>												
	100-240Vac	50/60	0	3.3dc	90	297	14	ES60601-1	20B	0	1	
<b>MSP-450-36@[*r]</b>												
	100-240Vac	50/60	0	36dc	12.5	450	14	ES60601-1	20B	0	1	
<b>MSP-450-48@[*r]</b>												
	100-240Vac	50/60	0	48dc	9.5	456	14	ES60601-1	20B	0	1	
<b>MSP-450-5@[*r]</b>												
	100-240Vac	50/60	0	5dc	90	450	14	ES60601-1	20B	0	1	
<b>MSP-450-7.5@[*r]</b>												
	100-240Vac	50/60	0	7.5dc	60	450	14	ES60601-1	20B	0	1	
<b>MSP-600-12 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	12dc	53	636	14	ES60601 & A1:2012	20B	0	1	
<b>MSP-600-15 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	15dc	43	645	14	ES60601 & A1:2012	20B	0	1	
<b>MSP-600-24 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	24dc	27	648	14	ES60601 & A1:2012	20B	0	1	
<b>MSP-600-3.3 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	3.3dc	120	396	14	ES60601 & A1:2012	20B	0	1	
<b>MSP-600-36 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	36dc	17.5	630	14	ES60601 & A1:2012	20B	0	1	
<b>MSP-600-48 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	48dc	13	624	14	ES60601 & A1:2012	20B	0	1	
<b>MSP-600-5 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	120	600	14	ES60601 & A1:2012	20B	0	1	
<b>MSP-600-7.5 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	7.5dc	80	600	14	ES60601 & A1:2012	20B	0	1	
<b>PM-05-12, NFM-05-12 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	12dc	0.42	5.04	16	ES60601 & A1:2012	20B	0	2	
<b>PM-05-15, NFM-05-15 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	15dc	0.33	4.95	16	ES60601 & A1:2012	20B	0	2	
<b>PM-05-24, NFM-05-24 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	24dc	0.23	5.52	16	ES60601 & A1:2012	20B	0	2	
<b>PM-05-3.3, NFM-05-3.3 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	3.3dc	1.25	4.125	16	ES60601 & A1:2012	20B	0	2	
<b>PM-05-5, NFM-05-5 @ (A1\$)[*r]</b>												
		50/60	0	5dc	1.0	5.0	16	ES60601 & A1:2012	20B	0	2	

	100-240ac													
<b>PM-10-12, NFM-10-12 (A1\$)*r]</b>														
	100-240ac	50/60	0	12	0.85	10.2	9	ANSI/AAM IES 60601-1: 2005; CAN /CSA-C22.2 No. 60601-1:08	20B	0	2			
<b>PM-10-15, NFM-10-15 (A1\$)*r]</b>														
	100-240ac	50/60	0	15	0.67	10.05	9	ANSI/AAM IES 60601-1: 2005; CAN /CSA-C22.2 No. 60601-1:08	20B	0	2			
<b>PM-10-24, NFM-10-24 (A1\$)*r]</b>														
	100-240ac	50/60	0	24	0.42	10.08	9	ANSI/AAM IES 60601-1: 2005; CAN /CSA-C22.2 No. 60601-1:08	20B	0	2			
<b>PM-10-3.3, NFM-10-3.3 (A1\$)*r]</b>														
	100-240ac	50/60	0	3.3	2.5	8.25	9	ANSI/AAM IES 60601-1: 2005; CAN /CSA-C22.2 No. 60601-1:08	20B	0	2			
<b>PM-10-5, NFM-10-5 (A1\$)*r]</b>														
	100-240ac	50/60	0	5	2.0	10	9	ANSI/AAM IES 60601-1: 2005; CAN /CSA-C22.2 No. 60601-1:08	20B	0	2			
<b>PM-15-12, NFM-15-12 @ (A1\$)*r]</b>														
	100-240ac	50/60	0	12dc	1.25	15	16	ES60601 & A1:2012	20B	0	2			
<b>PM-15-15, NFM-15-15 @ (A1\$)*r]</b>														
	100-240ac	50/60	0	15dc	1.0	15	16	ES60601 & A1:2012	20B	0	2			
<b>PM-15-24, NFM-15-24 @ (A1\$)*r]</b>														
	100-240ac	50/60	0	24dc	0.63	15.12	16	ES60601 & A1:2012	20B	0	2			
<b>PM-15-3.3, NFM-15-3.3 @ (A1\$)*r]</b>														
	100-240ac	50/60	0	3.3dc	3.5	11.55	16	ES60601 & A1:2012	20B	0	2			
<b>PM-15-5, NFM-15-5 @ (A1\$)*r]</b>														
	100-240ac	50/60	0	5dc	3	15	16	ES60601 & A1:2012	20B	0	2			
<b>PM-20-12, NFM-20-12 @ (A1\$)*r]</b>														
	100-240ac	50/60	0	12dc	1.8	21.6	16	ES60601 & A1:2012	20B	0	1			
<b>PM-20-15, NFM-20-15 @ (A1\$)*r]</b>														
	100-240ac	50/60	0	15dc	1.4	21.0	16	ES60601 & A1:2012	20B	0	1			
<b>PM-20-24, NFM-20-24 @ (A1\$)*r]</b>														
	100-240ac	50/60	0	24dc	0.92	22.08	16	ES60601 & A1:2012	20B	0	1			
<b>PM-20-3.3, NFM-20-3.3 @ (A1\$)*r]</b>														
	100-240ac	50/60	0	3.3dc	4.5	14.85	16	ES60601 & A1:2012	20B	0	1			
<b>PM-20-5, NFM-20-5 @ (A1\$)*r]</b>														
	100-240ac	50/60	0	5dc	4.4	22.0	16	ES60601 & A1:2012	20B	0	1			
<b>RPD(G)-160B)*r]</b>														
	100-240ac	50/60	0	5	12 (# )	150.4 (# ) (b)	9	60601-1	20B	0	1			
				5	6 (*)	100.2 (*) (b)	9							
				24	3.6 (# )	-	9							
				24	2.8 (*)	-	9							
				5VSB	0.8 (# )	-	9							
				5VSB	0.6 (*)	-	9							
<b>RPD-160B@(A1\$)*r]</b>														

	100-240ac	50/60	0	5dc	6.0(*)	97.2(*) (b)	16	ES60601 & A1:2012	20B	0	1
				24dc	2.8(*)	-	16				
				5dc	12 (#)	146.4 (#)	16				
				24dc	3.6 (#)	-	16				
<b>RPD-160BFE@+</b>											
	100-240Vac	50/60	0	24Vdc	1.6A	38.4	-	60601-1	20B	0	0
				5Vdc	2.0	10	1				
<b>RPD-60A@(A1\$)[*r]</b>											
	100-240ac	50/60	0	-	2	-	9	ANSI/AAMIES 60601-1:2005	20B	0	2
<b>RPD-60B@(A1\$)[*r]</b>											
	100-240ac	50/60	0	-	1.5	-	9	ANSI/AAMIES 60601-1:2005	20B	0	2
<b>RPD-75A</b> <b>[*r]</b>	100-240ac	50/60	0	5	7	71.0	9	60601-1	20B	0	1
				12	3	-	9				
<b>RPD-75A@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	7	71.0	16	ES60601 & A1:2012	20B	0	1
				12dc	3	-	16				
<b>RPD-75B</b> <b>[*r]</b>	100-240ac	50/60	0	5	5	73.0	9	60601-1	20B	0	1
				12	1	-	9				
<b>RPD-75B@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	5	73.0	16	ES60601 & A1:2012	20B	0	1
				12dc	1	-	16				
<b>RPDG-160B@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	6.0(*)	100.2 (*) (b)	16	ES60601 & A1:2012	20B	0	1
				24dc	2.8(*)	-	16				
				5VSBdc	0.6(*)	-	16				
				5dc	12 (#)	150.4 (#) (b)	16				
				24dc	3.6 (#)	-	16				
				5VSBdc	0.8 (#)	-	16				
<b>RPS(G)-160-12[*r]</b>											
	100-240ac	50/60	0	12	12.9 (#)	158.8 (#) (b)	-	60601-1	20B	0	1
				12	9.1 (*)	112.2 (*) (b)	-				
				5VSB	0.8 (#)	-	-				
				5VSB	0.6 (*)	-	-				
<b>RPS(G)-160-15[*r]</b>											
	100-240ac	50/60	0	15	10.3 (#)	158.5 (#) (b)	9	60601-1	20B	0	1
				15	7.3 (*)	112.5 (*) (b)	9				
				5VSB	0.8 (#)	-	9				
				5VSB	0.6 (*)	-	9				
<b>RPS(G)-160-24[*r]</b>											
	100-240ac	50/60	0	24	6.5 (#)	160 (#) (b)	9	60601-1	20B	0	1

				24	4.6 (*)	113.4 (*) (b)	9				
				5VSB	0.8 (#)	-	9				
				5VSB	0.6 (*)	-	9				
<b>RPS(G)-160-48[*r]</b>											
	100-240ac	50/60	0	48	3.25 (#)	160 (#) (b)	9	60601-1	20B	0	1
				48	2.1 (*)	103.8 (*) (b)	9				
				5VSB	0.8 (#)	-	9				
				5VSB	0.6 (*)	-	9				
<b>RPS(G)-160-5[*r]</b>											
	100-240ac	50/60	0	5	30 (#)	154 (#) (b)	9	60601-1	20B	0	1
				5	20 (*)	103 (*) (b)	9				
				5VSB	0.8 (#)	-	9				
				5VSB	0.6 (*)	-	9				
<b>RPS-160-12@(A1\$)[*r]</b>											
	100-240ac	50/60	0	12dc	9.1 (*)	109.2 (*) (b)	16	ES60601 & A1:2012	20B	0	1
				12dc	12.9 (#)	154.8 (#) (b)	16				
<b>RPS-160-15@(A1\$)[*r]</b>											
	100-240ac	50/60	0	15dc	7.3 (*)	109.5 (*) (b)	16	ES60601 & A1:2012	20B	0	1
				15dc	10.3 (#)	154.5 (#) (b)	16				
<b>RPS-160-24@(A1\$)[*r]</b>											
	100-240ac	50/60	0	24dc	4.6 (*)	110.4 (*) (b)	16	ES60601 & A1:2012	20B	0	1
				24dc	6.5 (#)	156.0 (#) (b)	16				
<b>RPS-160-48@(A1\$)[*r]</b>											
	100-240ac	50/60	0	48dc	2.1 (*)	100.8 (*) (b)	16	ES60601 & A1:2012	20B	0	1
				48dc	3.25 (#)	156.0 (#) (b)	16				
<b>RPS-160-5@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	20 (*)	100 (*) (b)	16	ES60601 & A1:2012	20B	0	1
				5dc	30 (#)	150 (#)	16				
<b>RPS-300-12[*r]</b>											
	100-240ac	50/60	0	12	25 (#)	300 (#)	9	ANSI/AAM IES 60601-1: 2005	2T	0	1
				12	16.67	200	9				
<b>RPS-300-15[*r]</b>											
	100-240ac	50/60	0	15	20 (#)	300 (#)	9	ANSI/AAM IES 60601-1: 2005	2T	0	1
				15	13.33	200	9				
<b>RPS-300-24[*r]</b>											
	100-240ac	50/60	0	24	12.5 (#)	300 (#)	9	ANSI/AAM IES 60601-1: 2005	2T	0	1
				24	8.33	200	9				
<b>RPS-300-27[*r]</b>											
	100-240ac	50/60	0	27	11.12 (#)	300 (#)	9	ANSI/AAM IES 60601-1: 2005	2T	0	1



	100-240ac	50/60	0	48	1.6	76.8	9	60601-1	20B	0	1
<b>RPS-75-48@(A1\$)[*r]</b>											
	100-240ac	50/60	0	48dc	1.6	76.8	16	ES60601 & A1:2012	20B	0	1
<b>RPS-75-5[*r]</b>											
	100-240ac	50/60	0	5	14	70	9	60601-1	20B	0	2
<b>RPS-75-5@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	14	70	16	ES60601 & A1:2012	20B	0	1
<b>RPSG-160-12@(A1\$)[*r]</b>											
	100-240ac	50/60	0	12dc	9.1 (*)	112.2 (*) (b)	16	ES60601 & A1:2012	20B	0	1
				5VSBdc	0.6 (*)	-	16				
				12dc	12.9 (#)	158.8 (#) (b)	16				
				5VSBdc	0.8 (#)	-	16				
<b>RPSG-160-15@(A1\$)[*r]</b>											
	100-240ac	50/60	0	15dc	7.3 (*)	112.5 (*) (b)	16	ES60601 & A1:2012	20B	0	1
				5VSBdc	0.6 (*)	-	16				
				15dc	10.3 (#)	158.5 (#) (b)	16				
				5VSBdc	0.8 (#)	-	16				
<b>RPSG-160-24@(A1\$)[*r]</b>											
	100-240ac	50/60	0	24dc	4.6 (*)	113.4 (*) (b)	16	ES60601 & A1:2012	20B	0	1
				5VSBdc	0.6 (*)	-	16				
				24dc	6.5 (#)	160.0 (#) (b)	16				
				5VSBdc	0.8 (#)	-	16				
<b>RPSG-160-48@(A1\$)[*r]</b>											
	100-240ac	50/60	0	48dc	2.1 (*)	103.8 (*) (b)	16	ES60601 & A1:2012	20B	0	1
				5VSBdc	0.6 (*)	-	16				
				48dc	3.25 (#)	160.0 (#) (b)	16				
				5VSBdc	0.8 (#)	-	16				
<b>RPSG-160-5@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	20.0 (*)	103.0 (*) (b)	16	ES60601 & A1:2012	20B	0	1
				5VSBdc	0.6 (*)	-	16				
				5dc	30.0 (#)	154.0 (#) (b)	16				
				5VSBdc	0.8 (#)	-	16				
<b>RPT(G)-160A[*r]</b>											
	100-240ac	50/60	0	5	14 (#)	145 (#) (b)	9	60601-1	20B	0	1
				5	9 (*)	98.6 (*) (b)	9				
				12	5.5 (#)	-	9				
				12	3.8 (*)	-	9				
				-5	1.0 (#)	-	9				
				-5	1.0 (*)	-	9				
				5VSB	0.8 (#)	-	9				

				5VSB	0.6 (*)	-	9				
<b>RPT(G)-160B[*r]</b>											
	100-240ac	50/60	0	5	14 (#)	146 (#) (b)	9	60601-1	20B	0	1
				5	9 (*)	98.4 (*) (b)	9				
				12	5.0 (#)	-	9				
				12	3.4 (*)	-	9				
				-12	1.0 (#)	-	9				
				-12	0.8 (*)	-	9				
				5VSB	0.8 (#)	-	9				
				5VSB	0.6 (*)	-	9				
<b>RPT(G)-160C[*r]</b>											
	100-240ac	50/60	0	5	14 (#)	143 (#) (b)	9	60601-1	20B	0	1
				5	9 (*)	99 (*) (b)	9				
				15	3.6 (#)	-	9				
				15	2.6 (*)	-	9				
				-15	1.0 (#)	-	9				
				-15	0.8 (*)	-	9				
				5VSB	0.8 (#)	-	9				
				5VSB	0.6 (*)	-	9				
<b>RPT(G)-160D[*r]</b>											
	100-240ac	50/60	0	5	11 (#)	147.8 (#) (b)	9	60601-1	20B	0	1
				5	8 (*)	98.2 (*) (b)	9				
				12	5.0 (#)	-	9				
				12	2.6 (*)	-	9				
				24	1.2 (#)	-	9				
				24	1.0 (*)	-	9				
				5VSB	0.8 (#)	-	9				
				5VSB	0.6 (*)	-	9				
<b>RPT-160A@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	9.0 (*)	95.6 (*) (b)	16	ES60601 & A1:2012	20B	0	1
				12dc	3.8 (*)	-	16				
				-5dc	1.0 (*)	-	16				
				5dc	14 (#)	141.0 (#) (b)	16				
				12dc	5.5 (#)	-	16				
				-5dc	1.0 (#)	-	16				
<b>RPT-160B@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	9.0 (*)	95.4 (*) (b)	16	ES60601 & A1:2012	20B	0	1
				12dc	3.4 (*)	-	16				
				-12dc	0.8 (*)	-	16				
				5dc	14 (#)	142.0 (#) (b)	16				
				12dc	3.4 (#)	-	16				
				-12dc	1.0 (#)	-	16				
<b>RPT-160C@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	9.0 (*)	96.0 (*) (b)	16	ES60601 & A1:2012	20B	0	1

				15dc	2.6 (*)	-	16				
				-15dc	0.8 (*)	-	16				
				5dc	14.0 (#)	139.0 (#) (b)	16				
				15dc	3.6 (#)	-	16				
				-15dc	1.0 (#)	-	16				
<b>RPT-160D@(A1\$)*r]</b>											
	100-240ac	50/60	0	5dc	8.0 (*)	95.2 (*) (b)	16	ES60601 & A1:2012	20B	0	1
				12dc	2.6 (*)	-	16				
				24dc	1.0 (*)	-	16				
				5dc	11.0 (#)	143.8 (#) (b)	16				
				12dc	5.0 (#)	-	16				
				24dc	1.2 (#)	-	16				
<b>RPT-6003@(A1\$)*r]</b>											
	100-240ac	50/60	0	-	0.7	-	9	ANSI/AAMIES 60601-1:2005	20B	0	2
<b>RPT-60A@(A1\$)*r]</b>											
	100-240ac	50/60	0	-	0.5	-	9	ANSI/AAMIES 60601-1:2005	20B	0	2
<b>RPT-60B@(A1\$)*r]</b>											
	100-240ac	50/60	0	-	0.5	-	9	ANSI/AAMIES 60601-1:2005	20B	0	2
<b>RPT-60C@(A1\$)*r]</b>											
	100-240ac	50/60	0	-	0.5	-	9	ANSI/AAMIES 60601-1:2005	20B	0	2
<b>RPT-60D@(A1\$)*r]</b>											
	100-240ac	50/60	0	-	0.5	-	9	ANSI/AAMIES 60601-1:2005	20B	0	2
<b>RPT-7503[*r]</b>											
	100-240ac	50/60	0	3.3	6	61.8	9	60601-1	20B	0	1
				5	6	-	9				
				12	1	-	9				
<b>RPT-7503@(A1\$)*r]</b>											
	100-240ac	50/60	0	3.3dc	6	61.8	16	ES60601 & A1:2012	20B	0	1
				5dc	6	-	16				
				12dc	1	-	16				
<b>RPT-75A [*r]</b>	100-240ac	50/60	0	5	6	68.5	9	60601-1	20B	0	1
				12	3	-	-				
				-5	0.5	-	-				
<b>RPT-75A@(A1\$)*r]</b>											
	100-240ac	50/60	0	5dc	6	68.5	16	ES60601 & A1:2012	20B	0	1
				12dc	3	-	16				
				-5dc	0.5	-	16				
<b>RPT-75B [*r]</b>	100-240ac	50/60	0	5	6	72	9	60601-1	20B	0	-
				12	3	-	-				
				-12	0.5	-	-				
<b>RPT-75B@(A1\$)*r]</b>											
		50/60	0	5dc	6	72	16	ES60601 & A1:2012	20B	0	1

	100-240ac											
				12dc	3	-	16					
				-12dc	0.5	-	16					
<b>RPT-75C</b> <b>[*r]</b>	100-240ac	50/60	0	5	6	72	9	60601-1	20B	0	1	
				15	2.3	-	-					
				-15	0.5	-	-					
<b>RPT-75C@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	6	72	16	ES60601 & A1:2012	20B	0	1	
				15dc	2.3	-	16					
				-15dc	0.5	-	16					
<b>RPT-75D</b> <b>[*r]</b>	100-240ac	50/60	0	5	5	73	9	60601-1	20B	0	1	
				24	1.5	-	-					
				12	1	-	-					
<b>RPT-75D@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	5	73	16	ES60601 & A1:2012	20B	0	1	
				24dc	1.5	-	16					
				12dc	1	-	16					
<b>RPTG-160A@(A1\$)[*r]</b>												
	100-240ac	50/60	0	-5dc	1.0 (*)	98.6 (*) (b)	16	ES60601 & A1:2012	20B	0	1	
				12dc	3.8 (*)	-	16					
				-5dc	1.0 (*)	-	16					
				5VSBdc	0.6 (*)	-	16					
				5dc	14.0 (#)	145.0 (#) (b)	16					
				12dc	5.5 (#)	-	16					
				-5dc	1.0 (#)	-	16					
				5VSBdc	0.8 (#)	-	16					
<b>RPTG-160B@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	9.0 (*)	98.4 (*) (b)	16	ES60601 & A1:2012	20B	0	1	
				12dc	3.4 (*)	-	16					
				-12dc	0.8 (*)	-	16					
				5VSBdc	0.6 (*)	-	16					
				5dc	14.0 (#)	146.0 (#) (b)	16					
				12dc	5.0 (#)	-	16					
				-12dc	1.0 (#)	-	16					
				5VSBdc	0.8 (#)	-	16					
<b>RPTG-160C@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	9.0 (*)	99.0 (*) (b)	16	ES60601 & A1:2012	20B	0	1	
				15dc	2.6 (*)	-	16					
				-15dc	0.8 (*)	-	16					
				5VSBdc	0.6 (*)	-	16					
				5dc	14.0 (#)	143.0 (#) (b)	16					
				15dc	3.6 (#)	-	16					
				-15dc	1.0 (#)	-	16					

				5VSBdc	0.8 (#)	-	16				
<b>RPTG-160D@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	8.0 (*)	98.2 (*) (b)	16	ES60601 & A1:2012			20B 0 1
				12dc	2.6 (*)	-	16				
				24dc	1.0 (*)	-	16				
				5VSBdc	0.6 (*)	-	16				
				5dc	11.0 (#)	147.8 (#) (b)	16				
				12dc	5.0 (#)	-	16				
				24dc	1.2 (#)	-	16				
				5VSBdc	0.8 (#)	-	16				

[\*r] - Output values are rated.

# - Rated rating with 20.5CFM FAN cooling.

(a) - Where X may be A or C.

(A1\$) - product certified to ANSI/AAMI ES60601-1:2005 & A1:2012 and CAN/CSA-C22.2 No. 60601-1 (2014)

(b) - Ratings in W not VA.

(^ ) - Where x can be B, U or I; y can be 05, 07, 09, 12, 15, 18, 24, 28, 48; -zzz can be 0-9, A-Z or blank for marketing purpose; B = IEC-320 C8 AC Inlet, U = Wall mount American plug, I = American interchangeable plug

\* - Rated ratings without 20.5CFM FAN cooling.

+ - Class II SMPS

@ - product certified to ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08.

Marking: Company name and model designation.

Last Updated on 2015-09-25

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2015 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-leading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".



**QQHM8.E227340**  
**Power Supplies, Medical and Dental Certified for Canada - Component**

[Page Bottom](#)

**Power Supplies, Medical and Dental Certified for Canada - Component**

[See General Information for Power Supplies, Medical and Dental Certified for Canada - Component](#)

**MEAN WELL ENTERPRISES CO LTD**  
 28 WUQUAN 3RD RD WUGU DIST  
 NEW TAIPEI, 248 TAIWAN

E227340

Model No.	Rated Input			Max Output				SP	EP	FC	GC
	Volts	Hz	SC	V	A	VA	OC				
<b>GEM18x05-zzz (^)</b>											
	100-240Vac	50/60	0	5-6dc	3.00-2.50	15	16	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
<b>GEM18x07-zzz (^)</b>											
	100-240Vac	50/60	0	6-8dc	2.50-1.87	15	16	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
<b>GEM18x09-zzz (^)[*r]</b>											
	100-240Vac	50/60	0	8-11dc	2.25-1.64	18.04	16	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
<b>GEM18x12-zzz (^)[*r]</b>											
	100-240Vac	50/60	0	11-13dc	1.64-1.38	18.04	16	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
<b>GEM18x15-zzz (^)[*r]</b>											
	100-240Vac	50/60	0	13-16dc	1.38-1.13	18.08	16	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
<b>GEM18x18-zzz (^)[*r]</b>											
	100-240Vac	50/60	0	16-21dc	1.13-0.86	18.08	16	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
<b>GEM18x24-zzz (^)[*r]</b>											
	100-240Vac	50/60	0	21-27dc	0.86-0.67	18.09	16	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
<b>GEM18x28-zzz (^)[*r]</b>											
	100-240Vac	50/60	0	27-33dc	0.67-0.55	18.15	16	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
<b>GEM18x48-zzz (^)[*r]</b>											
	100-240Vac	50/60	0	33-58dc	0.55-0.32	18.56	16	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
<b>GMS36U15 @ (A1\$)[*r]</b>											
	100-240Vac	50/60	0	15dc	2.4	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
<b>GMS36U48 @ (A1\$)[*r]</b>											
	100-240Vac	50/60	0	48dc	0.75	-	16	60601-1:2008 & 60601-1:2014	20B	0	2
<b>GSM06Ux-zzz (x can be 05, 06, 07, 09, 12, 15, 18, 24; -zzz can be 0-9, A-Z or Blank for marketing purpose)</b>											
	100-240ac	50/60	0	27dc	1.2	6.24	16, 22	CAN/CSA-C22.2 No. 60601-1:08	20B	8	2
<b>GSM120B12 (A1\$)[*r]</b>											
	100-240ac	50/60	0	12	8.5	102	16	60601-1:2008	20B	0	2
<b>GSM120B15 (A1\$)[*r]</b>											
		50/60	0	15	7.0	10.5	16	60601-1:2008	20B	0	2

	100-240ac											
<b>GSM120B20 (A1\$)[*r]</b>												
	100-240ac	50/60	0	20	6.0	120	16	60601-1:2008	20B	0	2	
<b>GSM120B24 (A1\$)[*r]</b>												
	100-240ac	50/60	0	24	5.0	120	16	60601-1:2008	20B	0	2	
<b>GSM120B48 (A1\$)[*r]</b>												
	100-240ac	50/60	0	48	2.5	120	16	60601-1:2008	20B	0	2	
<b>GSM160B12(A1\$)[*r]</b>												
	100-240ac	50/60	0	12dc	11.5	138 Max	16	CAN/CSA-C22.2 No. 60601-1 (2014)	20B	0	2	
<b>GSM160B15(A1\$)[*r]</b>												
	100-240ac	50/60	0	15dc	9.6	144 Max	16	CAN/CSA-C22.2 No. 60601-1 (2014)	20B	0	2	
<b>GSM160B20(A1\$)[*r]</b>												
	100-240ac	50/60	0	20dc	8	160 Max	16	CAN/CSA-C22.2 No. 60601-1 (2014)	20B	0	2	
<b>GSM160B24(A1\$)[*r]</b>												
	100-240ac	50/60	0	24dc	6.67	160 Max	16	CAN/CSA-C22.2 No. 60601-1 (2014)	20B	0	2	
<b>GSM160B48(A1\$)[*r]</b>												
	100-240ac	50/60	0	48dc	3.34	160 Max	16	CAN/CSA-C22.2 No. 60601-1 (2014)	20B	0	2	
<b>GSM18B05 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	5dc	3	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM18B07 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	7.5dc	2	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM18B09 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	9dc	2	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM18B12 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	12dc	1.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM18B15 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	15dc	1.2	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM18B18 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	18dc	1	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM18B24 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	24dc	0.75	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM18B48 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	48dc	0.375	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM18U05 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	5dc	3	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM18U07 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	7.5dc	2	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM18U09 @ (A1\$)[*r]</b>												
		50/60	0	9dc	2	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	

	100-240Vac											
<b>GSM18U12 @ (A1\$)*r]</b>												
	100-240Vac	50/60	0	12dc	1.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM18U15 @ (A1\$)*r]</b>												
	100-240Vac	50/60	0	15dc	1.2	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM18U18 @ (A1\$)*r]</b>												
	100-240Vac	50/60	0	18dc	1	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM18U24 @ (A1\$)*r]</b>												
	100-240Vac	50/60	0	24dc	0.75	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM18U48 @ (A1\$)*r]</b>												
	100-240Vac	50/60	0	48dc	0.375	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM220B12 (A1\$)</b>												
	100-240vac	50/60	0	-	-	-	-	60601-1:2008	20B	0	2	
<b>GSM220B15 (A1\$)</b>												
	100-240vac	50/60	0	-	-	-	-	60601-1:2008	20B	0	2	
<b>GSM220B20 (A1\$)</b>												
	100-240vac	50/60	0	-	-	-	-	60601-1:2008	20B	0	2	
<b>GSM220B24 (A1\$)</b>												
	100-240vac	50/60	0	-	-	-	-	60601-1:2008	20B	0	2	
<b>GSM220B48 (A1\$)</b>												
	100-240vac	50/60	0	-	-	-	-	60601-1:2008	20B	0	2	
<b>GSM25B05 @ (A1\$)*r]</b>												
	100-240Vac	50/60	0	5dc	4	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM25B07 @ (A1\$)*r]</b>												
	100-240Vac	50/60	0	7.5dc	2.93	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM25B09 @ (A1\$)*r]</b>												
	100-240Vac	50/60	0	9dc	2.77	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM25B12 @ (A1\$)*r]</b>												
	100-240Vac	50/60	0	12dc	2.08	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM25B15 @ (A1\$)*r]</b>												
	100-240Vac	50/60	0	15dc	1.66	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM25B18 @ (A1\$)*r]</b>												
	100-240Vac	50/60	0	18dc	1.38	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM25B24 @ (A1\$)*r]</b>												
	100-240Vac	50/60	0	24dc	1.04	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM25B48 @ (A1\$)*r]</b>												
	100-240Vac	50/60	0	48dc	0.52	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM25U05 @ (A1\$)*r]</b>												
		50/60	0	5dc	4	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	

	100-240Vac											
<b>GSM25U07 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	7.5dc	2.93	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM25U09 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	9dc	2.77	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM25U12 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	12dc	2.08	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM25U15 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	15dc	1.66	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM25U18 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	18dc	1.38	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM25U24 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	24dc	1.04	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM25U48 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	48dc	0.52	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM36B05 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	5dc	4.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM36B07 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	7dc	4.32	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM36B09 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	9dc	4	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM36B12 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	12dc	3	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM36B15 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	15dc	2.4	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM36B18 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	18dc	2	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM36B24 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	24dc	1.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM36B48 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	48dc	0.75	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM36U05 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	5dc	4.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM36U07 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	7dc	4.32	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM36U09 @ (A1\$)[*r]</b>												
	100-240Vac	50/60	0	9dc	4	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM36U12 @ (A1\$)[*r]</b>												
		50/60	0	12dc	3	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	

	100-240Vac											
<b>GSM36U18 @ (A1\$)*r]</b>												
	100-240Vac	50/60	0	18dc	2	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM36U24 @ (A1\$)*r]</b>												
	100-240Vac	50/60	0	24dc	1.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>GSM40A05</b>												
	100-240ac	50/60	0	5dc	5	24	16	ES60601-1	20B	0	1	
<b>GSM40A05(A1\$)*r]</b>												
	100-240ac	50/60	0	5dc	5	25	16	60601-1:2014	20B	0	1	
<b>GSM40A07</b>												
	100-240ac	50/60	0	7.5dc	5.34	40.05	16	ES60601-1	20B	0	1	
<b>GSM40A07(A1\$)*r]</b>												
	100-240ac	50/60	0	7.5dc	5.34	40.05	16	60601-1:2014	20B	0	1	
<b>GSM40A09</b>												
	100-240ac	50/60	0	9dc	4.45	40.05	16	ES60601-1	20B	0	1	
<b>GSM40A09(A1\$)*r]</b>												
	100-240ac	50/60	0	9dc	4.45	40.05	16	60601-1:2014	20B	0	1	
<b>GSM40A12</b>												
	100-240ac	50/60	0	12dc	3.34	40.08	16	ES60601-1	20B	0	1	
<b>GSM40A12(A1\$)*r]</b>												
	100-240ac	50/60	0	12dc	3.34	40.08	16	60601-1:2014	20B	0	1	
<b>GSM40A15</b>												
	100-240ac	50/60	0	15dc	2.67	40.05	16	ES60601-1	20B	0	1	
<b>GSM40A15(A1\$)*r]</b>												
	100-240ac	50/60	0	15dc	2.67	40.05	16	60601-1:2014	20B	0	1	
<b>GSM40A18</b>												
	100-240ac	50/60	0	18dc	2.22	39.96	16	ES60601-1	20B	0	1	
<b>GSM40A18(A1\$)*r]</b>												
	100-240ac	50/60	0	18dc	2.22	39.96	16	60601-1:2014	20B	0	1	
<b>GSM40A24</b>												
	100-240ac	50/60	0	24dc	1.67	40.08	16	ES60601-1	20B	0	1	
<b>GSM40A24(A1\$)*r]</b>												
	100-240ac	50/60	0	24dc	1.67	40.08	16	60601-1:2014	20B	0	1	
<b>GSM40A48</b>												
	100-240ac	50/60	0	48dc	0.84	40.32	16	ES60601-1	20B	0	1	
<b>GSM40A48(A1\$)*r]</b>												
	100-240ac	50/60	0	48dc	0.84	40.32	16	60601-1:2014	20B	0	1	
<b>GSM40B05</b>												
		50/60	0	5dc	5	25	16	60601-1:2014	20B	0	2	

	100-240Vac											
<b>GSM40B07</b>												
	100-240Vac	50/60	0	7.5dc	5.34	40	16	60601-1:2014	20B	0	2	
<b>GSM40B09</b>												
	100-240Vac	50/60	0	9dc	4.45	40	16	60601-1:2014	20B	0	2	
<b>GSM40B12</b>												
	100-240Vac	50/60	0	12dc	3.34	40	16	60601-1:2014	20B	0	2	
<b>GSM40B15</b>												
	100-240Vac	50/60	0	15dc	2.67	40	16	60601-1:2014	20B	0	2	
<b>GSM40B18</b>												
	100-240Vac	50/60	0	18dc	2.22	40	16	60601-1:2014	20B	0	2	
<b>GSM40B24</b>												
	100-240Vac	50/60	0	24dc	1.67	40	16	60601-1:2014	20B	0	2	
<b>GSM40B48</b>												
	100-240Vac	50/60	0	48dc	0.84	40	16	60601-1:2014	20B	0	2	
<b>GSM60A05</b>												
	100-240ac	50/60	0	5dc	6	30	16	ES60601-1	20B	0	1	
<b>GSM60A05(A1\$)*r]</b>												
	100-240ac	50/60	0	5dc	6	30	16	60601-1:2014	20B	0	1	
<b>GSM60A07</b>												
	100-240ac	50/60	0	7.5dc	6	45	16	ES60601-1	20B	0	1	
<b>GSM60A07(A1\$)*r]</b>												
	100-240ac	50/60	0	7.5dc	6	45	16	60601-1:2014	20B	0	1	
<b>GSM60A09</b>												
	100-240ac	50/60	0	9dc	6	54	16	ES60601-1	20B	0	1	
<b>GSM60A09(A1\$)*r]</b>												
	100-240ac	50/60	0	9dc	6	54	16	60601-1:2014	20B	0	1	
<b>GSM60A12</b>												
	100-240ac	50/60	0	12dc	5	60	16	ES60601-1	20B	0	1	
<b>GSM60A12(A1\$)*r]</b>												
	100-240ac	50/60	0	12dc	5	60	16	60601-1:2014	20B	0	1	
<b>GSM60A15</b>												
	100-240ac	50/60	0	15dc	4	60	16	ES60601-1	20B	0	1	
<b>GSM60A18</b>												
	100-240ac	50/60	0	18dc	3.33	59.94	16	ES60601-1	20B	0	1	
<b>GSM60A18(A1\$)*r]</b>												
	100-240ac	50/60	0	18dc	3.33	59.94	16	60601-1:2014	20B	0	1	
<b>GSM60A24</b>												
		50/60	0	24dc	2.5	60	16	ES60601-1	20B	0	1	

	100-240ac											
<b>GSM60A24(A1\$)*r]</b>												
	100-240ac	50/60	0	24dc	2.5	60	16	60601-1:2014	20B	0	1	
<b>GSM60A48</b>												
	100-240ac	50/60	0	48dc	1.25	60	16	ES60601-1	20B	0	1	
<b>GSM60A48(A1\$)*r]</b>												
	100-240ac	50/60	0	48dc	1.25	60	16	60601-1:2014	20B	0	1	
<b>GSM60B05</b>												
	100-240Vac	50/60	0	5dc	6	30	16	60601-1:2014	20B	0	2	
<b>GSM60B07</b>												
	100-240Vac	50/60	0	7.5dc	6	45	16	60601-1:2014	20B	0	2	
<b>GSM60B09</b>												
	100-240Vac	50/60	0	9dc	6	54	16	60601-1:2014	20B	0	2	
<b>GSM60B12</b>												
	100-240Vac	50/60	0	12dc	5	60	16	60601-1:2014	20B	0	2	
<b>GSM60B15</b>												
	100-240Vac	50/60	0	15dc	4	60	16	60601-1:2014	20B	0	2	
<b>GSM60B18</b>												
	100-240Vac	50/60	0	18dc	3.33	60	16	60601-1:2014	20B	0	2	
<b>GSM60B24</b>												
	100-240Vac	50/60	0	24dc	2.5	60	16	60601-1:2014	20B	0	2	
<b>GSM60B48</b>												
	100-240Vac	50/60	0	48dc	1.25	60	16	60601-1:2014	20B	0	2	
<b>GSM90B12 (A1\$)*r]</b>												
	100-240Vac	50/60	0	12dc	6.67	80	16	60601-1:2008	20B	0	2	
<b>GSM90B15 (A1\$)*r]</b>												
	100-240Vac	50/60	0	15dc	6..0	90	16	60601-1:2008	20B	0	2	
<b>GSM90B19 (A1\$)*r]</b>												
	100-240Vac	50/60	0	19dc	4.74	90	16	60601-1:2008	20B	0	2	
<b>GSM90B24 (A1\$)*r]</b>												
	100-240Vac	50/60	0	24dc	3.75	90	16	60601-1:2008	20B	0	2	
<b>GSM90B48 (A1\$)*r]</b>												
	100-240Vac	50/60	0	48dc	1.87	90	16	60601-1:2008	20B	0	2	
<b>MES30A-0, MES30B-0, MES30C-0, MES30D-0-U</b>												
	100-240ac	50-60	0	3-5	5.0	25	9	60601-1	2T	0	1	
<b>MES30A-1, MES30B-1, MES30C-1, MES30D-1-U</b>												
	100-240ac	50-60	0	5-6	5.0-4.17	25	9	60601-1	2T	0	1	
<b>MES30A-1-1, MES30B-1-1, MES30C-1-1, MES30D-1-1-U</b>												
		50-60	0	6-8	4.17-3.13	25	9	60601-1	2T	0	1	

	100-240ac											
<b>MES30A-1-2, MES30B-1-2, MES30C-1-2, MES30D-2-U</b>												
	100-240ac	50-60	0	8-11	3.75-2.73	30	9	60601-1	2T	0	1	
<b>MES30A-2, MES30C-2[*r]</b>												
	100-240ac	50-60	0	8-11	3.75-2.73	30	9	ES60601-1	20B	0	1	
<b>MES30A-3, MES30B-3, MES30C-3, MES30D-3-U</b>												
	100-240ac	50-60	0	11-13	2.73-2.30	30	9	60601-1	2T	0	1	
<b>MES30A-4, MES30B-4, MES30C-4, MES30D-4-U</b>												
	100-240ac	50-60	0	13-16	2.30-1.88	30	9	60601-1	2T	0	1	
<b>MES30A-5, MES30B-5, MES30C-5, MES30D-5-U</b>												
	100-240ac	50-60	0	16-21	1.88-1.43	30	9	60601-1	2T	0	1	
<b>MES30A-6, MES30B-6, MES30C-6, MES30D-6-U</b>												
	100-240ac	50-60	0	21-27	1.43-1.11	30	9	60601-1	2T	0	1	
<b>MES30A-7, MES30B-7, MES30C-7, MES30D-7-U</b>												
	100-240ac	50-60	0	27-33	1.11-0.90	30	9	60601-1	2T	0	1	
<b>MES30A-8, MES30B-8, MES30C-8, MES30D-8-U</b>												
	100-240ac	50-60	0	33-48	0.9-0.63	30	9	60601-1	2T	0	1	
<b>MES50X-0 (a)[*r]</b>												
	100-240ac	50/60	0	3-5	7.5	37.5	9	60601-1	20B	8	1	
<b>MES50X-1 (a)[*r]</b>												
	100-240ac	50/60	0	5-6	7.50-6.25	37.5	9	60601-1	20B	8	1	
<b>MES50X-1-1 (a)[*r]</b>												
	100-240ac	50/60	0	6-8	6.66-5.00	40	9	60601-1	20B	8	1	
<b>MES50X-2 (a)[*r]</b>												
	100-240ac	50/60	0	8-11	5.62-4.09	45	9	60601-1	20B	8	1	
<b>MES50X-3 (a)[*r]</b>												
	100-240ac	50/60	0	11-13	4.54-3.84	50	9	60601-1	20B	8	1	
<b>MES50X-4 (a)[*r]</b>												
	100-240ac	50/60	0	13-16	3.84-3.12	50	9	60601-1	20B	8	1	
<b>MES50X-5 (a)[*r]</b>												
	100-240ac	50/60	0	16-21	3.12-2.38	50	9	60601-1	20B	8	1	
<b>MES50X-6 (a)[*r]</b>												
	100-240ac	50/60	0	21-27	2.38-1.85	50	9	60601-1	20B	8	1	
<b>MES50X-7 (a)[*r]</b>												
	100-240ac	50/60	0	27-33	1.85-1.51	50	9	60601-1	20B	8	1	
<b>MES50X-8 (a)[*r]</b>												
	100-240ac	50/60	0	33-48	1.51-1.04	50	9	60601-1	20B	8	1	
<b>MPD-120A[*r]</b>												
		50/60	0	5	10	-	9	60601-1	20B	0	1	

	100-240ac											
				12	5	-	9					
<b>MPD-120B[*r]</b>												
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1	
				24	2.9	-	9					
<b>MPD-200A@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	20	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
				12dc	8	-	16					
<b>MPD-200B@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	20	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
				24dc	4	-	16					
<b>MPD-45A[*r]</b>	100-240ac	50/60	0	5	3.2	16.0	9	2601	-	0	0	
				12	2	24	9					
<b>MPD-45A@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	3.2	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
				12dc	2	-	16					
<b>MPD-45B[*r]</b>	100-240ac	50/60	0	5	3.2	16.0	9	2601	-	0	0	
				24	1.2	28.8	9					
<b>MPD-45B@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	3.2	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
				24dc	1.2	-	16					
<b>MPD-65A[*r]</b>	100-240ac	50/60	0	5	5.5	27.5	9	2601	-	0	0	
				12	2.8	33.6	9					
<b>MPD-65A@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	5.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
				12dc	2.8	-	16					
<b>MPD-65B[*r]</b>	100-240ac	50/60	0	5	3.5	17.5	9	2601	-	0	0	
				24	2	48	9					
<b>MPD-65B@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	3.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
				24dc	2	-	16					
<b>MPQ-120B[*r]</b>												
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1	
				12	4.2	-	9					
				-5	0.6	-	9					
				-12	0.6	-	9					
<b>MPQ-120C[*r]</b>												
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1	
				15	3.2	-	9					
				-5	0.6	-	9					
				-15	0.6	-	9					

<b>MPQ-120D[*r]</b>											
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				12	1	-	9				
				24	2.1	-	9				
				-12	0.6	-	9				
<b>MPQ-120E[*r]</b>											
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1
				12	3	-	9				
				15	0.6	-	9				
				24	0.6	-	9				
<b>MPQ-200B@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	15	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	7	-	16				
				-5dc	2	-	16				
				-12dc	2	-	16				
<b>MPQ-200C@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	15	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				15dc	5	-	16				
				-5dc	2	-	16				
				-15dc	2	-	16				
<b>MPQ-200D@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	15	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	2	-	16				
				24dc	3	-	16				
				-12dc	2	-	16				
<b>MPQ-200F@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	15	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				15dc	2	-	16				
				-15dc	2	-	16				
				24dc	2.7	-	16				
<b>MPS-120-12[*r]</b>											
	100-240ac	50/60	0	12	10	-	9	60601-1	20B	0	1
<b>MPS-120-15[*r]</b>											
	100-240ac	50/60	0	15	8	-	9	60601-1	20B	0	1
<b>MPS-120-24[*r]</b>											
	100-240ac	50/60	0	24	5	-	9	60601-1	20B	0	1
<b>MPS-120-3.3[*r]</b>											
	100-240ac	50/60	0	3.3	24	-	9	60601-1	20B	0	1
<b>MPS-120-48[*r]</b>											
	100-240ac	50/60	0	48	2.5	-	9	60601-1	20B	0	1
<b>MPS-120-5[*r]</b>											
	100-240ac	50/60	0	5	22	-	9	60601-1	20B	0	1
<b>MPS-200-12@(A1\$)[*r]</b>											

	100-240ac	50/60	0	12dc	16.7	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
<b>MPS-200-15@(A1\$)*r]</b>											
	100-240ac	50/60	0	15dc	13.4	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
<b>MPS-200-24@(A1\$)*r]</b>											
	100-240ac	50/60	0	24dc	8.4	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
<b>MPS-200-3.3@(A1\$)*r]</b>											
	100-240ac	50/60	0	3.3dc	40	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
<b>MPS-200-32PE@(A1\$)*r]</b>											
	100-240ac	50/60	0	32dc	6.3	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
<b>MPS-200-48@(A1\$)*r]</b>											
	100-240ac	50/60	0	48dc	4.2	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
<b>MPS-200-5@(A1\$)*r]</b>											
	100-240ac	50/60	0	5dc	40	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
<b>MPS-200-7.5@(A1\$)*r]</b>											
	100-240ac	50/60	0	7.5dc	26.6	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
<b>MPS-30-12[*r]</b>											
	100-240ac	50/60	0	-	2.5	30	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	0
<b>MPS-30-15[*r]</b>											
	100-240ac	50/60	0	-	2	30	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	0
<b>MPS-30-24[*r]</b>											
	100-240ac	50/60	0	-	1.2	28.8	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	0
<b>MPS-30-27[*r]</b>											
	100-240ac	50/60	0	-	1.1	29.7	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	0
<b>MPS-30-48[*r]</b>											
	100-240ac	50/60	0	-	0.6	28.8	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	0
<b>MPS-30-5[*r]</b>											
	100-240ac	50/60	0	-	6	30	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	0
<b>MPS-30-5SI[*r]</b>											
	100-240ac	50/60	0	-	6	30	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	0
<b>MPS-45-12[*r]</b>											
	100-240ac	50/60	0	12	3.7	44.4	9	2601	-	0	0
<b>MPS-45-12@(A1\$)*r]</b>											
	100-240ac	50/60	0	12dc	3.7	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
<b>MPS-45-13.5[*r]</b>											
	100-240ac	50/60	0	13.5	3.3	44.6	9	2601	-	0	0
<b>MPS-45-13.5@(A1\$)*r]</b>											
	100-240ac	50/60	0	13.5dc	3.3	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
<b>MPS-45-15[*r]</b>											
		50/60	0	15	3	45	9	2601	-	0	0

	100-240ac											
<b>MPS-45-15@(A1\$)*r]</b>												
	100-240ac	50/60	0	15dc	3	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MPS-45-24[*r]</b>												
	100-240ac	50/60	0	24	1.9	45.6	9	2601	-	0	0	
<b>MPS-45-24@(A1\$)*r]</b>												
	100-240ac	50/60	0	24dc	1.9	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MPS-45-27[*r]</b>												
	100-240ac	50/60	0	27	1.7	45.9	9	2601	-	0	0	
<b>MPS-45-27@(A1\$)*r]</b>												
	100-240ac	50/60	0	27dc	1.7	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MPS-45-3.3[*r]</b>												
	100-240ac	50/60	0	3.3	8	26.4	9	2601	-	0	0	
<b>MPS-45-3.3@(A1\$)*r]</b>												
	100-240ac	50/60	0	3.3dc	8	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MPS-45-48[*r]</b>												
	100-240ac	50/60	0	48	1	48	9	2601	-	0	0	
<b>MPS-45-48@(A1\$)*r]</b>												
	100-240ac	50/60	0	48dc	1	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MPS-45-5[*r]</b>												
	100-240ac	50/60	0	5	8	40	9	2601	-	0	0	
<b>MPS-45-5@(A1\$)*r]</b>												
	100-240ac	50/60	0	5dc	8	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MPS-45-7.5[*r]</b>												
	100-240ac	50/60	0	7.5	5.5	41.3	9	2601	-	0	0	
<b>MPS-45-7.5@(A1\$)*r]</b>												
	100-240ac	50/60	0	7.5dc	5.4	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MPS-65-12[*r]</b>												
	100-240ac	50/60	0	12	5.2	62.4	9	2601	-	0	0	
<b>MPS-65-12@(A1\$)*r]</b>												
	100-240ac	50/60	0	12dc	5.2	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MPS-65-13.5[*r]</b>												
	100-240ac	50/60	0	13.5	4.7	63.5	9	2601	-	0	0	
<b>MPS-65-13.5@(A1\$)*r]</b>												
	100-240ac	50/60	0	13.5dc	4.7	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MPS-65-15[*r]</b>												
	100-240ac	50/60	0	15	4.2	63.0	9	2601	-	0	0	
<b>MPS-65-15@(A1\$)*r]</b>												
		50/60	0	15dc	4.2	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	

	100-240ac											
<b>MPS-65-24[*r]</b>												
	100-240ac	50/60	0	24	2.7	64.8	9	2601	-	0	0	
<b>MPS-65-24@(A1\$)[*r]</b>												
	100-240ac	50/60	0	24dc	2.7	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MPS-65-27[*r]</b>												
	100-240ac	50/60	0	27	2.4	64.8	9	2601	-	0	0	
<b>MPS-65-27@(A1\$)[*r]</b>												
	100-240ac	50/60	0	27dc	2.4	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MPS-65-3.3[*r]</b>												
	100-240ac	50/60	0	3.3	12	39.6	9	2601	-	0	0	
<b>MPS-65-3.3@(A1\$)[*r]</b>												
	100-240ac	50/60	0	3.3dc	12	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MPS-65-48[*r]</b>												
	100-240ac	50/60	0	48	1.35	64.8	9	2601	-	0	0	
<b>MPS-65-48@(A1\$)[*r]</b>												
	100-240ac	50/60	0	48dc	1.35	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MPS-65-5[*r]</b>												
	100-240ac	50/60	0	5	12	60.0	9	2601	-	0	0	
<b>MPS-65-5@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	12	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MPS-65-7.5[*r]</b>												
	100-240ac	50/60	0	7.5	8	60.0	9	2601	-	0	0	
<b>MPS-65-7.5@(A1\$)[*r]</b>												
	100-240ac	50/60	0	7.5dc	8	60.0	16	60601-1:2008 & 60601-1:2014	20B	0	0	
<b>MPT-120A[*r]</b>												
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1	
				12	4.8	-	9					
				-5	0.6	-	9					
<b>MPT-120B[*r]</b>												
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1	
				12	4.4	-	9					
				-12	0.6	-	9					
<b>MPT-120BC88[*r]</b>												
	100-240ac	50/60	0	5	7	-	9	60601-1	20B	0	1	
				12	4	-	9					
				24	1	-	9					
<b>MPT-120C[*r]</b>												
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1	
				15	4	-	9					

				-15	0.6	-	9					
<b>MPT-120D[*r]</b>												
	100-240ac	50/60	0	5	10	-	9	60601-1	20B	0	1	
				24	2.2	-	9					
				12	0.6	-	9					
<b>MPT-200A@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	20	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
				12dc	7.5	-	16					
				-5dc	2	-	16					
<b>MPT-200B@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	20	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
				12dc	6	-	16					
				-12dc	2	-	16					
<b>MPT-200C@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	20	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
				15dc	4.7	-	16					
				-15dc	2	-	16					
<b>MPT-200D@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	20	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
				24dc	3	-	16					
				12dc	2	-	16					
<b>MPT-45A</b>	100-240ac	50/60	0	5	3.5	15	9	2601	-	0	0	
<b>[*r]</b>				12	2	24	9					
				12	2	24	9					
<b>MPT-45A@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	3	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
				12dc	2	-	16					
				-5dc	0.3	-	16					
<b>MPT-45B</b>	100-240ac	50/60	0	5	3.5	15	9	2601	-	0	0	
<b>[*r]</b>				12	2	24	9					
				-12	0.3	3.6	9					
<b>MPT-45B@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	3	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
				12dc	2	-	16					
				-12dc	0.3	-	16					
<b>MPT-45C</b>	100-240ac	50/60	0	5	3.5	15	9	2601	-	0	0	
<b>[*r]</b>				15	1.6	24	9					
				-15	0.3	4.5	9					
<b>MPT-45C@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	3	-	16	60601-1:2008 & 60601-1:2014	20B	0	1	
				15dc	1.6	-	16					
				-15dc	0.3	-	16					
<b>MPT-65A</b>	100-240ac	50/60	0	5	5.5	27.5	9	2601	-	0	0	
<b>[*r]</b>												

				12	2.5	30	9				
				-5	0.5	2.5	9				
<b>MPT-65A@(A1\$)*r]</b>											
	100-240ac	50/60	0	5dc	5.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	2.5	-	16				
				-5dc	0.5	-	16				
<b>MPT-65B</b>	100-240ac	50/60	0	5	5.5	27.5	9	2601	-	0	0
				12	2.5	30	9				
				-12	0.5	6	9				
<b>MPT-65B@(A1\$)*r]</b>											
	100-240ac	50/60	0	5dc	5.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	2.5	-	16				
				-12dc	0.5	-	16				
<b>MPT-65C</b>	100-240ac	50/60	0	5	5.5	27.5	9	2601	-	0	0
				15	2	30	9				
				-15	0.5	7.5	9				
<b>MPT-65C@(A1\$)*r]</b>											
	100-240ac	50/60	0	5dc	5.5	-	16	60601-1:2008 & 60601-1:2014	20B	0	1
				15dc	2	-	16				
				-15dc	0.5	-	16				
<b>MSP-100-12(A1\$)*r]</b>											
	100-240ac	50/60	0	12dc	8.5	102	14	60601-1:2014	20B	0	1
<b>MSP-100-12@[*r]</b>											
	100-240ac	50/60	0	12dc	8.5	102	14	ES60601-1	20B	0	1
<b>MSP-100-15(A1\$)*r]</b>											
	100-240ac	50/60	0	15dc	7	105	14	60601-1:2014	20B	0	1
<b>MSP-100-15@[*r]</b>											
	100-240ac	50/60	0	15dc	7	105	14	ES60601-1	20B	0	1
<b>MSP-100-24(A1\$)*r]</b>											
	100-240ac	50/60	0	24dc	4.5	108	14	60601-1:2014	20B	0	1
<b>MSP-100-24@[*r]</b>											
	100-240ac	50/60	0	24dc	4.5	108	14	ES60601-1	20B	0	1
<b>MSP-100-3.3(A1\$)*r]</b>											
	100-240ac	50/60	0	3.3dc	20	66	14	60601-1:2014	20B	0	1
<b>MSP-100-3.3@[*r]</b>											
	100-240ac	50/60	0	3.3dc	20	66	14	ES60601-1	20B	0	1
<b>MSP-100-36(A1\$)*r]</b>											
	100-240ac	50/60	0	36dc	2.9	104.4	14	60601-1:2014	20B	0	1
<b>MSP-100-36@[*r]</b>											
	100-240ac	50/60	0	36dc	2.9	104.4	14	ES60601-1	20B	0	1
<b>MSP-100-48(A1\$)*r]</b>											

	100-240ac	50/60	0	48dc	2.2	105.6	14	60601-1:2014	20B	0	1
<b>MSP-100-48@[*r]</b>											
	100-240ac	50/60	0	48dc	2.2	105.6	14	ES60601-1	20B	0	1
<b>MSP-100-5(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	17	85	14	60601-1:2014	20B	0	1
<b>MSP-100-5@[*r]</b>											
	100-240ac	50/60	0	5dc	17	85	14	ES60601-1	20B	0	1
<b>MSP-100-7.5(A1\$)[*r]</b>											
	100-240ac	50/60	0	7.5dc	13.5	101.3	14	60601-1:2014	20B	0	1
<b>MSP-100-7.5@[*r]</b>											
	100-240ac	50/60	0	7.5dc	13.5	101.3	14	ES60601-1	20B	0	1
<b>MSP-200-12(A1\$)[*r]</b>											
	100-240ac	50/60	0	12dc	16.7	-	14	60601-1:2014	20B	0	1
<b>MSP-200-12@</b>											
	100-240ac	50/60	0	12dc	16.7	-	14	60601-1:2008	20B	0	1
<b>MSP-200-15(A1\$)[*r]</b>											
	100-240ac	50/60	0	15dc	13.4	-	14	60601-1:2014	20B	0	1
<b>MSP-200-15@</b>											
	100-240ac	50/60	0	15dc	13.4	-	14	60601-1:2008	20B	0	1
<b>MSP-200-24(A1\$)[*r]</b>											
	100-240ac	50/60	0	24dc	8.4	-	14	60601-1:2014	20B	0	1
<b>MSP-200-24@</b>											
	100-240ac	50/60	0	24dc	8.4	-	14	60601-1:2008	20B	0	1
<b>MSP-200-3.3(A1\$)[*r]</b>											
	100-240ac	50/60	0	3.3dc	40	-	14	60601-1:2014	20B	0	1
<b>MSP-200-3.3@</b>											
	100-240ac	50/60	0	3.3dc	40	-	14	60601-1:2008	20B	0	1
<b>MSP-200-36(A1\$)[*r]</b>											
	100-240ac	50/60	0	36dc	5.7	-	14	60601-1:2014	20B	0	1
<b>MSP-200-36@</b>											
	100-240ac	50/60	0	36dc	5.7	-	14	60601-1:2008	20B	0	1
<b>MSP-200-48(A1\$)[*r]</b>											
	100-240ac	50/60	0	48dc	4.3	-	14	60601-1:2014	20B	0	1
<b>MSP-200-48@</b>											
	100-240ac	50/60	0	48dc	4.3	-	14	60601-1:2008	20B	0	1
<b>MSP-200-5(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	35	-	14	60601-1:2014	20B	0	1
<b>MSP-200-5@</b>											
		50/60	0	5dc	35	-	14	60601-1:2008	20B	0	1

	100-240ac											
<b>MSP-200-7.5(A1\$)*r]</b>												
	100-240ac	50/60	0	7.5dc	26.7	-	14	60601-1:2014	20B	0	1	
<b>MSP-200-7.5@</b>												
	100-240ac	50/60	0	7.5dc	26.7	-	14	60601-1:2008	20B	0	1	
<b>MSP-30-12 @(A1\$)*r]</b>												
	100-240ac	50/60	0	12dc	2.5	30	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-30-15 @(A1\$)*r]</b>												
	100-240ac	50/60	0	15dc	2	30	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-30-24 @(A1\$)*r]</b>												
	100-240ac	50/60	0	24dc	1.2	28.8	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-30-27 @(A1\$)*r]</b>												
	100-240ac	50/60	0	27dc	1.1	29.7	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-30-48 @(A1\$)*r]</b>												
	100-240ac	50/60	0	48dc	0.6	28.8	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-30-5@(A1\$)*r]</b>												
	100-240ac	50/60	0	5dc	5	25	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-30-5SI @(A1\$)*r]</b>												
	100-240ac	50/60	0	5dc	5	25	16	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-300-12@(A1\$)*r]</b>												
	100-240ac	50/60	0	12	27	324 (b)	14, 19	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-300-15@(A1\$)*r]</b>												
	100-240ac	50/60	0	15	22	330 (b)	14, 19	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-300-24@(A1\$)*r]</b>												
	100-240ac	50/60	0	24	14	336 (b)	14, 19	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-300-3.3@(A1\$)*r]</b>												
	100-240ac	50/60	0	3.3	60	198 (b)	14, 19	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-300-36@(A1\$)*r]</b>												
	100-240ac	50/60	0	36	9	324 (b)	14, 19	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-300-48@(A1\$)*r]</b>												
	100-240ac	50/60	0	48	7	336 (b)	14, 19	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-300-5@(A1\$)*r]</b>												
	100-240ac	50/60	0	5	60	300 (b)	14, 19	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-300-7.5@(A1\$)*r]</b>												
	100-240ac	50/60	0	7.5	40	300 (b)	14, 19	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-450-12@[*r]</b>												
	100-240Vac	50/60	0	12dc	37.5	450	14	60601-1:2008	20B	0	1	
<b>MSP-450-15@[*r]</b>												
		50/60	0	15dc	30	450	14	60601-1:2008	20B	0	1	

	100-240Vac											
<b>MSP-450-24@[*r]</b>												
	100-240Vac	50/60	0	24dc	18.8	451.2	14	60601-1:2008	20B	0	1	
<b>MSP-450-3.3@[*r]</b>												
	100-240Vac	50/60	0	3.3dc	90	297	14	60601-1:2008	20B	0	1	
<b>MSP-450-36@[*r]</b>												
	100-240Vac	50/60	0	36dc	12.5	450	14	60601-1:2008	20B	0	1	
<b>MSP-450-48@[*r]</b>												
	100-240Vac	50/60	0	48dc	9.5	456	14	60601-1:2008	20B	0	1	
<b>MSP-450-5@[*r]</b>												
	100-240Vac	50/60	0	5dc	90	450	14	60601-1:2008	20B	0	1	
<b>MSP-450-7.5@[*r]</b>												
	100-240Vac	50/60	0	7.5dc	60	450	14	60601-1:2008	20B	0	1	
<b>MSP-600-12 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	12dc	53	636	14	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-600-15 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	15dc	43	645	14	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-600-24 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	24dc	27	648	14	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-600-3.3 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	3.3dc	120	396	14	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-600-36 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	36dc	17.5	630	14	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-600-48 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	48dc	13	624	14	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-600-5 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	120	600	14	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>MSP-600-7.5 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	7.5dc	80	600	14	60601-1:2008 & 60601-1:2014	20B	0	1	
<b>PM-05-12, NFM-05-12 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	12dc	0.42	5.04	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>PM-05-15, NFM-05-15 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	15dc	0.33	4.95	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>PM-05-24, NFM-05-24 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	24dc	0.23	5.52	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>PM-05-3.3, NFM-05-3.3 @ (A1\$)[*r]</b>												
	100-240ac	50/60	0	3.3dc	1.25	4.125	16	60601-1:2008 & 60601-1:2014	20B	0	2	
<b>PM-05-5, NFM-05-5 @ (A1\$)[*r]</b>												
		50/60	0	5dc	1.0	5.0	16	60601-1:2008 & 60601-1:2014	20B	0	2	

	100-240ac												
<b>PM-10-12, NFM-10-12 (A1\$)*r]</b>													
	100-240ac	50/60	0	12	0.85	10.2	9	ANSI/AAM IES 60601-1:2005; CAN/CSA-C22.2 No. 60601-1:08	20B	0	2		
<b>PM-10-15, NFM-10-15 (A1\$)*r]</b>													
	100-240ac	50/60	0	15	0.67	10.05	9	ANSI/AAM IES 60601-1:2005; CAN/CSA-C22.2 No. 60601-1:08	20B	0	2		
<b>PM-10-24, NFM-10-24 (A1\$)*r]</b>													
	100-240ac	50/60	0	24	0.42	10.08	9	ANSI/AAM IES 60601-1:2005; CAN/CSA-C22.2 No. 60601-1:08	20B	0	2		
<b>PM-10-3.3, NFM-10-3.3 (A1\$)*r]</b>													
	100-240ac	50/60	0	3.3	2.5	8.25	9	ANSI/AAM IES 60601-1:2005; CAN/CSA-C22.2 No. 60601-1:08	20B	0	2		
<b>PM-10-5, NFM-10-5 (A1\$)*r]</b>													
	100-240ac	50/60	0	5	2.0	10	9	ANSI/AAM IES 60601-1:2005; CAN/CSA-C22.2 No. 60601-1:08	20B	0	2		
<b>PM-15-12, NFM-15-12 @ (A1\$)*r]</b>													
	100-240ac	50/60	0	12dc	1.25	15	16	60601-1:2008 & 60601-1:2014	20B	0	2		
<b>PM-15-15, NFM-15-15 @ (A1\$)*r]</b>													
	100-240ac	50/60	0	15dc	1.0	15	16	60601-1:2008 & 60601-1:2014	20B	0	2		
<b>PM-15-24, NFM-15-24 @ (A1\$)*r]</b>													
	100-240ac	50/60	0	24dc	0.63	15.12	16	60601-1:2008 & 60601-1:2014	20B	0	2		
<b>PM-15-3.3, NFM-15-3.3 @ (A1\$)*r]</b>													
	100-240ac	50/60	0	3.3dc	3.5	11.55	16	60601-1:2008 & 60601-1:2014	20B	0	2		
<b>PM-15-5, NFM-15-5 @ (A1\$)*r]</b>													
	100-240ac	50/60	0	5dc	3	15	16	60601-1:2008 & 60601-1:2014	20B	0	2		
<b>PM-20-12, NFM-20-12 @ (A1\$)*r]</b>													
	100-240ac	50/60	0	12dc	1.8	21.6	16	60601-1:2008 & 60601-1:2014	20B	0	1		
<b>PM-20-15, NFM-20-15 @ (A1\$)*r]</b>													
	100-240ac	50/60	0	15dc	1.4	21.0	16	60601-1:2008 & 60601-1:2014	20B	0	1		
<b>PM-20-24, NFM-20-24 @ (A1\$)*r]</b>													
	100-240ac	50/60	0	24dc	0.92	22.08	16	60601-1:2008 & 60601-1:2014	20B	0	1		
<b>PM-20-3.3, NFM-20-3.3 @ (A1\$)*r]</b>													
	100-240ac	50/60	0	3.3dc	4.5	14.85	16	60601-1:2008 & 60601-1:2014	20B	0	1		
<b>PM-20-5, NFM-20-5 @ (A1\$)*r]</b>													
	100-240ac	50/60	0	5dc	4.4	22.0	16	60601-1:2008 & 60601-1:2014	20B	0	1		
<b>RPD(G)-160B)*r]</b>													
	100-240ac	50/60	0	5	12 (#)	150.4 (#) (b)	9	60601-1	20B	0	1		
				5	6 (*)	100.2 (*) (b)	9						
				24	3.6 (#)	-	9						
				24	2.8 (*)	-	9						
				5VSB	0.8 (#)	-	9						
				5VSB	0.6 (*)	-	9						
<b>RPD-160B@ (A1\$)*r]</b>													

	100-240ac	50/60	0	5dc	6.0 (*)	97.2 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				24dc	2.8 (*)	-	16				
				5dc	12 (#)	146.4 (#)	16				
				24dc	3.6 (#)	-	16				
<b>RPD-160BFE@+</b>											
	100-240Vac	50/60	0	24Vdc	1.6A	38.4	-	60601-1:2008	20B	0	0
				5Vdc	2.0	10	1				
<b>RPD-60A@(A1\$)[*r]</b>											
	100-240ac	50/60	0	-	2	-	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
<b>RPD-60B@(A1\$)[*r]</b>											
	100-240ac	50/60	0	-	1.5	-	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2
<b>RPD-75A [*r]</b>	100-240ac	50/60	0	5	7	71.0	9	60601-1	20B	0	1
				12	3	-	9				
<b>RPD-75A@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	7	71.0	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	3	-	16				
<b>RPD-75B [*r]</b>	100-240ac	50/60	0	5	5	73.0	9	60601-1	20B	0	1
				12	1	-	9				
<b>RPD-75B@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	5	73.0	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	1	-	16				
<b>RPDG-160B@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	6.0 (*)	100.2 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				24dc	2.8 (*)	-	16				
				5VSBdc	0.6 (*)	-	16				
				5dc	12 (#)	150.4 (#) (b)	16				
				24dc	3.6 (#)	-	16				
				5VSBdc	0.8 (#)	-	16				
<b>RPS(G)-160-12[*r]</b>											
	100-240ac	50/60	0	12	12.9 (#)	158.8 (#) (b)	-	60601-1	20B	0	1
				12	9.1 (*)	112.2 (*) (b)	-				
				5VSB	0.8 (#)	-	-				
				5VSB	0.6 (*)	-	-				
<b>RPS(G)-160-15[*r]</b>											
	100-240ac	50/60	0	15	10.3 (#)	158.5 (#) (b)	9	60601-1	20B	0	1
				15	7.3 (*)	112.5 (*) (b)	9				
				5VSB	0.8 (#)	-	9				
				5VSB	0.6 (*)	-	9				
<b>RPS(G)-160-24[*r]</b>											
	100-240ac	50/60	0	24	6.5 (#)	160 (#) (b)	9	60601-1	20B	0	1

				24	4.6 (*)	113.4 (*) (b)	9				
				5VSB	0.8 (#)	-	9				
				5VSB	0.6 (*)	-	9				
<b>RPS(G)-160-48[*r]</b>											
	100-240ac	50/60	0	48	3.25 (#)	160 (#) (b)	9	60601-1	20B	0	1
				48	2.1 (*)	103.8 (*) (b)	9				
				5VSB	0.8 (#)	-	9				
				5VSB	0.6 (*)	-	9				
<b>RPS(G)-160-5[*r]</b>											
	100-240ac	50/60	0	5	30 (#)	154 (#) (b)	9	60601-1	20B	0	1
				5	20 (*)	103 (*) (b)	9				
				5VSB	0.8 (#)	-	9				
				5VSB	0.6 (*)	-	9				
<b>RPS-160-12@(A1\$)[*r]</b>											
	100-240ac	50/60	0	12dc	9.1 (*)	109.2 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	12.9 (#)	154.8 (#) (b)	16				
<b>RPS-160-15@(A1\$)[*r]</b>											
	100-240ac	50/60	0	15dc	7.3 (*)	109.5 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				15dc	10.3 (#)	154.5 (#) (b)	16				
<b>RPS-160-24@(A1\$)[*r]</b>											
	100-240ac	50/60	0	24dc	4.6 (*)	110.4 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				24dc	6.5 (#)	156.0 (#) (b)	16				
<b>RPS-160-48@(A1\$)[*r]</b>											
	100-240ac	50/60	0	48dc	2.1 (*)	100.8 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				48dc	3.25 (#)	156.0 (#) (b)	16				
<b>RPS-160-5@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	20 (*)	100 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				5dc	30 (#)	150 (#)	16				
<b>RPS-300-12[*r]</b>											
	100-240ac	50/60	0	12	25 (#)	300 (#)	9	CAN/CSA-C22.2 No. 60601-1:08	2T	0	1
				12	16.67	200	9				
<b>RPS-300-15[*r]</b>											
	100-240ac	50/60	0	15	20 (#)	300 (#)	9	CAN/CSA-C22.2 No. 60601-1:08	2T	0	1
				15	13.33	200	9				
<b>RPS-300-24[*r]</b>											
	100-240ac	50/60	0	24	12.5 (#)	300 (#)	9	CAN/CSA-C22.2 No. 60601-1:08	2T	0	1
				24	8.33	200	9				
<b>RPS-300-27[*r]</b>											
	100-240ac	50/60	0	27	11.12 (#)	300 (#)	9	CAN/CSA-C22.2 No. 60601-1:08	2T	0	1



	100-240ac	50/60	0	48	1.6	76.8	9	60601-1	20B	0	1
<b>RPS-75-48@(A1\$)*r]</b>											
	100-240ac	50/60	0	48dc	1.6	76.8	16	60601-1:2008 & 60601-1:2014	20B	0	1
<b>RPS-75-5[*r]</b>											
	100-240ac	50/60	0	5	14	70	9	60601-1	20B	0	2
<b>RPS-75-5@(A1\$)*r]</b>											
	100-240ac	50/60	0	5dc	14	70	16	60601-1:2008 & 60601-1:2014	20B	0	1
<b>RPSG-160-12@(A1\$)*r]</b>											
	100-240ac	50/60	0	12dc	9.1 (*)	112.2 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				5VSBdc	0.6 (*)	-	16				
				12dc	12.9 (#)	158.8 (#) (b)	16				
				5VSBdc	0.8 (#)	-	16				
<b>RPSG-160-15@(A1\$)*r]</b>											
	100-240ac	50/60	0	15dc	7.3 (*)	112.5 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				5VSBdc	0.6 (*)	-	16				
				15dc	10.3 (#)	158.5 (#) (b)	16				
				5VSBdc	0.8 (#)	-	16				
<b>RPSG-160-24@(A1\$)*r]</b>											
	100-240ac	50/60	0	24dc	4.6 (*)	113.4 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				5VSBdc	0.6 (*)	-	16				
				24dc	6.5 (#)	160.0 (#) (b)	16				
				5VSBdc	0.8 (#)	-	16				
<b>RPSG-160-48@(A1\$)*r]</b>											
	100-240ac	50/60	0	48dc	2.1 (*)	103.8 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				5VSBdc	0.6 (*)	-	16				
				48dc	3.25 (#)	160.0 (#) (b)	16				
				5VSBdc	0.8 (#)	-	16				
<b>RPSG-160-5@(A1\$)*r]</b>											
	100-240ac	50/60	0	5dc	20.0 (*)	103.0 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				5VSBdc	0.6 (*)	-	16				
				5dc	30.0 (#)	154.0 (#) (b)	16				
				5VSBdc	0.8 (#)	-	16				
<b>RPT(G)-160A[*r]</b>											
	100-240ac	50/60	0	5	14 (#)	145 (#) (b)	9	60601-1	20B	0	1
				5	9 (*)	98.6 (*) (b)	9				
				12	5.5 (#)	-	9				
				12	3.8 (*)	-	9				
				-5	1.0 (#)	-	9				
				-5	1.0 (*)	-	9				
				5VSB	0.8 (#)	-	9				

				5VSB	0.6 (*)	-	9				
<b>RPT(G)-160B[*r]</b>											
	100-240ac	50/60	0	5	14 (#)	146 (#) (b)	9	60601-1	20B	0	1
				5	9 (*)	98.4 (*) (b)	9				
				12	5.0 (#)	-	9				
				12	3.4 (*)	-	9				
				-12	1.0 (#)	-	9				
				-12	0.8 (*)	-	9				
				5VSB	0.8 (#)	-	9				
				5VSB	0.6 (*)	-	9				
<b>RPT(G)-160C[*r]</b>											
	100-240ac	50/60	0	5	14 (#)	143 (#) (b)	9	60601-1	20B	0	1
				5	9 (*)	99 (*) (b)	9				
				15	3.6 (#)	-	9				
				15	2.6 (*)	-	9				
				-15	1.0 (#)	-	9				
				-15	0.8 (*)	-	9				
				5VSB	0.8 (#)	-	9				
				5VSB	0.6 (*)	-	9				
<b>RPT(G)-160D[*r]</b>											
	100-240ac	50/60	0	5	11 (#)	147.8 (#) (b)	9	60601-1	20B	0	1
				5	8 (*)	98.2 (*) (b)	9				
				12	5.0 (#)	-	9				
				12	2.6 (*)	-	9				
				24	1.2 (#)	-	9				
				24	1.0 (*)	-	9				
				5VSB	0.8 (#)	-	9				
				5VSB	0.6 (*)	-	9				
<b>RPT-160A@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	9.0 (*)	95.6 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	3.8 (*)	-	16				
				-5dc	1.0 (*)	-	16				
				5dc	14 (#)	141.0 (#) (b)	16				
				12dc	5.5 (#)	-	16				
				-5dc	1.0 (#)	-	16				
<b>RPT-160B@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	9.0 (*)	95.4 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	3.4 (*)	-	16				
				-12dc	0.8 (*)	-	16				
				5dc	14 (#)	142.0 (#) (b)	16				
				12dc	3.4 (#)	-	16				
				-12dc	1.0 (#)	-	16				
<b>RPT-160C@(A1\$)[*r]</b>											
		50/60	0	5dc	9.0 (*)		16	60601-1:2008 & 60601-1:2014	20B	0	1

	100-240ac					96.0 (*) (b)						
				15dc	2.6 (*)	-	16					
				-15dc	0.8 (*)	-	16					
				5dc	14.0 (#)	139.0 (#) (b)	16					
				15dc	3.6 (#)	-	16					
				-15dc	1.0 (#)	-	16					
<b>RPT-160D@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	8.0 (*)	95.2 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1	
				12dc	2.6 (*)	-	16					
				24dc	1.0 (*)	-	16					
				5dc	11.0 (#)	143.8 (#) (b)	16					
				12dc	5.0 (#)	-	16					
				24dc	1.2 (#)	-	16					
<b>RPT-6003@(A1\$)[*r]</b>												
	100-240ac	50/60	0	-	0.7	-	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2	
<b>RPT-60A@(A1\$)[*r]</b>												
	100-240ac	50/60	0	-	0.5	-	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2	
<b>RPT-60B@(A1\$)[*r]</b>												
	100-240ac	50/60	0	-	0.5	-	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2	
<b>RPT-60C@(A1\$)[*r]</b>												
	100-240ac	50/60	0	-	0.5	-	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2	
<b>RPT-60D@(A1\$)[*r]</b>												
	100-240ac	50/60	0	-	0.5	-	9	CAN/CSA-C22.2 No. 60601-1:08	20B	0	2	
<b>RPT-7503[*r]</b>												
	100-240ac	50/60	0	3.3	6	61.8	9	60601-1	20B	0	1	
				5	6	-	9					
				12	1	-	9					
<b>RPT-7503@(A1\$)[*r]</b>												
	100-240ac	50/60	0	3.3dc	6	61.8	16	60601-1:2008 & 60601-1:2014	20B	0	1	
				5dc	6	-	16					
				12dc	1	-	16					
<b>RPT-75A [*r]</b>	100-240ac	50/60	0	5	6	68.5	9	60601-1	20B	0	1	
				12	3	-	-					
				-5	0.5	-	-					
<b>RPT-75A@(A1\$)[*r]</b>												
	100-240ac	50/60	0	5dc	6	68.5	16	60601-1:2008 & 60601-1:2014	20B	0	1	
				12dc	3	-	16					
				-5dc	0.5	-	16					
<b>RPT-75B [*r]</b>	100-240ac	50/60	0	5	6	72	9	60601-1	20B	0	-	
				12	3	-	-					
				-12	0.5	-	-					

<b>RPT-75B@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	6	72	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	3	-	16				
				-12dc	0.5	-	16				
<b>RPT-75C</b>	100-240ac	50/60	0	5	6	72	9	60601-1	20B	0	1
				15	2.3	-	-				
				-15	0.5	-	-				
<b>RPT-75C@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	6	72	16	60601-1:2008 & 60601-1:2014	20B	0	1
				15dc	2.3	-	16				
				-15dc	0.5	-	16				
<b>RPT-75D</b>	100-240ac	50/60	0	5	5	73	9	60601-1	20B	0	1
				24	1.5	-	-				
				12	1	-	-				
<b>RPT-75D@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	5	73	16	60601-1:2008 & 60601-1:2014	20B	0	1
				24dc	1.5	-	16				
				12dc	1	-	16				
<b>RPTG-160A@(A1\$)[*r]</b>											
	100-240ac	50/60	0	-5dc	1.0 (*)	98.6 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	3.8 (*)	-	16				
				-5dc	1.0 (*)	-	16				
				5VSBdc	0.6 (*)	-	16				
				5dc	14.0 (#)	145.0 (#) (b)	16				
				12dc	5.5 (#)	-	16				
				-5dc	1.0 (#)	-	16				
				5VSBdc	0.8 (#)	-	16				
<b>RPTG-160B@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	9.0 (*)	98.4 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	3.4 (*)	-	16				
				-12dc	0.8 (*)	-	16				
				5VSBdc	0.6 (*)	-	16				
				5dc	14.0 (#)	146.0 (#) (b)	16				
				12dc	5.0 (#)	-	16				
				-12dc	1.0 (#)	-	16				
				5VSBdc	0.8 (#)	-	16				
<b>RPTG-160C@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	9.0 (*)	99.0 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				15dc	2.6 (*)	-	16				
				-15dc	0.8 (*)	-	16				
				5VSBdc	0.6 (*)	-	16				
				5dc	14.0 (#)	143.0 (#) (b)	16				
				15dc	3.6 (#)	-	16				

				-15dc	1.0 (#)	-	16				
				5VSBdc	0.8 (#)	-	16				
<b>RPTG-160D@(A1\$)[*r]</b>											
	100-240ac	50/60	0	5dc	8.0 (*)	98.2 (*) (b)	16	60601-1:2008 & 60601-1:2014	20B	0	1
				12dc	2.6 (*)	-	16				
				24dc	1.0 (*)	-	16				
				5VSBdc	0.6 (*)	-	16				
				5dc	11.0 (#)	147.8 (#) (b)	16				
				12dc	5.0 (#)	-	16				
				24dc	1.2 (#)	-	16				
				5VSBdc	0.8 (#)	-	16				

[\*r] - Output values are rated.

# - Rated ratings with 20.5CFM FAN cooling.

(a) - Where X may be A or C.

(A1\$) - product certified to ANSI/AAMIES 60601-1:2005 & A1:2012 and CAN/CSA-C22.2 No. 60601-1 (2014)

(b) - Ratings in W not VA.

(^ ) - Where x can be B, U or I; y can be 05, 07, 09, 12, 15, 18, 24, 28, 48; -zzz can be 0-9, A-Z or blank for marketing purpose; B = IEC-320 C8 AC Inlet, U = Wall mount American plug, I = American interchangeable plug

\* - Rated ratings without 20.5CFM FAN cooling.

+ - Class II SMPS

@ - product certified to ANSI/AAMIES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08.



Marking: Company name, model designation and the Recognized Component Mark for Canada, 

Last Updated on 2015-09-25

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2015 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following form at: "© 2015 UL LLC".