



**QQHM2.E227340
Power Supplies, Medical and Dental - Component**

[Page Bottom](#)

Power Supplies, Medical and Dental - Component

[See General Information for Power Supplies, Medical and Dental - Component](#)

MEAN WELL ENTERPRISES CO LTD
28 WUQUAN 3RD RD WUGU DIST
NEW TAIPEI, 248 TAIWAN

E227340

| Model No. | Rated Input | | | Max Output | | | OC | SP | EP | FC | GC |
|---|-------------|-------|----|------------|-------|------|--------|---------------------|-----|----|----|
| | Volts | Hz | SC | V | A | VA | | | | | |
| GMS36U15 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 15dc | 2.4 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GMS36U48 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 48dc | 0.75 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM06Ux-zzz (x can be 05, 06, 07, 09, 12, 15, 18, 24; -zzz can be 0-9, A-Z or Blank for marketing purpose) | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 27dc | 1.2 | 6.24 | 16, 22 | ES60601-1 | 20B | 8 | 2 |
| GSM18B05 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 5dc | 3 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM18B07 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 7.5dc | 2 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM18B09 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 9dc | 2 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM18B12 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 12dc | 1.5 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM18B15 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 15dc | 1.2 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM18B18 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 18dc | 1 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM18B24 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 24dc | 0.75 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM18B48 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 48dc | 0.375 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM18U05 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 5dc | 3 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM18U07 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 7.5dc | 2 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |

| | | | | | | | | | | | | |
|----------------------------|------------|-------|---|-------|-------|---|----|---------------------|-----|---|---|--|
| GSM18U09 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 9dc | 2 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM18U12 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 12dc | 1.5 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM18U15 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 15dc | 1.2 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM18U18 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 18dc | 1 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM18U24 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 24dc | 0.75 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM18U48 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 48dc | 0.375 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM25B05 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 5dc | 4 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM25B07 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 7.5dc | 2.93 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM25B09 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 9dc | 2.77 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM25B12 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 12dc | 2.08 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM25B15 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 15dc | 1.66 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM25B18 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 18dc | 1.38 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM25B24 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 24dc | 1.04 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM25B48 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 48dc | 0.52 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM25U05 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 5dc | 4 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM25U07 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 7.5dc | 2.93 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM25U09 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 9dc | 2.77 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM25U12 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 12dc | 2.08 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 | |
| GSM25U15 @ (A1)[*r] | | | | | | | | | | | | |

| | | | | | | | | | | | |
|----------------------------|------------|-------|---|------|------|----|----|---------------------|-----|---|---|
| | 100-240Vac | 50/60 | 0 | 15dc | 1.66 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM25U18 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 18dc | 1.38 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM25U24 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 24dc | 1.04 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM25U48 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 48dc | 0.52 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM36B05 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 5dc | 4.5 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM36B07 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 7dc | 4.32 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM36B09 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 9dc | 4 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM36B12 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 12dc | 3 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM36B15 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 15dc | 2.4 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM36B18 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 18dc | 2 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM36B24 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 24dc | 1.5 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM36B48 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 48dc | 0.75 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM36U05 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 5dc | 4.5 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM36U07 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 7dc | 4.32 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM36U09 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 9dc | 4 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM36U12 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 12dc | 3 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM36U18 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 18dc | 2 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM36U24 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 24dc | 1.5 | - | 14 | ES60601-1 & A1:2012 | 20B | 0 | 2 |
| GSM40A05 | | | | | | | | | | | |
| | 100- | 50/60 | 0 | 5dc | 5 | 24 | 16 | ES60601-1 | 20B | 0 | 1 |

| | | | | | | | | | | | | |
|----------------------------|------------|-------|---|-------|------|-------|----|-----------|-----|---|---|--|
| | 240ac | | | | | | | | | | | |
| GSM40A07 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5dc | 5.34 | 40.05 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM40A09 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 9dc | 4.45 | 40.05 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM40A12 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12dc | 3.34 | 40.08 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM40A15 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15dc | 2.67 | 40.05 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM40A18 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 18dc | 2.22 | 39.96 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM40A24 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24dc | 1.67 | 40.08 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM40A48 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48dc | 0.84 | 40.32 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM60A05 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5dc | 6 | 30 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM60A07 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5dc | 6 | 45 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM60A09 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 9dc | 6 | 54 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM60A12 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12dc | 5 | 60 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM60A15 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15dc | 4 | 60 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM60A18 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 18dc | 3.33 | 59.94 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM60A24 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24dc | 2.5 | 60 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM60A48 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48dc | 1.25 | 60 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM90B12 (A1\$)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 47-63 | 0 | 12dc | 6.67 | 80 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM90B15 (A1\$)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 47-63 | 0 | 15dc | 6.0 | 90 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM90B19 (A1\$)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 47-63 | 0 | 19dc | 4.74 | 90 | 16 | ES60601-1 | 20B | 0 | 1 | |

| | | | | | | | | | | | |
|---|------------|-------|---|-------|-----------|------|----|-----------|-----|---|---|
| GSM90B24 (A1\$)[*r] | | | | | | | | | | | |
| | 100-240Vac | 47-63 | 0 | 24dc | 3.75 | 90 | 16 | ES60601-1 | 20B | 0 | 1 |
| GSM90B48 (A1\$)[*r] | | | | | | | | | | | |
| | 100-240Vac | 47-63 | 0 | 48dc | 1.87 | 90 | 16 | ES60601-1 | 20B | 0 | 1 |
| MES30A-0, MES30B-0, MES30C-0, MES30D-0-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 3-5 | 5.0 | 25 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-1, MES30B-1, MES30C-1, MES30D-1-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 5-6 | 5.0-4.17 | 25 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-1-1, MES30B-1-1, MES30C-1-1, MES30D-1-1-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 6-8 | 4.17-3.13 | 25 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-1-2, MES30B-1-2, MES30C-1-2, MES30D-2-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 8-11 | 3.75-2.73 | 30 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-2, MES30C-2[*r] | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 8-11 | 3.75-2.73 | 30 | 9 | ES60601-1 | 20B | 0 | 1 |
| MES30A-3, MES30B-3, MES30C-3, MES30D-3-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 11-13 | 2.73-2.30 | 30 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-4, MES30B-4, MES30C-4, MES30D-4-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 13-16 | 2.30-1.88 | 30 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-5, MES30B-5, MES30C-5, MES30D-5-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 16-21 | 1.88-1.43 | 30 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-6, MES30B-6, MES30C-6, MES30D-6-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 21-27 | 1.43-1.11 | 30 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-7, MES30B-7, MES30C-7, MES30D-7-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 27-33 | 1.11-0.90 | 30 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-8, MES30B-8, MES30C-8, MES30D-8-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 33-48 | 0.9-0.63 | 30 | 9 | 60601-1 | 2T | 0 | 1 |
| MES50X-0 (a)[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3-5 | 7.5 | 37.5 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-1 (a)[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5-6 | 7.50-6.25 | 37.5 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-1-1 (a)[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 6-8 | 6.66-5.00 | 40 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-2 (a)[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 8-11 | 5.62-4.09 | 45 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-3 (a)[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 11-13 | 4.54-3.84 | 50 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-4 (a)[*r] | | | | | | | | | | | |

| | | | | | | | | | | | |
|--------------------------|-----------|-------|---|-------|-----------|------|---|---|-----|---|---|
| | 100-240ac | 50/60 | 0 | 13-16 | 3.84-3.12 | 50 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-5 (a) [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 16-21 | 3.12-2.38 | 50 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-6 (a) [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 21-27 | 2.38-1.85 | 50 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-7 (a) [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 27-33 | 1.85-1.51 | 50 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-8 (a) [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 33-48 | 1.51-1.04 | 50 | 9 | 60601-1 | 20B | 8 | 1 |
| MPD-120A [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 12 | 5 | - | 9 | | | | |
| MPD-120B [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 24 | 2.9 | - | 9 | | | | |
| MPD-200A@ [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 20 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 12 | 8 | - | 9 | | | | |
| MPD-200B@ [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 20 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 24 | 4 | - | 9 | | | | |
| MPD-45A [*r] | 100-240ac | 50/60 | 0 | 5 | 3.2 | 16.0 | 9 | 2601 | - | 0 | 0 |
| | | | | 12 | 2 | 24 | 9 | | | | |
| MPD-45A@ [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 3.2 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| | | | | 12 | 2 | - | 9 | | | | |
| MPD-45B [*r] | 100-240ac | 50/60 | 0 | 5 | 3.2 | 16.0 | 9 | 2601 | - | 0 | 0 |
| | | | | 24 | 1.2 | 28.8 | 9 | | | | |
| MPD-45B@ [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 3.2 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| | | | | 24 | 1.2 | - | 9 | | | | |
| MPD-65A [*r] | 100-240ac | 50/60 | 0 | 5 | 5.5 | 27.5 | 9 | 2601 | - | 0 | 0 |
| | | | | 12 | 2.8 | 33.6 | 9 | | | | |
| MPD-65A@ [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 5.5 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| | | | | 12 | 2.8 | - | 9 | | | | |
| MPD-65B [*r] | 100-240ac | 50/60 | 0 | 5 | 3.5 | 17.5 | 9 | 2601 | - | 0 | 0 |
| | | | | 24 | 2 | 48 | 9 | | | | |

| MPD-65B@[*r] | | | | | | | | | | | |
|---------------|-------|---|-----|-----|---|---|---|-----|---|---|--|
| 100-240ac | 50/60 | 0 | 5 | 3.5 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 | |
| | | | 24 | 2 | - | 9 | | | | | |
| MPQ-120B@[*r] | | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | 12 | 4.2 | - | 9 | | | | | |
| | | | -5 | 0.6 | - | 9 | | | | | |
| | | | -12 | 0.6 | - | 9 | | | | | |
| MPQ-120C@[*r] | | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | 15 | 3.2 | - | 9 | | | | | |
| | | | -5 | 0.6 | - | 9 | | | | | |
| | | | -15 | 0.6 | - | 9 | | | | | |
| MPQ-120D@[*r] | | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | 12 | 1 | - | 9 | | | | | |
| | | | 24 | 2.1 | - | 9 | | | | | |
| | | | -12 | 0.6 | - | 9 | | | | | |
| MPQ-120E@[*r] | | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | 12 | 3 | - | 9 | | | | | |
| | | | 15 | 0.6 | - | 9 | | | | | |
| | | | 24 | 0.6 | - | 9 | | | | | |
| MPQ-200B@[*r] | | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 15 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | 12 | 7 | - | 9 | | | | | |
| | | | -5 | 2 | - | 9 | | | | | |
| | | | -12 | 2 | - | 9 | | | | | |
| MPQ-200C@[*r] | | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 15 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | 15 | 5 | - | 9 | | | | | |
| | | | -5 | 2 | - | 9 | | | | | |
| | | | -15 | 2 | - | 9 | | | | | |
| MPQ-200D@[*r] | | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 15 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | 12 | 2 | - | 9 | | | | | |
| | | | 24 | 3 | - | 9 | | | | | |
| | | | -12 | 2 | - | 9 | | | | | |
| MPQ-200F@[*r] | | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 15 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | 15 | 2 | - | 9 | | | | | |

| | | | | | | | | | | | | |
|--------------------------|-----------|-------|---|-----|------|------|---|---|-----|---|---|--|
| | | | | -15 | 2 | - | 9 | | | | | |
| | | | | 24 | 2.7 | - | 9 | | | | | |
| MPS-120-12[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| MPS-120-15[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 8 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| MPS-120-24[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 5 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| MPS-120-3.3[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 24 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| MPS-120-48[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 2.5 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| MPS-120-5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 22 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| MPS-200-12@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 16.7 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-200-15@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 13.4 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-200-24@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 8.4 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-200-3.3@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 40 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-200-32PE@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 32 | 6.3 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-200-48@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 4.2 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-200-5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 40 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-200-7.5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5 | 26.6 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-30-12[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 2.5 | 30 | 9 | NSI/AAMI ES 60601-1: 2005 | 20B | 0 | 0 | |
| MPS-30-15[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 2 | 30 | 9 | NSI/AAMI ES 60601-1: 2005 | 20B | 0 | 0 | |
| MPS-30-24[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 1.2 | 28.8 | 9 | NSI/AAMI ES 60601-1: 2005 | 20B | 0 | 0 | |
| MPS-30-27[*r] | | | | | | | | | | | | |
| | | | | | | | | | | | | |

| | | | | | | | | | | | |
|-------------------------|-----------|-------|---|------|-----|------|---|----------------------------|-----|---|---|
| | 100-240ac | 50/60 | 0 | - | 1.1 | 29.7 | 9 | NSI/AAMI ES 60601-1: 2005 | 20B | 0 | 0 |
| MPS-30-48[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 0.6 | 28.8 | 9 | NSI/AAMI ES 60601-1: 2005 | 20B | 0 | 0 |
| MPS-30-5[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 6 | 30 | 9 | NSI/AAMI ES 60601-1: 2005 | 20B | 0 | 0 |
| MPS-30-5SI[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 6 | 30 | 9 | NSI/AAMI ES 60601-1: 2005 | 20B | 0 | 0 |
| MPS-45-12[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 3.7 | 44.4 | 9 | 2601 | - | 0 | 0 |
| MPS-45-12@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 3.7 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| MPS-45-13.5[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 13.5 | 3.3 | 44.6 | 9 | 2601 | - | 0 | 0 |
| MPS-45-13.5@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 13.5 | 3.3 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| MPS-45-15[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 3 | 45 | 9 | 2601 | - | 0 | 0 |
| MPS-45-15@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 3 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| MPS-45-24[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 1.9 | 45.6 | 9 | 2601 | - | 0 | 0 |
| MPS-45-24@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 1.9 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| MPS-45-27[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 27 | 1.7 | 45.9 | 9 | 2601 | - | 0 | 0 |
| MPS-45-27@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 27 | 1.7 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| MPS-45-3.3[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 8 | 26.4 | 9 | 2601 | - | 0 | 0 |
| MPS-45-3.3@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 8 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| MPS-45-48[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 1 | 48 | 9 | 2601 | - | 0 | 0 |
| MPS-45-48@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 1 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| MPS-45-5[*r] | | | | | | | | | | | |
| | 100- | 50/60 | 0 | 5 | 8 | 40 | 9 | 2601 | - | 0 | 0 |

| | | | | | | | | | | | | |
|-------------------------|-----------|-------|---|------|------|------|---|----------------------------|-----|---|---|--|
| | 240ac | | | | | | | | | | | |
| MPS-45-5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 8 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 | |
| MPS-45-7.5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5 | 5.5 | 41.3 | 9 | 2601 | - | 0 | 0 | |
| MPS-45-7.5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5 | 5.4 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 | |
| MPS-65-12[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 5.2 | 62.4 | 9 | 2601 | - | 0 | 0 | |
| MPS-65-12@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 5.2 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 | |
| MPS-65-13.5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 13.5 | 4.7 | 63.5 | 9 | 2601 | - | 0 | 0 | |
| MPS-65-13.5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 13.5 | 4.7 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 | |
| MPS-65-15[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 4.2 | 63.0 | 9 | 2601 | - | 0 | 0 | |
| MPS-65-15@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 4.2 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 | |
| MPS-65-24[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 2.7 | 64.8 | 9 | 2601 | - | 0 | 0 | |
| MPS-65-24@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 2.7 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 | |
| MPS-65-27[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 27 | 2.4 | 64.8 | 9 | 2601 | - | 0 | 0 | |
| MPS-65-27@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 27 | 2.4 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 | |
| MPS-65-3.3[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 12 | 39.6 | 9 | 2601 | - | 0 | 0 | |
| MPS-65-3.3@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 12 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 | |
| MPS-65-48[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 1.35 | 64.8 | 9 | 2601 | - | 0 | 0 | |
| MPS-65-48@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 1.35 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 | |
| MPS-65-5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 12 | 60.0 | 9 | 2601 | - | 0 | 0 | |

| | | | | | | | | | | | | |
|------------------------|-----------|-------|---|-----|-----|------|---|---|-----|---|---|--|
| MPS-65-5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 12 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 | |
| MPS-65-7.5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5 | 8 | 60.0 | 9 | 2601 | - | 0 | 0 | |
| MPS-65-7.5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5 | 8 | 60.0 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 0 | |
| MPT-120A[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 12 | 4.8 | - | 9 | | | | | |
| | | | | -5 | 0.6 | - | 9 | | | | | |
| MPT-120B[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 12 | 4.4 | - | 9 | | | | | |
| | | | | -12 | 0.6 | - | 9 | | | | | |
| MPT-120BC88[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 7 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 12 | 4 | - | 9 | | | | | |
| | | | | 24 | 1 | - | 9 | | | | | |
| MPT-120C[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 15 | 4 | - | 9 | | | | | |
| | | | | -15 | 0.6 | - | 9 | | | | | |
| MPT-120D[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 24 | 2.2 | - | 9 | | | | | |
| | | | | 12 | 0.6 | - | 9 | | | | | |
| MPT-200A@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 20 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | | 12 | 7.5 | - | 9 | | | | | |
| | | | | -5 | 2 | - | 9 | | | | | |
| MPT-200B@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 20 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | | 12 | 6 | - | 9 | | | | | |
| | | | | -12 | 2 | - | 9 | | | | | |
| MPT-200C@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 20 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | | 15 | 4.7 | - | 9 | | | | | |
| | | | | -15 | 2 | - | 9 | | | | | |
| MPT-200D@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 20 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |

| | | | | | | | | | | | |
|------------------------|-----------|-------|---|-----|-----|------|---|----------------------------|-----|---|---|
| | | | | 24 | 3 | - | 9 | | | | |
| | | | | 12 | 2 | - | 9 | | | | |
| MPT-45A [*r] | 100-240ac | 50/60 | 0 | 5 | 3.5 | 15 | 9 | 2601 | - | 0 | 0 |
| | | | | 12 | 2 | 24 | 9 | | | | |
| | | | | 12 | 2 | 24 | 9 | | | | |
| MPT-45A@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 3 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| | | | | 12 | 2 | - | 9 | | | | |
| | | | | -5 | 0.3 | - | 9 | | | | |
| MPT-45B [*r] | 100-240ac | 50/60 | 0 | 5 | 3.5 | 15 | 9 | 2601 | - | 0 | 0 |
| | | | | 12 | 2 | 24 | 9 | | | | |
| | | | | -12 | 0.3 | 3.6 | 9 | | | | |
| MPT-45B@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 3 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| | | | | 12 | 2 | - | 9 | | | | |
| | | | | -12 | 0.3 | - | 9 | | | | |
| MPT-45C [*r] | 100-240ac | 50/60 | 0 | 5 | 3.5 | 15 | 9 | 2601 | - | 0 | 0 |
| | | | | 15 | 1.6 | 24 | 9 | | | | |
| | | | | -15 | 0.3 | 4.5 | 9 | | | | |
| MPT-45C@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 3 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| | | | | 15 | 1.6 | - | 9 | | | | |
| | | | | -15 | 0.3 | - | 9 | | | | |
| MPT-65A [*r] | 100-240ac | 50/60 | 0 | 5 | 5.5 | 27.5 | 9 | 2601 | - | 0 | 0 |
| | | | | 12 | 2.5 | 30 | 9 | | | | |
| | | | | -5 | 0.5 | 2.5 | 9 | | | | |
| MPT-65A@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 5.5 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| | | | | 12 | 2.5 | - | 9 | | | | |
| | | | | -5 | 0.5 | - | 9 | | | | |
| MPT-65B [*r] | 100-240ac | 50/60 | 0 | 5 | 5.5 | 27.5 | 9 | 2601 | - | 0 | 0 |
| | | | | 12 | 2.5 | 30 | 9 | | | | |
| | | | | -12 | 0.5 | 6 | 9 | | | | |
| MPT-65B@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 5.5 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| | | | | 12 | 2.5 | - | 9 | | | | |
| | | | | -12 | 0.5 | - | 9 | | | | |
| MPT-65C [*r] | 100-240ac | 50/60 | 0 | 5 | 5.5 | 27.5 | 9 | 2601 | - | 0 | 0 |
| | | | | 15 | 2 | 30 | 9 | | | | |
| | | | | -15 | 0.5 | 7.5 | 9 | | | | |

| | | | | | | | | | | | | |
|-------------------------|-----------|-------|---|-------|------|-------|----|----------------------------|-----|---|---|--|
| MPT-65C@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 5.5 | - | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 | |
| | | | | 15 | 2 | - | 9 | | | | | |
| | | | | -15 | 0.5 | - | 9 | | | | | |
| MSP-100-12@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12dc | 8.5 | 102 | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-100-15@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15dc | 7 | 105 | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-100-24@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24dc | 4.5 | 108 | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-100-3.3@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3dc | 20 | 66 | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-100-36@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 36dc | 2.9 | 104.4 | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-100-48@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48dc | 2.2 | 105.6 | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-100-5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5dc | 17 | 85 | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-100-7.5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5dc | 13.5 | 101.3 | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-200-12@ | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12dc | 16.7 | - | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-200-15@ | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15dc | 13.4 | - | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-200-24@ | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24dc | 8.4 | - | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-200-3.3@ | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3dc | 40 | - | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-200-36@ | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 36dc | 5.7 | - | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-200-48@ | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48dc | 4.3 | - | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-200-5@ | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5dc | 35 | - | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-200-7.5@ | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5dc | 26.7 | - | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-300-12[*r] | | | | | | | | | | | | |
| | | | | | | | | | | | | |

| | | | | | | | | | | | |
|------------------------------|------------|-------|---|-------|------|--------|--------|----------------------------|-----|---|---|
| | 100-240ac | 50/60 | 0 | 12 | 27 | 324(b) | 14, 19 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| MSP-300-15[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 22 | 330(b) | 14, 19 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| MSP-300-24[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 14 | 336(b) | 14, 19 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| MSP-300-3.3[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 60 | 198(b) | 14, 19 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| MSP-300-36[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 36 | 9 | 324(b) | 14, 19 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| MSP-300-48[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 7 | 336(b) | 14, 19 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| MSP-300-5[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 60 | 300(b) | 14, 19 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| MSP-300-7.5[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5 | 40 | 300(b) | 14, 19 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| MSP-450-12@[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 12dc | 37.5 | 450 | 14 | ES60601-1 | 20B | 0 | 1 |
| MSP-450-15@[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 15dc | 30 | 450 | 14 | ES60601-1 | 20B | 0 | 1 |
| MSP-450-24@[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 24dc | 18.8 | 451.2 | 14 | ES60601-1 | 20B | 0 | 1 |
| MSP-450-3.3@[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 3.3dc | 90 | 297 | 14 | ES60601-1 | 20B | 0 | 1 |
| MSP-450-36@[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 36dc | 12.5 | 450 | 14 | ES60601-1 | 20B | 0 | 1 |
| MSP-450-48@[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 48dc | 9.5 | 456 | 14 | ES60601-1 | 20B | 0 | 1 |
| MSP-450-5@[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 5dc | 90 | 450 | 14 | ES60601-1 | 20B | 0 | 1 |
| MSP-450-7.5@[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 7.5dc | 60 | 450 | 14 | ES60601-1 | 20B | 0 | 1 |
| MSP-600-12 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 53 | 636 | 14 | ES60601-1 & A1:2012 | 20B | 0 | 1 |
| MSP-600-15 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 43 | 645 | 14 | ES60601-1 & A1:2012 | 20B | 0 | 1 |
| MSP-600-24 @ (A1)[*r] | | | | | | | | | | | |
| | 100- | 50/60 | 0 | 24 | 27 | 648 | 14 | ES60601-1 & A1:2012 | 20B | 0 | 1 |

| | | | | | | | | | | | | |
|----------------------------------|-----------|-------|---|-----|------|-------|----|---|-----|---|---|--|
| | 240ac | | | | | | | | | | | |
| MSP-600-3.3 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 120 | 396 | 14 | ES60601-1 & A1:2012 | 20B | 0 | 1 | |
| MSP-600-36 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 36 | 17.5 | 630 | 14 | ES60601-1 & A1:2012 | 20B | 0 | 1 | |
| MSP-600-48 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 13 | 624 | 14 | ES60601-1 & A1:2012 | 20B | 0 | 1 | |
| MSP-600-5 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 120 | 600 | 14 | ES60601-1 & A1:2012 | 20B | 0 | 1 | |
| MSP-600-7.5 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5 | 80 | 600 | 14 | ES60601-1 & A1:2012 | 20B | 0 | 1 | |
| PM-05-12, NFM-05-12[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 0.42 | 5.04 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 | |
| PM-05-15, NFM-05-15[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 0.33 | 4.95 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 | |
| PM-05-24, NFM-05-24[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 0.23 | 5.52 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 | |
| PM-05-3.3, NFM-05-3.3[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 1.25 | 4.125 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 | |
| PM-05-5, NFM-05-5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 1.0 | 5.0 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 | |
| PM-10-12, NFM-10-12[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 0.85 | 10.2 | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-10-15, NFM-10-15[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 0.67 | 10.05 | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-10-24, NFM-10-24[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 0.42 | 10.08 | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-10-3.3, NFM-10-3.3[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 2.5 | 8.25 | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-10-5, NFM-10-5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 2.0 | 10 | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-15-12, NFM-15-12[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 1.25 | 15 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 | |
| PM-15-15, NFM-15-15[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 1.0 | 15 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 | |
| PM-15-24, NFM-15-24[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 0.63 | 15.12 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 | |

| | | | | | | | | | | | | |
|----------------------------------|------------|-------|---|-------|--------|--------------|---|--|-----|---|---|--|
| PM-15-3.3, NFM-15-3.3[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 3.5 | 11.55 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 | |
| PM-15-5, NFM-15-5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 3 | 15 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 | |
| PM-20-12, NFM-20-12[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 1.8 | 21.6 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 | |
| PM-20-15, NFM-20-15[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 1.4 | 21.0 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 | |
| PM-20-24, NFM-20-24[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 0.92 | 22.08 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 | |
| PM-20-3.3, NFM-20-3.3[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 4.5 | 14.85 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 | |
| PM-20-5, NFM-20-5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 4.4 | 22.0 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 | |
| RPD(G)-160B[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 12(#) | 150.4(#)(b) | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 5 | 6(*) | 100.2(*) (b) | 9 | | | | | |
| | | | | 24 | 3.6(#) | - | 9 | | | | | |
| | | | | 24 | 2.8(*) | - | 9 | | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | | |
| RPD(G)-160B@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 12(#) | 150.4(#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | | - | 6(*) | 100.2(*) (b) | 9 | | | | | |
| | | | | - | 3.6(#) | - | 9 | | | | | |
| | | | | - | 2.8(*) | - | 9 | | | | | |
| | | | | - | 0.8(#) | - | 9 | | | | | |
| | | | | - | 0.6(*) | - | 9 | | | | | |
| RPD-160BFE@+ | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 24Vdc | 1.6A | 38.4 | - | 60601-1 | 20B | 0 | 0 | |
| | | | | 5Vdc | 2.0 | 10 | 1 | | | | | |
| RPD-60A@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 5 | 49 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 | |
| | | | | - | 2 | - | 9 | | | | | |
| RPD-60B@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 3.5 | 53.5 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 | |
| | | | | - | 1.5 | - | 9 | | | | | |
| RPD-75A [*r] | 100-240ac | 50/60 | 0 | 5 | 7 | 71.0 | 9 | 60601-1 | 20B | 0 | 1 | |

| | | | | | | | | | | | |
|---------------------------|-----------|-------|---|--------|----------|--------------|---|--|-----|---|---|
| | | | | 12 | 3 | - | 9 | | | | |
| RPD-75A@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 7 | 71.0 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| | | | | 12 | 3 | - | 9 | | | | |
| RPD-75B | 100-240ac | 50/60 | 0 | 5 | 5 | 73.0 | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 12 | 1 | - | 9 | | | | |
| RPD-75B@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 5 | 73.0 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| | | | | 12 | 1 | - | 9 | | | | |
| RPS(G)-160-12[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 12.9 (#) | 158.8 (#)(b) | - | 60601-1 | 20B | 0 | 1 |
| | | | | 12 | 9.1(*) | 112.2(*) (b) | - | | | | |
| | | | | 5VSB | 0.8(#) | - | - | | | | |
| | | | | 5VSB | 0.6(*) | - | - | | | | |
| RPS(G)-160-12@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12dc | 12.9 (#) | 158.8 (#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 12dc | 9.1(*) | 112.2(*) (b) | 9 | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | |
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | |
| RPS(G)-160-15[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 10.3 (#) | 158.5 (#)(b) | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 15 | 7.3(*) | 112.5(*) (b) | 9 | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | |
| RPS(G)-160-15@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15dc | 10.3 (#) | 158.5 (#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 15dc | 7.3(*) | 112.5(*) (b) | 9 | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | |
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | |
| RPS(G)-160-24[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 6.5(#) | 160(#)(b) | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 24 | 4.6(*) | 113.4(*) (b) | 9 | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | |
| RPS(G)-160-24@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24dc | 6.5(#) | 160(#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 24dc | 4.6(*) | 113.4(*) (b) | 9 | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | |
| | | | | | | | | | | | |

| | | | | | | | | | | | |
|------------------------------------|-----------|-------|---|--------|-----------|-------------|---|---|-----|---|---|
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | |
| RPS(G)-160-48[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 3.25 (#) | 160(#)(b) | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 48 | 2.1(*) | 103.8(#)(b) | 9 | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | |
| RPS(G)-160-48@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48dc | 3.25 (#) | 160(#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 48dc | 2.1(*) | 103.8(#)(b) | 9 | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | |
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | |
| RPS(G)-160-5[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 30(#) | 154(#)(b) | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 5 | 20(*) | 103(#)(b) | 9 | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | |
| RPS(G)-160-5@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5dc | 30(#) | 154(#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 5dc | 20(*) | 103(#)(b) | 9 | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | |
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | |
| RPS-300-12[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 25(#) | 300(#) | 9 | ANSI/AAMI ES 60601-1: 2005 | 2T | 0 | 1 |
| | | | | 12 | 16.67 | 200 | 9 | | | | |
| RPS-300-15[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 20(#) | 300(#) | 9 | ANSI/AAMI ES 60601-1: 2005 | 2T | 0 | 1 |
| | | | | 15 | 13.33 | 200 | 9 | | | | |
| RPS-300-24[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 12.5 (#) | 300(#) | 9 | ANSI/AAMI ES 60601-1: 2005 | 2T | 0 | 1 |
| | | | | 24 | 8.33 | 200 | 9 | | | | |
| RPS-300-27[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 27 | 11.12 (#) | 300(#) | 9 | ANSI/AAMI ES 60601-1: 2005 | 2T | 0 | 1 |
| | | | | 27 | 7.4 | 200 | 9 | | | | |
| RPS-300-48[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 6.25 (#) | 300(#) | 9 | ANSI/AAMI ES 60601-1: 2005 | 2T | 0 | 1 |
| | | | | 48 | 4.17 | 200 | 9 | | | | |
| RPS-60-12@, RPS-60-12G@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 5 | 60 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 |
| RPS-60-15@[*r] | | | | | | | | | | | |

| | | | | | | | | | | | |
|-------------------------------------|-----------|-------|---|-----|------|------|---|----------------------------|-----|---|---|
| | 100-240ac | 50/60 | 0 | - | 4 | 60 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 |
| RPS-60-24@, RPS-60-24CA@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 2.5 | 60 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 |
| RPS-60-3.3@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 10 | 33 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 |
| RPS-60-48@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 1.25 | 60 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 |
| RPS-60-5@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 10 | 50 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 |
| RPS-75-12[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 6.3 | 75.6 | 9 | 60601-1 | 20B | 0 | 1 |
| RPS-75-12@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 6.3 | 75.6 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| RPS-75-15[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 5 | 75 | 9 | 60601-1 | 20B | 0 | 1 |
| RPS-75-15@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 5 | 75 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| RPS-75-24[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 3.2 | 76.8 | 9 | 60601-1 | 20B | 0 | 1 |
| RPS-75-24@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 3.2 | 76.8 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| RPS-75-3.3[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 15 | 49.5 | 9 | 60601-1 | 20B | 0 | 2 |
| RPS-75-3.3@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 15 | 49.5 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| RPS-75-36[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 36 | 2.1 | 75.6 | 9 | 60601-1 | 20B | 0 | 1 |
| RPS-75-36@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 36 | 2.1 | 75.6 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| RPS-75-48[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 1.6 | 76.8 | 9 | 60601-1 | 20B | 0 | 1 |
| RPS-75-48@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 1.6 | 76.8 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| RPS-75-5[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 14 | 70 | 9 | 60601-1 | 20B | 0 | 2 |
| RPS-75-5@[*r] | | | | | | | | | | | |
| | 100- | 50/60 | 0 | 5 | 14 | 70 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |

| | | | | | | | | | | | | |
|-------------------------|-----------|-------|---|--------|--------|-------------|---|---|-----|---|---|--|
| | 240ac | | | | | | | | | | | |
| RPT(G)-160A[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 14(#) | 145(#)(b) | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 5 | 9(*) | 98.6(*) (b) | 9 | | | | | |
| | | | | 12 | 5.5(#) | - | 9 | | | | | |
| | | | | 12 | 3.8(*) | - | 9 | | | | | |
| | | | | -5 | 1.0(#) | - | 9 | | | | | |
| | | | | -5 | 1.0(*) | - | 9 | | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | | |
| RPT(G)-160A@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5dc | 14(#) | 145(#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | | 5dc | 9(*) | 98.6(*) (b) | 9 | | | | | |
| | | | | 12dc | 5.5(#) | - | 9 | | | | | |
| | | | | 12dc | 3.8(*) | - | 9 | | | | | |
| | | | | -5dc | 1.0(#) | - | 9 | | | | | |
| | | | | -5dc | 1.0(*) | - | 9 | | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | | |
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | | |
| RPT(G)-160B[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 14(#) | 146(#)(b) | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 5 | 9(*) | 98.4(*) (b) | 9 | | | | | |
| | | | | 12 | 5.0(#) | - | 9 | | | | | |
| | | | | 12 | 3.4(*) | - | 9 | | | | | |
| | | | | -12 | 1.0(#) | - | 9 | | | | | |
| | | | | -12 | 0.8(*) | - | 9 | | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | | |
| RPT(G)-160B@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5dc | 14(#) | 146(#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | | 5dc | 9(*) | 98.4(*) (b) | 9 | | | | | |
| | | | | 12dc | 5.0(#) | - | 9 | | | | | |
| | | | | 12dc | 3.4(*) | - | 9 | | | | | |
| | | | | -12dc | 1.0(#) | - | 9 | | | | | |
| | | | | -12dc | 0.8(*) | - | 9 | | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | | |
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | | |
| RPT(G)-160C[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 14(#) | 143(#)(b) | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 5 | 9(*) | 99(*) (b) | 9 | | | | | |
| | | | | 15 | 3.6(#) | - | 9 | | | | | |
| | | | | | | | | | | | | |

| | | | | | | | | | | | |
|-------------------------|-----------|-------|---|--------|--------|--------------|---|---|-----|---|---|
| | | | | 15 | 2.6(*) | - | 9 | | | | |
| | | | | -15 | 1.0(#) | - | 9 | | | | |
| | | | | -15 | 0.8(*) | - | 9 | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | |
| RPT(G)-160C@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5dc | 14(#) | 143(#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 5dc | 9(*) | 99(*) (b) | 9 | | | | |
| | | | | 15dc | 3.6(#) | - | 9 | | | | |
| | | | | 15dc | 2.6(*) | - | 9 | | | | |
| | | | | -15dc | 1.0(#) | - | 9 | | | | |
| | | | | -15dc | 0.8(*) | - | 9 | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | |
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | |
| RPT(G)-160D@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 11(#) | 147.8 (#)(b) | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 5 | 8(*) | 98.2(*) (b) | 9 | | | | |
| | | | | 12 | 5.0(#) | - | 9 | | | | |
| | | | | 12 | 2.6(*) | - | 9 | | | | |
| | | | | 24 | 1.2(#) | - | 9 | | | | |
| | | | | 24 | 1.0(*) | - | 9 | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | |
| RPT(G)-160D@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5dc | 11(#) | 147.8 (#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 5dc | 8(*) | 98.2(*) (b) | 9 | | | | |
| | | | | 12dc | 5.0(#) | - | 9 | | | | |
| | | | | 12dc | 2.6(*) | - | 9 | | | | |
| | | | | 24dc | 1.2(#) | - | 9 | | | | |
| | | | | 24dc | 1.0(*) | - | 9 | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | |
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | |
| RPT-6003@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 5 | 39.9 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 |
| | | | | - | 3 | - | 9 | | | | |
| | | | | - | 0.7 | - | 9 | | | | |
| RPT-60A@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 4 | 46.5 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 |
| | | | | - | 2 | - | 9 | | | | |
| | | | | - | 0.5 | - | 9 | | | | |
| RPT-60B@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 4 | 50 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 |

| | | | | | | | | | | | |
|----------------------|-----------|-------|---|-----|-----|------|---|----------------------------|-----|---|---|
| | | | | - | 2 | - | 9 | | | | |
| | | | | - | 0.5 | - | 9 | | | | |
| RPT-60C@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 4 | 50 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 |
| | | | | - | 1.5 | - | 9 | | | | |
| | | | | - | 0.5 | - | 9 | | | | |
| RPT-60D@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 3.5 | 47.5 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 2 |
| | | | | - | 1 | - | 9 | | | | |
| | | | | - | 0.5 | - | 9 | | | | |
| RPT-7503[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 6 | 61.8 | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 5 | 6 | - | 9 | | | | |
| | | | | 12 | 1 | - | 9 | | | | |
| RPT-7503@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 6 | 61.8 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| | | | | 5 | 6 | - | 9 | | | | |
| | | | | 12 | 1 | - | 9 | | | | |
| RPT-75A [*r] | 100-240ac | 50/60 | 0 | 5 | 6 | 68.5 | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 12 | 3 | - | - | | | | |
| | | | | -5 | 0.5 | - | - | | | | |
| RPT-75A@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 6 | 68.5 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| | | | | 12 | 3 | - | 9 | | | | |
| | | | | -5 | 0.5 | - | 9 | | | | |
| RPT-75B [*r] | 100-240ac | 50/60 | 0 | 5 | 6 | 72 | 9 | 60601-1 | 20B | 0 | - |
| | | | | 12 | 3 | - | - | | | | |
| | | | | -12 | 0.5 | - | - | | | | |
| RPT-75B@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 6 | 72 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| | | | | 12 | 3 | - | 9 | | | | |
| | | | | -12 | 0.5 | - | 9 | | | | |
| RPT-75C [*r] | 100-240ac | 50/60 | 0 | 5 | 6 | 72 | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 15 | 2.3 | - | - | | | | |
| | | | | -15 | 0.5 | - | - | | | | |
| RPT-75C@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 6 | 72 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| | | | | 15 | 2.3 | - | 9 | | | | |
| | | | | -15 | 0.5 | - | 9 | | | | |
| RPT-75D [*r] | 100-240ac | 50/60 | 0 | 5 | 5 | 73 | 9 | 60601-1 | 20B | 0 | 1 |

| | | | | | | | | | | |
|---------------------|-------|----|-----|---|----|---|----------------------------|-----|---|---|
| | | 24 | 1.5 | - | - | | | | | |
| | | 12 | 1 | - | - | | | | | |
| RPT-75D@[*r] | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 5 | 73 | 9 | ANSI/AAMI ES 60601-1: 2005 | 20B | 0 | 1 |
| | | 24 | 1.5 | - | 9 | | | | | |
| | | 12 | 1 | - | 9 | | | | | |

[*r] - Output values are rated.

- Rated ratingw with 20.5CFM FAN cooling.

(a) - Where X may be A or C.

(A1\$) - product certified to ANSI/AAMI ES60601-1:2005 & A1:2012 and CAN/CSA-C22.2 No. 60601-1 (2014)

(A1) - product certified to ANSI/AAMI ES60601-1:2005 & A1:2012

(b) - Ratings in W not VA.

* - Rated ratings without 20.5CFM FAN cooling.

+ - Class II SMPS

@ - product certified to ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08.

Marking: Company name and model designation.

Last Updated on 2014-07-04

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".



QQHM8.E227340

Power Supplies, Medical and Dental Certified for Canada - Component

[Page Bottom](#)

Power Supplies, Medical and Dental Certified for Canada - Component

[See General Information for Power Supplies, Medical and Dental Certified for Canada - Component](#)

MEAN WELL ENTERPRISES CO LTD
 28 WUQUAN 3RD RD WUGU DIST
 NEW TAIPEI, 248 TAIWAN

E227340

| Model No. | Rated Input | | | Max Output | | | OC | SP | EP | FC | GC |
|---|-------------|-------|----|------------|-------|------|--------|------------------------------|-----|----|----|
| | Volts | Hz | SC | V | A | VA | | | | | |
| GMS36U15 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 15dc | 2.4 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GMS36U48 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 48dc | 0.75 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM06Ux-zzz (x can be 05, 06, 07, 09, 12, 15, 18, 24; -zzz can be 0-9, A-Z or Blank for marketing purpose) | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 27dc | 1.2 | 6.24 | 16, 22 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 8 | 2 |
| GSM18B05 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 5dc | 3 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM18B07 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 7.5dc | 2 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM18B09 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 9dc | 2 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM18B12 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 12dc | 1.5 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM18B15 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 15dc | 1.2 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM18B18 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 18dc | 1 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM18B24 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 24dc | 0.75 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM18B48 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 48dc | 0.375 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM18U05 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 5dc | 3 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM18U07 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 7.5dc | 2 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |

| | | | | | | | | | | | | |
|----------------------------|------------|-------|---|-------|-------|---|----|--------------|-----|---|---|--|
| GSM18U09 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 9dc | 2 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM18U12 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 12dc | 1.5 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM18U15 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 15dc | 1.2 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM18U18 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 18dc | 1 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM18U24 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 24dc | 0.75 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM18U48 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 48dc | 0.375 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM25B05 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 5dc | 4 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM25B07 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 7.5dc | 2.93 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM25B09 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 9dc | 2.77 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM25B12 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 12dc | 2.08 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM25B15 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 15dc | 1.66 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM25B18 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 18dc | 1.38 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM25B24 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 24dc | 1.04 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM25B48 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 48dc | 0.52 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM25U05 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 5dc | 4 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM25U07 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 7.5dc | 2.93 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM25U09 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 9dc | 2.77 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM25U12 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 12dc | 2.08 | - | 14 | 60601-1:2008 | 20B | 0 | 2 | |
| GSM25U15 @ (A1)[*r] | | | | | | | | | | | | |

| | | | | | | | | | | | |
|----------------------------|------------|-------|---|------|------|----|----|--------------|-----|---|---|
| | 100-240Vac | 50/60 | 0 | 15dc | 1.66 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM25U18 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 18dc | 1.38 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM25U24 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 24dc | 1.04 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM25U48 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 48dc | 0.52 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM36B05 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 5dc | 4.5 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM36B07 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 7dc | 4.32 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM36B09 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 9dc | 4 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM36B12 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 12dc | 3 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM36B15 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 15dc | 2.4 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM36B18 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 18dc | 2 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM36B24 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 24dc | 1.5 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM36B48 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 48dc | 0.75 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM36U05 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 5dc | 4.5 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM36U07 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 7dc | 4.32 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM36U09 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 9dc | 4 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM36U12 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 12dc | 3 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM36U18 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 18dc | 2 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM36U24 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 24dc | 1.5 | - | 14 | 60601-1:2008 | 20B | 0 | 2 |
| GSM40A05 | | | | | | | | | | | |
| | 100- | 50/60 | 0 | 5dc | 5 | 24 | 16 | ES60601-1 | 20B | 0 | 1 |

| | | | | | | | | | | | | |
|----------------------------|------------|-------|---|-------|------|-------|----|--------------|-----|---|---|--|
| | 240ac | | | | | | | | | | | |
| GSM40A07 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5dc | 5.34 | 40.05 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM40A09 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 9dc | 4.45 | 40.05 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM40A12 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12dc | 3.34 | 40.08 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM40A15 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15dc | 2.67 | 40.05 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM40A18 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 18dc | 2.22 | 39.96 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM40A24 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24dc | 1.67 | 40.08 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM40A48 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48dc | 0.84 | 40.32 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM60A05 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5dc | 6 | 30 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM60A07 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5dc | 6 | 45 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM60A09 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 9dc | 6 | 54 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM60A12 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12dc | 5 | 60 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM60A15 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15dc | 4 | 60 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM60A18 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 18dc | 3.33 | 59.94 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM60A24 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24dc | 2.5 | 60 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM60A48 | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48dc | 1.25 | 60 | 16 | ES60601-1 | 20B | 0 | 1 | |
| GSM90B12 (A1\$)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 47-63 | 0 | 12dc | 6.67 | 80 | 16 | 60601-1:2008 | 20B | 0 | 1 | |
| GSM90B15 (A1\$)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 47-63 | 0 | 15dc | 6..0 | 90 | 16 | 60601-1:2008 | 20B | 0 | 1 | |
| GSM90B19 (A1\$)[*r] | | | | | | | | | | | | |
| | 100-240Vac | 47-63 | 0 | 19dc | 4.74 | 90 | 16 | 60601-1:2008 | 20B | 0 | 1 | |

| | | | | | | | | | | | |
|---|------------|-------|---|-------|-----------|------|----|--------------|-----|---|---|
| GSM90B24 (A1\$)[*r] | | | | | | | | | | | |
| | 100-240Vac | 47-63 | 0 | 24dc | 3.75 | 90 | 16 | 60601-1:2008 | 20B | 0 | 1 |
| GSM90B48 (A1\$)[*r] | | | | | | | | | | | |
| | 100-240Vac | 47-63 | 0 | 48dc | 1.87 | 90 | 16 | 60601-1:2008 | 20B | 0 | 1 |
| MES30A-0, MES30B-0, MES30C-0, MES30D-0-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 3-5 | 5.0 | 25 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-1, MES30B-1, MES30C-1, MES30D-1-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 5-6 | 5.0-4.17 | 25 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-1-1, MES30B-1-1, MES30C-1-1, MES30D-1-1-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 6-8 | 4.17-3.13 | 25 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-1-2, MES30B-1-2, MES30C-1-2, MES30D-2-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 8-11 | 3.75-2.73 | 30 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-2, MES30C-2[*r] | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 8-11 | 3.75-2.73 | 30 | 9 | ES60601-1 | 20B | 0 | 1 |
| MES30A-3, MES30B-3, MES30C-3, MES30D-3-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 11-13 | 2.73-2.30 | 30 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-4, MES30B-4, MES30C-4, MES30D-4-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 13-16 | 2.30-1.88 | 30 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-5, MES30B-5, MES30C-5, MES30D-5-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 16-21 | 1.88-1.43 | 30 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-6, MES30B-6, MES30C-6, MES30D-6-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 21-27 | 1.43-1.11 | 30 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-7, MES30B-7, MES30C-7, MES30D-7-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 27-33 | 1.11-0.90 | 30 | 9 | 60601-1 | 2T | 0 | 1 |
| MES30A-8, MES30B-8, MES30C-8, MES30D-8-U | | | | | | | | | | | |
| | 100-240ac | 50-60 | 0 | 33-48 | 0.9-0.63 | 30 | 9 | 60601-1 | 2T | 0 | 1 |
| MES50X-0 (a)[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3-5 | 7.5 | 37.5 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-1 (a)[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5-6 | 7.50-6.25 | 37.5 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-1-1 (a)[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 6-8 | 6.66-5.00 | 40 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-2 (a)[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 8-11 | 5.62-4.09 | 45 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-3 (a)[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 11-13 | 4.54-3.84 | 50 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-4 (a)[*r] | | | | | | | | | | | |

| | | | | | | | | | | | |
|--------------------------|-----------|-------|---|-------|-----------|------|---|---|-----|---|---|
| | 100-240ac | 50/60 | 0 | 13-16 | 3.84-3.12 | 50 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-5 (a) [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 16-21 | 3.12-2.38 | 50 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-6 (a) [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 21-27 | 2.38-1.85 | 50 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-7 (a) [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 27-33 | 1.85-1.51 | 50 | 9 | 60601-1 | 20B | 8 | 1 |
| MES50X-8 (a) [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 33-48 | 1.51-1.04 | 50 | 9 | 60601-1 | 20B | 8 | 1 |
| MPD-120A [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 12 | 5 | - | 9 | | | | |
| MPD-120B [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 24 | 2.9 | - | 9 | | | | |
| MPD-200A@ [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 20 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 12 | 8 | - | 9 | | | | |
| MPD-200B@ [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 20 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 24 | 4 | - | 9 | | | | |
| MPD-45A [*r] | 100-240ac | 50/60 | 0 | 5 | 3.2 | 16.0 | 9 | 2601 | - | 0 | 0 |
| | | | | 12 | 2 | 24 | 9 | | | | |
| MPD-45A@ [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 3.2 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 12 | 2 | - | 9 | | | | |
| MPD-45B [*r] | 100-240ac | 50/60 | 0 | 5 | 3.2 | 16.0 | 9 | 2601 | - | 0 | 0 |
| | | | | 24 | 1.2 | 28.8 | 9 | | | | |
| MPD-45B@ [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 3.2 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 24 | 1.2 | - | 9 | | | | |
| MPD-65A [*r] | 100-240ac | 50/60 | 0 | 5 | 5.5 | 27.5 | 9 | 2601 | - | 0 | 0 |
| | | | | 12 | 2.8 | 33.6 | 9 | | | | |
| MPD-65A@ [*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 5.5 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 12 | 2.8 | - | 9 | | | | |
| MPD-65B [*r] | 100-240ac | 50/60 | 0 | 5 | 3.5 | 17.5 | 9 | 2601 | - | 0 | 0 |
| | | | | 24 | 2 | 48 | 9 | | | | |

| MPD-65B@[*r] | | | | | | | | | | | |
|---------------|-------|---|-----|-----|---|---|---|-----|---|---|--|
| 100-240ac | 50/60 | 0 | 5 | 3.5 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | 24 | 2 | - | 9 | | | | | |
| MPQ-120B[*r] | | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | 12 | 4.2 | - | 9 | | | | | |
| | | | -5 | 0.6 | - | 9 | | | | | |
| | | | -12 | 0.6 | - | 9 | | | | | |
| MPQ-120C[*r] | | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | 15 | 3.2 | - | 9 | | | | | |
| | | | -5 | 0.6 | - | 9 | | | | | |
| | | | -15 | 0.6 | - | 9 | | | | | |
| MPQ-120D[*r] | | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | 12 | 1 | - | 9 | | | | | |
| | | | 24 | 2.1 | - | 9 | | | | | |
| | | | -12 | 0.6 | - | 9 | | | | | |
| MPQ-120E[*r] | | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | 12 | 3 | - | 9 | | | | | |
| | | | 15 | 0.6 | - | 9 | | | | | |
| | | | 24 | 0.6 | - | 9 | | | | | |
| MPQ-200B@[*r] | | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 15 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | 12 | 7 | - | 9 | | | | | |
| | | | -5 | 2 | - | 9 | | | | | |
| | | | -12 | 2 | - | 9 | | | | | |
| MPQ-200C@[*r] | | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 15 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | 15 | 5 | - | 9 | | | | | |
| | | | -5 | 2 | - | 9 | | | | | |
| | | | -15 | 2 | - | 9 | | | | | |
| MPQ-200D@[*r] | | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 15 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | 12 | 2 | - | 9 | | | | | |
| | | | 24 | 3 | - | 9 | | | | | |
| | | | -12 | 2 | - | 9 | | | | | |
| MPQ-200F@[*r] | | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 15 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | 15 | 2 | - | 9 | | | | | |

| | | | | | | | | | | | | |
|--------------------------|-----------|-------|---|-----|------|------|---|---|-----|---|---|--|
| | | | | -15 | 2 | - | 9 | | | | | |
| | | | | 24 | 2.7 | - | 9 | | | | | |
| MPS-120-12[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| MPS-120-15[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 8 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| MPS-120-24[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 5 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| MPS-120-3.3[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 24 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| MPS-120-48[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 2.5 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| MPS-120-5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 22 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| MPS-200-12@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 16.7 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-200-15@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 13.4 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-200-24@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 8.4 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-200-3.3@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 40 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-200-32PE@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 32 | 6.3 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-200-48@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 4.2 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-200-5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 40 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-200-7.5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5 | 26.6 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-30-12[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 2.5 | 30 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 0 | |
| MPS-30-15[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 2 | 30 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 0 | |
| MPS-30-24[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 1.2 | 28.8 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 0 | |
| MPS-30-27[*r] | | | | | | | | | | | | |
| | | | | | | | | | | | | |

| | | | | | | | | | | | |
|-------------------------|-----------|-------|---|------|-----|------|---|------------------------------|-----|---|---|
| | 100-240ac | 50/60 | 0 | - | 1.1 | 29.7 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 0 |
| MPS-30-48[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 0.6 | 28.8 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 0 |
| MPS-30-5[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 6 | 30 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 0 |
| MPS-30-5SI[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 6 | 30 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 0 |
| MPS-45-12[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 3.7 | 44.4 | 9 | 2601 | - | 0 | 0 |
| MPS-45-12@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 3.7 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| MPS-45-13.5[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 13.5 | 3.3 | 44.6 | 9 | 2601 | - | 0 | 0 |
| MPS-45-13.5@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 13.5 | 3.3 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| MPS-45-15[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 3 | 45 | 9 | 2601 | - | 0 | 0 |
| MPS-45-15@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 3 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| MPS-45-24[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 1.9 | 45.6 | 9 | 2601 | - | 0 | 0 |
| MPS-45-24@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 1.9 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| MPS-45-27[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 27 | 1.7 | 45.9 | 9 | 2601 | - | 0 | 0 |
| MPS-45-27@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 27 | 1.7 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| MPS-45-3.3[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 8 | 26.4 | 9 | 2601 | - | 0 | 0 |
| MPS-45-3.3@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 8 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| MPS-45-48[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 1 | 48 | 9 | 2601 | - | 0 | 0 |
| MPS-45-48@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 1 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| MPS-45-5[*r] | | | | | | | | | | | |
| | 100- | 50/60 | 0 | 5 | 8 | 40 | 9 | 2601 | - | 0 | 0 |

| | | | | | | | | | | | | |
|-------------------------|-----------|-------|---|------|------|------|---|------------------------------|-----|---|---|--|
| | 240ac | | | | | | | | | | | |
| MPS-45-5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 8 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-45-7.5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5 | 5.5 | 41.3 | 9 | 2601 | - | 0 | 0 | |
| MPS-45-7.5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5 | 5.4 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-65-12[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 5.2 | 62.4 | 9 | 2601 | - | 0 | 0 | |
| MPS-65-12@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 5.2 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-65-13.5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 13.5 | 4.7 | 63.5 | 9 | 2601 | - | 0 | 0 | |
| MPS-65-13.5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 13.5 | 4.7 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-65-15[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 4.2 | 63.0 | 9 | 2601 | - | 0 | 0 | |
| MPS-65-15@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 4.2 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-65-24[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 2.7 | 64.8 | 9 | 2601 | - | 0 | 0 | |
| MPS-65-24@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 2.7 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-65-27[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 27 | 2.4 | 64.8 | 9 | 2601 | - | 0 | 0 | |
| MPS-65-27@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 27 | 2.4 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-65-3.3[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 12 | 39.6 | 9 | 2601 | - | 0 | 0 | |
| MPS-65-3.3@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 12 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-65-48[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 1.35 | 64.8 | 9 | 2601 | - | 0 | 0 | |
| MPS-65-48@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 1.35 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-65-5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 12 | 60.0 | 9 | 2601 | - | 0 | 0 | |

| | | | | | | | | | | | | |
|------------------------|-----------|-------|---|-----|-----|------|---|---|-----|---|---|--|
| MPS-65-5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 12 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| MPS-65-7.5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5 | 8 | 60.0 | 9 | 2601 | - | 0 | 0 | |
| MPS-65-7.5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5 | 8 | 60.0 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 0 | |
| MPT-120A[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 12 | 4.8 | - | 9 | | | | | |
| | | | | -5 | 0.6 | - | 9 | | | | | |
| MPT-120B[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 12 | 4.4 | - | 9 | | | | | |
| | | | | -12 | 0.6 | - | 9 | | | | | |
| MPT-120BC88[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 7 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 12 | 4 | - | 9 | | | | | |
| | | | | 24 | 1 | - | 9 | | | | | |
| MPT-120C[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 15 | 4 | - | 9 | | | | | |
| | | | | -15 | 0.6 | - | 9 | | | | | |
| MPT-120D[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 10 | - | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 24 | 2.2 | - | 9 | | | | | |
| | | | | 12 | 0.6 | - | 9 | | | | | |
| MPT-200A@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 20 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | | 12 | 7.5 | - | 9 | | | | | |
| | | | | -5 | 2 | - | 9 | | | | | |
| MPT-200B@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 20 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | | 12 | 6 | - | 9 | | | | | |
| | | | | -12 | 2 | - | 9 | | | | | |
| MPT-200C@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 20 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | | 15 | 4.7 | - | 9 | | | | | |
| | | | | -15 | 2 | - | 9 | | | | | |
| MPT-200D@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 20 | - | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |

| | | | | | | | | | | | |
|------------------------|-----------|-------|---|-----|-----|------|---|------------------------------|-----|---|---|
| | | | | 24 | 3 | - | 9 | | | | |
| | | | | 12 | 2 | - | 9 | | | | |
| MPT-45A [*r] | 100-240ac | 50/60 | 0 | 5 | 3.5 | 15 | 9 | 2601 | - | 0 | 0 |
| | | | | 12 | 2 | 24 | 9 | | | | |
| | | | | 12 | 2 | 24 | 9 | | | | |
| MPT-45A@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 3 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 12 | 2 | - | 9 | | | | |
| | | | | -5 | 0.3 | - | 9 | | | | |
| MPT-45B [*r] | 100-240ac | 50/60 | 0 | 5 | 3.5 | 15 | 9 | 2601 | - | 0 | 0 |
| | | | | 12 | 2 | 24 | 9 | | | | |
| | | | | -12 | 0.3 | 3.6 | 9 | | | | |
| MPT-45B@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 3 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 12 | 2 | - | 9 | | | | |
| | | | | -12 | 0.3 | - | 9 | | | | |
| MPT-45C [*r] | 100-240ac | 50/60 | 0 | 5 | 3.5 | 15 | 9 | 2601 | - | 0 | 0 |
| | | | | 15 | 1.6 | 24 | 9 | | | | |
| | | | | -15 | 0.3 | 4.5 | 9 | | | | |
| MPT-45C@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 3 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 15 | 1.6 | - | 9 | | | | |
| | | | | -15 | 0.3 | - | 9 | | | | |
| MPT-65A [*r] | 100-240ac | 50/60 | 0 | 5 | 5.5 | 27.5 | 9 | 2601 | - | 0 | 0 |
| | | | | 12 | 2.5 | 30 | 9 | | | | |
| | | | | -5 | 0.5 | 2.5 | 9 | | | | |
| MPT-65A@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 5.5 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 12 | 2.5 | - | 9 | | | | |
| | | | | -5 | 0.5 | - | 9 | | | | |
| MPT-65B [*r] | 100-240ac | 50/60 | 0 | 5 | 5.5 | 27.5 | 9 | 2601 | - | 0 | 0 |
| | | | | 12 | 2.5 | 30 | 9 | | | | |
| | | | | -12 | 0.5 | 6 | 9 | | | | |
| MPT-65B@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 5.5 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 12 | 2.5 | - | 9 | | | | |
| | | | | -12 | 0.5 | - | 9 | | | | |
| MPT-65C [*r] | 100-240ac | 50/60 | 0 | 5 | 5.5 | 27.5 | 9 | 2601 | - | 0 | 0 |
| | | | | 15 | 2 | 30 | 9 | | | | |
| | | | | -15 | 0.5 | 7.5 | 9 | | | | |

| | | | | | | | | | | | | |
|-------------------------|-----------|-------|---|-------|------|-------|----|------------------------------|-----|---|---|--|
| MPT-65C@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 5.5 | - | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | | 15 | 2 | - | 9 | | | | | |
| | | | | -15 | 0.5 | - | 9 | | | | | |
| MSP-100-12@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12dc | 8.5 | 102 | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-100-15@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15dc | 7 | 105 | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-100-24@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24dc | 4.5 | 108 | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-100-3.3@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3dc | 20 | 66 | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-100-36@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 36dc | 2.9 | 104.4 | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-100-48@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48dc | 2.2 | 105.6 | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-100-5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5dc | 17 | 85 | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-100-7.5@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5dc | 13.5 | 101.3 | 14 | ES60601-1 | 20B | 0 | 1 | |
| MSP-200-12@ | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12dc | 16.7 | - | 14 | 60601-1:2008 | 20B | 0 | 1 | |
| MSP-200-15@ | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15dc | 13.4 | - | 14 | 60601-1:2008 | 20B | 0 | 1 | |
| MSP-200-24@ | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24dc | 8.4 | - | 14 | 60601-1:2008 | 20B | 0 | 1 | |
| MSP-200-3.3@ | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3dc | 40 | - | 14 | 60601-1:2008 | 20B | 0 | 1 | |
| MSP-200-36@ | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 36dc | 5.7 | - | 14 | 60601-1:2008 | 20B | 0 | 1 | |
| MSP-200-48@ | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48dc | 4.3 | - | 14 | 60601-1:2008 | 20B | 0 | 1 | |
| MSP-200-5@ | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5dc | 35 | - | 14 | 60601-1:2008 | 20B | 0 | 1 | |
| MSP-200-7.5@ | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5dc | 26.7 | - | 14 | 60601-1:2008 | 20B | 0 | 1 | |
| MSP-300-12[*r] | | | | | | | | | | | | |
| | | | | | | | | | | | | |

| | | | | | | | | | | | |
|------------------------------|------------|-------|---|-------|------|--------|--------|------------------------------|-----|---|---|
| | 100-240ac | 50/60 | 0 | 12 | 27 | 324(b) | 14, 19 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| MSP-300-15[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 22 | 330(b) | 14, 19 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| MSP-300-24[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 14 | 336(b) | 14, 19 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| MSP-300-3.3[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 60 | 198(b) | 14, 19 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| MSP-300-36[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 36 | 9 | 324(b) | 14, 19 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| MSP-300-48[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 7 | 336(b) | 14, 19 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| MSP-300-5[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 60 | 300(b) | 14, 19 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| MSP-300-7.5[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5 | 40 | 300(b) | 14, 19 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| MSP-450-12@[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 12dc | 37.5 | 450 | 14 | 60601-1:2008 | 20B | 0 | 1 |
| MSP-450-15@[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 15dc | 30 | 450 | 14 | 60601-1:2008 | 20B | 0 | 1 |
| MSP-450-24@[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 24dc | 18.8 | 451.2 | 14 | 60601-1:2008 | 20B | 0 | 1 |
| MSP-450-3.3@[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 3.3dc | 90 | 297 | 14 | 60601-1:2008 | 20B | 0 | 1 |
| MSP-450-36@[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 36dc | 12.5 | 450 | 14 | 60601-1:2008 | 20B | 0 | 1 |
| MSP-450-48@[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 48dc | 9.5 | 456 | 14 | 60601-1:2008 | 20B | 0 | 1 |
| MSP-450-5@[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 5dc | 90 | 450 | 14 | 60601-1:2008 | 20B | 0 | 1 |
| MSP-450-7.5@[*r] | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 7.5dc | 60 | 450 | 14 | 60601-1:2008 | 20B | 0 | 1 |
| MSP-600-12 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 53 | 636 | 14 | 60601-1:2008 | 20B | 0 | 1 |
| MSP-600-15 @ (A1)[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 43 | 645 | 14 | 60601-1:2008 | 20B | 0 | 1 |
| MSP-600-24 @ (A1)[*r] | | | | | | | | | | | |
| | 100- | 50/60 | 0 | 24 | 27 | 648 | 14 | 60601-1:2008 | 20B | 0 | 1 |

| | | | | | | | | | | | | |
|----------------------------------|-----------|-------|---|-----|------|-------|----|---|-----|---|---|--|
| | 240ac | | | | | | | | | | | |
| MSP-600-3.3 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 120 | 396 | 14 | 60601-1:2008 | 20B | 0 | 1 | |
| MSP-600-36 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 36 | 17.5 | 630 | 14 | 60601-1:2008 | 20B | 0 | 1 | |
| MSP-600-48 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 13 | 624 | 14 | 60601-1:2008 | 20B | 0 | 1 | |
| MSP-600-5 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 120 | 600 | 14 | 60601-1:2008 | 20B | 0 | 1 | |
| MSP-600-7.5 @ (A1)[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 7.5 | 80 | 600 | 14 | 60601-1:2008 | 20B | 0 | 1 | |
| PM-05-12, NFM-05-12[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 0.42 | 5.04 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-05-15, NFM-05-15[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 0.33 | 4.95 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-05-24, NFM-05-24[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 0.23 | 5.52 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-05-3.3, NFM-05-3.3[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 1.25 | 4.125 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-05-5, NFM-05-5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 1.0 | 5.0 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-10-12, NFM-10-12[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 0.85 | 10.2 | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-10-15, NFM-10-15[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 0.67 | 10.05 | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-10-24, NFM-10-24[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 0.42 | 10.08 | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-10-3.3, NFM-10-3.3[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 2.5 | 8.25 | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-10-5, NFM-10-5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 2.0 | 10 | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-15-12, NFM-15-12[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 1.25 | 15 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-15-15, NFM-15-15[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 1.0 | 15 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-15-24, NFM-15-24[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 0.63 | 15.12 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |

| | | | | | | | | | | | | |
|----------------------------------|------------|-------|---|-------|--------|--------------|---|--|-----|---|---|--|
| PM-15-3.3, NFM-15-3.3[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 3.5 | 11.55 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-15-5, NFM-15-5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 3 | 15 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| PM-20-12, NFM-20-12[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 1.8 | 21.6 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| PM-20-15, NFM-20-15[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 1.4 | 21.0 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| PM-20-24, NFM-20-24[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 0.92 | 22.08 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| PM-20-3.3, NFM-20-3.3[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 4.5 | 14.85 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| PM-20-5, NFM-20-5[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 4.4 | 22.0 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| RPD(G)-160B[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 12(#) | 150.4(#)(b) | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 5 | 6(*) | 100.2(*) (b) | 9 | | | | | |
| | | | | 24 | 3.6(#) | - | 9 | | | | | |
| | | | | 24 | 2.8(*) | - | 9 | | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | | |
| RPD(G)-160B@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 12(#) | 150.4(#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | | - | 6(*) | 100.2(*) (b) | 9 | | | | | |
| | | | | - | 3.6(#) | - | 9 | | | | | |
| | | | | - | 2.8(*) | - | 9 | | | | | |
| | | | | - | 0.8(#) | - | 9 | | | | | |
| | | | | - | 0.6(*) | - | 9 | | | | | |
| RPD-160BFE@+ | | | | | | | | | | | | |
| | 100-240Vac | 50/60 | 0 | 24Vdc | 1.6A | 38.4 | - | 60601-1:2008 | 20B | 0 | 0 | |
| | | | | 5Vdc | 2.0 | 10 | 1 | | | | | |
| RPD-60A@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 5 | 49 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| | | | | - | 2 | - | 9 | | | | | |
| RPD-60B@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 3.5 | 53.5 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 | |
| | | | | - | 1.5 | - | 9 | | | | | |
| RPD-75A [*r] | 100-240ac | 50/60 | 0 | 5 | 7 | 71.0 | 9 | 60601-1 | 20B | 0 | 1 | |

| | | | | | | | | | | | |
|---------------------------|-----------|-------|---|--------|----------|--------------|---|--|-----|---|---|
| | | | | 12 | 3 | - | 9 | | | | |
| RPD-75A@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 7 | 71.0 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 12 | 3 | - | 9 | | | | |
| RPD-75B | 100-240ac | 50/60 | 0 | 5 | 5 | 73.0 | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 12 | 1 | - | 9 | | | | |
| RPD-75B@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 5 | 73.0 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 12 | 1 | - | 9 | | | | |
| RPS(G)-160-12[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 12.9 (#) | 158.8 (#)(b) | - | 60601-1 | 20B | 0 | 1 |
| | | | | 12 | 9.1(*) | 112.2(*) (b) | - | | | | |
| | | | | 5VSB | 0.8(#) | - | - | | | | |
| | | | | 5VSB | 0.6(*) | - | - | | | | |
| RPS(G)-160-12@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12dc | 12.9 (#) | 158.8 (#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 12dc | 9.1(*) | 112.2(*) (b) | 9 | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | |
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | |
| RPS(G)-160-15[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 10.3 (#) | 158.5 (#)(b) | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 15 | 7.3(*) | 112.5(*) (b) | 9 | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | |
| RPS(G)-160-15@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15dc | 10.3 (#) | 158.5 (#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 15dc | 7.3(*) | 112.5(*) (b) | 9 | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | |
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | |
| RPS(G)-160-24[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 6.5(#) | 160(#)(b) | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 24 | 4.6(*) | 113.4(*) (b) | 9 | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | |
| RPS(G)-160-24@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24dc | 6.5(#) | 160(#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 24dc | 4.6(*) | 113.4(*) (b) | 9 | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | |
| | | | | | | | | | | | |

| | | | | | | | | | | | |
|------------------------------------|-----------|-------|---|--------|-----------|--------------|---|---|-----|---|---|
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | |
| RPS(G)-160-48[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 3.25 (#) | 160(#)(b) | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 48 | 2.1(*) | 103.8(*) (b) | 9 | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | |
| RPS(G)-160-48@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48dc | 3.25 (#) | 160(#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 48dc | 2.1(*) | 103.8(*) (b) | 9 | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | |
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | |
| RPS(G)-160-5[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 30(#) | 154(#)(b) | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 5 | 20(*) | 103(*) (b) | 9 | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | |
| RPS(G)-160-5@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5dc | 30(#) | 154(#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 5dc | 20(*) | 103(*) (b) | 9 | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | |
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | |
| RPS-300-12[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 25(#) | 300(#) | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 2T | 0 | 1 |
| | | | | 12 | 16.67 | 200 | 9 | | | | |
| RPS-300-15[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 20(#) | 300(#) | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 2T | 0 | 1 |
| | | | | 15 | 13.33 | 200 | 9 | | | | |
| RPS-300-24[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 12.5 (#) | 300(#) | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 2T | 0 | 1 |
| | | | | 24 | 8.33 | 200 | 9 | | | | |
| RPS-300-27[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 27 | 11.12 (#) | 300(#) | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 2T | 0 | 1 |
| | | | | 27 | 7.4 | 200 | 9 | | | | |
| RPS-300-48[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 6.25 (#) | 300(#) | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 2T | 0 | 1 |
| | | | | 48 | 4.17 | 200 | 9 | | | | |
| RPS-60-12@, RPS-60-12G@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 5 | 60 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |
| RPS-60-15@[*r] | | | | | | | | | | | |

| | | | | | | | | | | | |
|-------------------------------------|-----------|-------|---|-----|------|------|---|------------------------------|-----|---|---|
| | 100-240ac | 50/60 | 0 | - | 4 | 60 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |
| RPS-60-24@, RPS-60-24CA@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 2.5 | 60 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |
| RPS-60-3.3@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 10 | 33 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |
| RPS-60-48@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 1.25 | 60 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |
| RPS-60-5@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 10 | 50 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |
| RPS-75-12[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 6.3 | 75.6 | 9 | 60601-1 | 20B | 0 | 1 |
| RPS-75-12@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 12 | 6.3 | 75.6 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| RPS-75-15[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 5 | 75 | 9 | 60601-1 | 20B | 0 | 1 |
| RPS-75-15@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 15 | 5 | 75 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| RPS-75-24[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 3.2 | 76.8 | 9 | 60601-1 | 20B | 0 | 1 |
| RPS-75-24@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 24 | 3.2 | 76.8 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| RPS-75-3.3[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 15 | 49.5 | 9 | 60601-1 | 20B | 0 | 2 |
| RPS-75-3.3@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 15 | 49.5 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| RPS-75-36[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 36 | 2.1 | 75.6 | 9 | 60601-1 | 20B | 0 | 1 |
| RPS-75-36@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 36 | 2.1 | 75.6 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| RPS-75-48[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 1.6 | 76.8 | 9 | 60601-1 | 20B | 0 | 1 |
| RPS-75-48@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 48 | 1.6 | 76.8 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| RPS-75-5[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 14 | 70 | 9 | 60601-1 | 20B | 0 | 2 |
| RPS-75-5@[*r] | | | | | | | | | | | |
| | 100- | 50/60 | 0 | 5 | 14 | 70 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |

| | | | | | | | | | | | | |
|-------------------------|-----------|-------|---|--------|--------|----------------|---|---|-----|---|---|--|
| | 240ac | | | | | | | | | | | |
| RPT(G)-160A[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 14(#) | 145(#)(b) | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 5 | 9(*) | 98.6(*) (b) | 9 | | | | | |
| | | | | 12 | 5.5(#) | - | 9 | | | | | |
| | | | | 12 | 3.8(*) | - | 9 | | | | | |
| | | | | -5 | 1.0(#) | - | 9 | | | | | |
| | | | | -5 | 1.0(*) | - | 9 | | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | | |
| RPT(G)-160A@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5dc | 14(#) | 145(#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | | 5dc | 9(*) | 98.6(*) (b) | 9 | | | | | |
| | | | | 12dc | 5.5(#) | - | 9 | | | | | |
| | | | | 12dc | 3.8(*) | - | 9 | | | | | |
| | | | | -5dc | 1.0(#) | - | 9 | | | | | |
| | | | | -5dc | 1.0(*) | - | 9 | | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | | |
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | | |
| RPT(G)-160B[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 14(#) | 146(#)(b) | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 5 | 9(*) | 98.4(*) (b) | 9 | | | | | |
| | | | | 12 | 5.0(#) | - | 9 | | | | | |
| | | | | 12 | 3.4(*) | - | 9 | | | | | |
| | | | | -12 | 1.0(#) | - | 9 | | | | | |
| | | | | -12 | 0.8(*) | - | 9 | | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | | |
| RPT(G)-160B@[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5dc | 14(#) | 146(#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 | |
| | | | | 5dc | 9(*) | 98.4(*) (b) | 9 | | | | | |
| | | | | 12dc | 5.0(#) | - | 9 | | | | | |
| | | | | 12dc | 3.4(*) | - | 9 | | | | | |
| | | | | -12dc | 1.0(#) | - | 9 | | | | | |
| | | | | -12dc | 0.8(*) | - | 9 | | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | | |
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | | |
| RPT(G)-160C[*r] | | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 14(#) | 143(#)(b) | 9 | 60601-1 | 20B | 0 | 1 | |
| | | | | 5 | 9(*) | 99(*) (b) | 9 | | | | | |
| | | | | 15 | 3.6(#) | - | 9 | | | | | |
| | | | | | | | | | | | | |

| | | | | | | | | | | | |
|-------------------------|-----------|-------|---|--------|--------|-------------|---|---|-----|---|---|
| | | | | 15 | 2.6(*) | - | 9 | | | | |
| | | | | -15 | 1.0(#) | - | 9 | | | | |
| | | | | -15 | 0.8(*) | - | 9 | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | |
| RPT(G)-160C@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5dc | 14(#) | 143(#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 5dc | 9(*) | 99(*) (b) | 9 | | | | |
| | | | | 15dc | 3.6(#) | - | 9 | | | | |
| | | | | 15dc | 2.6(*) | - | 9 | | | | |
| | | | | -15dc | 1.0(#) | - | 9 | | | | |
| | | | | -15dc | 0.8(*) | - | 9 | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | |
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | |
| RPT(G)-160D@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 11(#) | 147.8(#)(b) | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 5 | 8(*) | 98.2(*) (b) | 9 | | | | |
| | | | | 12 | 5.0(#) | - | 9 | | | | |
| | | | | 12 | 2.6(*) | - | 9 | | | | |
| | | | | 24 | 1.2(#) | - | 9 | | | | |
| | | | | 24 | 1.0(*) | - | 9 | | | | |
| | | | | 5VSB | 0.8(#) | - | 9 | | | | |
| | | | | 5VSB | 0.6(*) | - | 9 | | | | |
| RPT(G)-160D@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5dc | 11(#) | 147.8(#)(b) | 9 | ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 5dc | 8(*) | 98.2(*) (b) | 9 | | | | |
| | | | | 12dc | 5.0(#) | - | 9 | | | | |
| | | | | 12dc | 2.6(*) | - | 9 | | | | |
| | | | | 24dc | 1.2(#) | - | 9 | | | | |
| | | | | 24dc | 1.0(*) | - | 9 | | | | |
| | | | | 5VSBdc | 0.8(#) | - | 9 | | | | |
| | | | | 5VSBdc | 0.6(*) | - | 9 | | | | |
| RPT-6003@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 5 | 39.9 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |
| | | | | - | 3 | - | 9 | | | | |
| | | | | - | 0.7 | - | 9 | | | | |
| RPT-60A@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 4 | 46.5 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |
| | | | | - | 2 | - | 9 | | | | |
| | | | | - | 0.5 | - | 9 | | | | |
| RPT-60B@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 4 | 50 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |

| | | | | | | | | | | | |
|----------------------|-----------|-------|---|-----|-----|------|---|------------------------------|-----|---|---|
| | | | | - | 2 | - | 9 | | | | |
| | | | | - | 0.5 | - | 9 | | | | |
| RPT-60C@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 4 | 50 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |
| | | | | - | 1.5 | - | 9 | | | | |
| | | | | - | 0.5 | - | 9 | | | | |
| RPT-60D@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | - | 3.5 | 47.5 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |
| | | | | - | 1 | - | 9 | | | | |
| | | | | - | 0.5 | - | 9 | | | | |
| RPT-7503[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 6 | 61.8 | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 5 | 6 | - | 9 | | | | |
| | | | | 12 | 1 | - | 9 | | | | |
| RPT-7503@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 3.3 | 6 | 61.8 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 5 | 6 | - | 9 | | | | |
| | | | | 12 | 1 | - | 9 | | | | |
| RPT-75A [*r] | 100-240ac | 50/60 | 0 | 5 | 6 | 68.5 | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 12 | 3 | - | - | | | | |
| | | | | -5 | 0.5 | - | - | | | | |
| RPT-75A@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 6 | 68.5 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 12 | 3 | - | 9 | | | | |
| | | | | -5 | 0.5 | - | 9 | | | | |
| RPT-75B [*r] | 100-240ac | 50/60 | 0 | 5 | 6 | 72 | 9 | 60601-1 | 20B | 0 | - |
| | | | | 12 | 3 | - | - | | | | |
| | | | | -12 | 0.5 | - | - | | | | |
| RPT-75B@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 6 | 72 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 12 | 3 | - | 9 | | | | |
| | | | | -12 | 0.5 | - | 9 | | | | |
| RPT-75C [*r] | 100-240ac | 50/60 | 0 | 5 | 6 | 72 | 9 | 60601-1 | 20B | 0 | 1 |
| | | | | 15 | 2.3 | - | - | | | | |
| | | | | -15 | 0.5 | - | - | | | | |
| RPT-75C@[*r] | | | | | | | | | | | |
| | 100-240ac | 50/60 | 0 | 5 | 6 | 72 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | | | 15 | 2.3 | - | 9 | | | | |
| | | | | -15 | 0.5 | - | 9 | | | | |
| RPT-75D [*r] | 100-240ac | 50/60 | 0 | 5 | 5 | 73 | 9 | 60601-1 | 20B | 0 | 1 |

| | | | | | | | | | | |
|---------------------|-------|----|-----|---|----|---|------------------------------|-----|---|---|
| | | 24 | 1.5 | - | - | | | | | |
| | | 12 | 1 | - | - | | | | | |
| RPT-75D@[*r] | | | | | | | | | | |
| 100-240ac | 50/60 | 0 | 5 | 5 | 73 | 9 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 1 |
| | | 24 | 1.5 | - | 9 | | | | | |
| | | 12 | 1 | - | 9 | | | | | |

[*r] - Output values are rated.

- Rated ratingw with 20.5CFM FAN cooling.

(a) - Where X may be A or C.

(A1\$) - product certified to ANSI/AAMI ES60601-1:2005 & A1:2012 and CAN/CSA-C22.2 No. 60601-1 (2014)

(A1) - product certified to ANSI/AAMI ES60601-1:2005 & A1:2012

(b) - Ratings in W not VA.

* - Rated ratings without 20.5CFM FAN cooling.

+ - Class II SMPS

@ - product certified to ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08.



Marking: Company name, model designation and the Recognized Component Mark for Canada, .
Last Updated on 2014-07-04

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".